
Foundation for Cross-Connection Control and Hydraulic Research

List of Approved Backflow Prevention Assemblies

1 April 2025






The List of Approved Backflow Prevention Assemblies is published by the Foundation for Cross-Connection Control and Hydraulic Research a Division of the Viterbi School of Engineering

> 2025 © University of Southern California All Rights Reserved

Table of Contents

Legend	4
Notices	5
Orientation of Assemblies	6
Shutoff Valve Designation	7
Detector Assembly Meters	11
Special Notices	12
Atmospheric Vacuum Breaker (AVB)	13
Double Check Valve Assembly (DC)	14
Double Check-Detector Assembly (DCDA)	236
Double Check-Detector Assembly-Type II (DCDA-II)	370
Pressure Vacuum Breaker Assembly (PVB)	390
Reduced Pressure Principle Assembly (RP)	406
Reduced Pressure Principle-Detector Assembly (RPDA)	623
Reduced Pressure Principle-Detector Assembly-Type II (RPDA-II)	671
Spill-Resistant Pressure Vacuum Breaker Assembly (SVB)	683
Manufacturers of Approved Backflow Prevention Assemblies	687

Legend



Notices

REGARDING RENEWALS:

The original Certificate of Approval-identified by the Edition of the Manual and the approval date shown in this list is valid as of the date of this list, only if the original or renewal date shown hereon is within three (3) years of the date of this list. The responsibility to request a renewal of an Approval is that of each manufacturer. The USC Foundation retains the right of determining the extent of re-evaluation required before renewal is granted. Certificates of Approval are not recalled for the purpose of updating the effective date. This revision of date is only published via the current List of Approved Backflow Prevention Assemblies.

REGARDING INSTALLATION:

Unless otherwise specified by the manufacturer all assemblies are to be installed on cold potable water applications - below 1100F. Also, all of the assemblies listed are Approved for the INDICATED ORIENTATION(S) ONLY. Rotation of assemblies on either axis will invalidate the USC Foundation's Approval. Use of spare parts other than those of the original manufacturer invalidates the Approval. Rotation of shutoff valves of one bolt hole only is permitted only for the 2 1/2" and larger flanged assemblies.

REGARDING LEAD CONTENT:


In order to determine if backflow preventers comply with lead-free requirements of several states and the Safe Drinking Water Act, USC Foundation Approved assemblies which comply with the \leq 0.25% lead requirement are indicated by a Y in the column \leq 0.25% Pb.

REGARDING LIST UPDATES:

The List of Approved Assemblies is printed annually in the first quarter of the year. Update notices are printed and sent to USC Foundation Members quarterly. The most recent changes to the List may be found on the USC Foundation's website. The web version of the List is updated each time a change is made.

REGARDING SUSPENSIONS:

As part of an assembly's ongoing approval process, manufacturers are required to submit selected assemblies for review and re-evaluation. When a manufacturer fails to provide a required assembly, the assembly's approval is suspended. Once the assembly satisfactorily completes the renewal review and re-evaluation, the suspension will be removed.



Each backflow prevention assembly has been evaluated with a specific set of shutoff valves as an integral part of the assembly. The specific shutoff valves are coded by a parenthetic code with each assembly. This coding of shutoff valves is defined below. Other shutoff valves having similar performance characteristics which permit the assembly to comply with the standards are also shown immediately after the original shutoff valves. The use of any shutoff valve, other than those listed for that specific assembly invalidates the Approval. Assemblies listed with a Y in the "spare parts only" column may not include the shutoff valve designation.

(aa)	American Figure 1-QT		
(bb)	American Figure 17-NRS RW		
(cc)	American Figure 3700SY RW		
(dd)	Apollo Series 7B-QT		
(ee)	AVK Series 25-NRS		
(ff)	AVK Series 25-OSY (Nibco F607RW OSY)		
(gg)	Clow R/W Model 2640 (FxF) - NRS		
	(formerly Clow R/W F6102-NRS)		
(hh)	Clow R/W Model 2640 (FxF) - OSY		
	(formerly Clow R/W F6136-OSY)		
(ii)	Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601)		
	Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins		
(jj)	Kennedy Ken Seal I-NRS		
(kk)	Kennedy Ken Seal-OSY		
(ll)	Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 12")		
	Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10")		
	(formerly Kennedy Ken Seal II-NRS)		
(mm)	Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 12")		
	Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")		
	(formerly Kennedy Ken Seal II-OSY)		
(nn)	Lee Brass-QT		
(00)	Watts Model 405 (2-1/2" - 10" NRS-RW FxF)		
(pp)	Watts Model 408 (2-1/2" - 10" OSY-RW FxF)		
(qq)	Mueller R/W HP NRS		
(rr)	Mueller R/W HP OSY		
(ss)	Toro.Orion Integral Ball Valve-QT		
(tt)	American Flow Control (Waterous) Series 500-NRS		
(uu)	American Flow Control (Waterous) Series 500-OSY		
(vv)	Watts Model FBV & FBV-E (1/4" - 2" Ball Valve QT)		
	Ames Model FBV & FBV-E (1/4" - 2" Ball Valve QT)		
(ww)	Watts Moel G4000-FDA (2-1/2" -10" Ball Valve FxF)		
(xx)	Watts Model 6080 & 6080-E (1/4" - 2" Ball Valve QT)		
(уу)	Matco-Norca 10RW (NRS)		
(zz)	Matco-Norca 105U (OSY)		
(aaa)	American Flow Control Series 2500-NRS		
(bbb)	American Flow Control Series 2500-OSY		
(ccc)	M&H Model 4067-02 (NRS)		
(ddd)	M&H Model 4068-02(OSY)		
(eee)	Stockham Model G-610 (OSY)		
()			

(fff)	Febco Series 620 QT		
(ggg)	Fortune Figure 620U-QT		
(hhh)	Watts Model S-FBV & S-FBV-E (1/4" - 1" Ball Valve QT)		
(iii)	Mueller Model A2360-NRS		
(int)	Shutoff Valve is integral part of assembly		
(jjj)	Febco Series 621-QT		
(kkk)	Febco Series 620U-QT		
(111)	Mueller Model R2360-OSY		
(mmm)	Conbraco Series IBVE-125-QT		
(nnn)	Kennedy Model KS-FW Figure 8701 (FxF) - NRS (3" - 10") Post Indicator/Tapping		
	Kennedy Model KS-RW Figure 7701 (FxF) - NRS (4" - 10") Post Indicator/Tapping		
	(formerly Kennedy Ken Seal II Post Indicator/Tapping)		
(000)	Ningbo Ball Valves (Febco 622F & 622FT, Watts Series 855-QT & Wilkins Series 850-QT)(1/4" - 2" Ball Valve QT)		
(ppp)	Clow R/W Model 2639 (GxF) - NRS (2 1/2" - 3")		
	Clow R/W Model 2638 (GxF) - NRS (4" - 10")		
	(formerly Clow Series F6105-NRS)		
(qqq)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3")		
	Clow R/W Model 2638 (GxF) - OSY (4" - 10")		
	(formerly Clow Series F6138-OSY)		
(rrr)	Apollo Series 7B-308-01 (& 7B-308-31)		
(sss)	Clow R/W Model 2639 (GxG) - NRS (2 1/2" - 3")		
	Clow R/W Model 2638 (GxFG) - NRS (4" - 10")		
	(formerly Clow Series F6104-NRS)		
(ttt)	Clow R/W Model 2639 (GxG) - OSY (2 1/2" - 3")		
	Clow R/W Model 2638 (GxFG) - OSY (4" - 10")		
	(formerly Clow Series F6137-OSY)		
(uuu)	Apollo Series 7H-QT		
(vvv)	Clow R/W Model 2640 (FxF) - OSY Post Indicator/Tapping Valve		
	(formerly Clow R/W F6136-OSY Post Indicator/Tapping Valve)		
(www)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3") Post Indicator/Tapping Valve		
	Clow R/W Model 2640 (GxF) - OSY (4" - 10") Post Indicator/Tapping Valve		
	(formerly Clow R/W F6138-OSY Post Indicator/Tapping Valve)		
(xxx)	Ningbo Union Ball Valves (Febco 622UF & 622UFT & Wilkins 850U-QT)(1/2" - 2" Ball Valve QT)		
(ууу)	Victaulic Series 702 (Butterfly valves)		
(zzz)	Kennedy Model KS-RW Figure 7092ABF (FxG) - OSY		
	(formerly Kennedy Series 7092ABF-OSY)		
(aaaa)	Union Model GV12 (flange by groove)-OSY		
(bbbb)	Enbee Model GV12 (flange by groove)-OSY		
(cccc)	Kennedy Model KS-RW Figure 7092 (FxG) - OSY		
	(formerly Kennedy Series 7092 (GxF) - OSY)		
(dddd)	Kennedy Model KS-RW Figure 7592 (FxG) - NRS		
. /	(formerly Kennedy Series 7592ABF - NRS)		
(eeee)	Kennedy Model KS-RW Figure 7592PABF (FxG) - NRS Post Indicator/Tapping Valve		
、 /	(formerly Kennedy Series 7592PABF-Post Indicator/Tapping Valve)		
(ffff)	Watts Model 409 (2-1/2" - 10" OSY-RW FxF)		

1			
(gggg)	Watts Model 409 (2-1/2" - 10" OSY-RW FxG)		
(hhhh)	Watts Model LF-FBV & LF-FBV-E (1/4" - 2" Ball Valve QT)		
	Ames Model LF-FBV & LF-FBV-E (1/4" - 2" Ball Valve QT)		
	Febco Model LF-FBV & LF-FBV-E (1/4" - 2" Ball Valve QT)		
(iiii)	Wilkins Series 850XL (850TXL) - QT		
(jjjj)	WATTS Model 409 (2" OSY-RW NPTxNPT)		
(kkkk)	Kennedy Model KS-RW Figure 7093 (GxG) - OSY		
(IIII)	Kennedy Model KS-RW Figure 7593 (GxG) - NRS		
(mmmm)	Kennedy Model KS-RW Figure 7093ABF (GxG) - OSY		
(nnnn)	Kennedy Model KS-RW Figure 7593ABF (GxG) - NRS		
(0000)	Kennedy Model KS-RW Figure 7593PABF (GxG) - NRS Post Indicator		
(pppp)	Watts Model L-FBV & L-FBV-E (1/4" - 2" Ball Valve QT)		
	Ames Model L-FBV & L-FBV-E (1/4" - 2" Ball Valve QT)		
	Febco Model L-FBV & L-FBV-E (1/4" - 2" Ball Valve QT)		
(qqqq)	Kennedy Figure G300E - Butterfly Valve (2 1/2"-6")		
(rrrr)	Kennedy Figure 02G - Butterfly Valve (8")		
(ssss)	Wilkins Model 48-509 (GXF) - NRS (2-1/2" - 12") [Effective 12/06/16. Formerly Model 48]		
(tttt)	Wilkins Model 48-509 (FXF) - NRS (2-1/2" - 12") [Effective 12/06/16. Formerly Model 48]		
(uuuu)	Wilkins Model 48-509 (GXG) - NRS (2-1/2" - 10") Post Indicator/Tapping Valve [Effective 12/06/16. Formerly Model 48]		
(vvvv)	Wilkins Model 48-509 (GXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve [Effective 12/06/16. Formerly Model 48]		
(wwww)	Wilkins Model 48-509 (FXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve [Effective 12/06/16. Formerly Model 48]		
(xxxx)	Wilkins Model 48-509 (GXG) - OSY (2-1/2" - 10") [Effective 12/06/16. Formerly Model 48]		
(уууу)	Wilkins Model 48-509 (GXF) - OSY (2-1/2" - 12") [Effective 12/06/16. Formerly Model 48]		
(zzzz)	Wilkins Model 48-509 (FXF) - OSY (2-1/2" - 12") [Effective 12/06/16. Formerly Model 48]		
(aaaaa)	Wilkins Model 48-509 (GXG) - NRS (2-1/2" - 10") [Effective 12/06/16. Formerly Model 48]		
(bbbbb)	Milwaukee BB-SC100 - Butterfly Valve		
(ccccc)	Milwaukee BB-SCS02 - Butterfly Valve (with gearbox)		
(ddddd)	Flomatic Model NRS		
(eeeee)	Watts Model FBV-FP & FBV-E-FP (3/4" - 2" Ball Valve w/Gearbox)		
	Ames Model LFAFBV-FP & LFAFBV-E-FP (3/4" - 2" Ball Valve w/Gearbox)		
(fffff)	Watts Model L-FBV-QT (2-1/2" - 4" Ball Valve NPTxG)		
(ggggg)	Wilkins Model 850MSS		
(hhhhh)	Fortune Series 620/623 (c89520 unleaded bronze)		
(iiiii)	Apollo Series 77B-100 and 77C-100 - QT		
(jjjjj)	Apollo Series 77BLF-100 and 77CLF-100 - QT		
(kkkkk)	Wilkins Model 49 (GXF) - (2 1/2" - 10")		
(!!!!!)	Wilkins Model 49 (GXG) - (2 1/2" - 10")		
(mmmmm)	Wilkins 850UXL (850TUXL) -QT		
(nnnnn)	Watts Model 405 (2 1/2" - 10" NRS-RW FxG)		
(00000)	ARI HC260 and HC262 Ball Valves - QT		
(ppppp)	Febco Model LF622UF & LF622UFT (1/2" - 2" Ball Valve QT)		
	Febco Model LF622F & LF622FT (1/2" - 2" Ball Valve QT)		
(qqqqq)	$\frac{1}{2} = \frac{1}{2} = \frac{1}$		

(rrrrr)	Watts Model LFFBV-FRG & LFFBV-E-FRG (1/2" - 2" Ball Valve QT)
(SSSSS)	Apollo Series 91B and 91C-QT (1/2 - 2")
(ttttt)	Apollo Series 91BLF and 91CLF-QT (1/2 - 2")
(uuuuu)	Apollo Model 77B-LFU and 77C-LFU Union Ball Valves - QT (1/2")
(vvvv)	Apollo Series 91BLF-U and 91CLF-U-QT (3/4"-2")
(wwww)	Apollo Series 91B-U and 91C-U-QT (3/4"-2")
(xxxxx)	Apollo Model GV (FXG) - NRS (2-1/2" - 12")
(ууууу)	Apollo Model GV (GXG) - NRS (2-1/2" - 12")
(zzzz)	Apollo Model GV (FXG) - OSY (2-1/2" - 12")
(aaaaaa)	Apollo Model GV (GXG) - OSY (2-1/2" - 12")
(bbbbbb)	Apollo Model GV (FXF) - NRS (2-1/2" - 12")
(cccccc)	Apollo Model GV (FXF) - OSY (2-1/2" - 12")
(ddddd)	Apollo Model 77S-XT (1 1/2"-2" Ball Valve w/Gearbox)
(eeeeee)	Apollo Model 77S-LFXT (1 1/2"-2" Ball Valve w/Gearbox)
(fffff)	ARI Model PLS-VA Ball Valves -QT (3/4"-2")
(gggggg)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12")
(hhhhhh)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12")
(iiiiii)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 10") Post Indicator/Tapping Valve
(jjjjjj)	Wilkins Model 48 (GXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve
(kkkkkk)	Wilkins Model 48 (FXF) - NRS (2-1/2" - 12") Post Indicator/Tapping Valve
(!!!!!)	Wilkins Model 48 (GXG) - OSY (2-1/2" - 10")
(mmmmmm)	Wilkins Model 48 (GXF) - OSY (2-1/2" - 12")
(nnnnn)	Wilkins Model 48 (FXF) - OSY (2-1/2" - 12")
(000000)	Wilkins Model 48 (GXG) - NRS (2-1/2" - 10")
(рррррр)	Lansdale Model LPBLFB2 - Butterfly Valve (2")
(qqqqqq)	AVK Series 25-21 (GXF) - NRS
(rrrrr)	AVK Series 25-11 (GXG) - NRS
(sssss)	AVK Series 25-26 (GXF) -OSY
(tttttt)	AVK Series 25-16 (GxG) - OSY
(uuuuuu)	Ames Model LFAFBV-FP-GV-T & LFAFBV-E-FP-GV-T (1" - 2" Thread x Groove Ball Valve w/Gearbox)
(vvvvv)	BEECO Mod GV (GXF) - NRS (2 1/2"-10")
(wwwwww)	BEECO Mod GV (GXF) - OSY (2 1/2"-10")
(xxxxxx)	Apollo Mod BFV (GXG) - (2 1/2"-10") - Butterfly Valves
(уууууу)	BEECO Mod BV Series (1/2"-2" Ball Valve QT)
(zzzzz)	AVK Series 25-41 (FXF) - NRS
(aaaaaaa)	AVK Series 25-46 (FXF) - OSY

Detector Assembly Meters

The Detector Assemblies contained herein have been evaluated with a specific meter as the detector element of the assembly. That specific meter is coded by a parenthetic letter shown in the "meters" column. The coding of meters is shown in this Section. Other meters having similar performance characteristics to permit the assembly to meet the Standard are shown immediately after the original evaluation meter. The use of any other meter or modified bypass piping invalidates the Approval.

Some of the detector assemblies use a line-size assembly, which is not a standard stock Approved assembly. Increased loads are required in these line-size units to allow the assembly to accurately record low flow rates in the bypass meter. Therefore, various off-the-shelf components can not be assembled and expected to perform satisfactorily. The bypass backflow preventer Approved with the detector assembly is listed under the bypass column. This is only for verification purposes. Should replacement parts or a complete bypass be needed, the model number of the complete detector assembly should be used in ordering these components.

А	Hersey Model F-F 5/8" x 3/4"
В	Carlon 5/8" x 3/4"
С	Dandé Model D-3 5/8" x 3/4"
D	Gamon-Calmet 5/8"
E	Hays Acumeter 5/8" x 3/4"
F	Arad 5/8" x 3/4" (Master Meter)
G	Schlumberger 5/8" x 3/4" Model MBRF
Н	Rockwell (Sensus) SR-II 5/8" x 3/4"
I	Hersey Model 430 - 5/8"
J	Elster AMCO Model C700 5/8"x3/4" (Formerly Kent, ABB)
К	Precision 5/8"
L	Neptune Trident 8 5/8"
М	Neptune T-10 5/8" (Lead free compliant version identified with NSF61 mark on meter)
Ν	Badger Model 25 3/4"
0	Badger 5/8" x 3/4" Model 25 (Lead free compliant version identified with NSF61 mark on meter)
Р	Hersey Model 430 Series II 5/8"
Q	Hersey Model MVR-30 3/4"
R	Neptune T-10 1"
S	Neptune T-10 1 1/2"
Т	Zenner Model PMN 5/8" x 3/4"
U	Badger Model 35 3/4" (Lead free compliant version identified with NSF61 mark on meter)

Special Notices

The USC Foundation publishes Special Notices from time to time. These notices contain information that requires special attention. The Foundation makes Special Notices, in their first year of publication, an exclusive benefit for Foundation members. Members receive all Special Notices via mail immediately upon release. Please visit fccchr.usc.edu/list to view the Special Notices archive.

Notice 96-001

This notice lists Ames assemblies which have been reported with low check valve readings. Corrections to the problem are discussed.

Notice 97-001

This notice discusses changes in the retaining cup in the relief valve stem of the 8" and 10" Wilkins 975 reduced pressure principle assemblies.

Notice 97-002

This notice identifies Ames 2000SS, 3000SS, and 4000SS series assemblies that were discovered to have unapproved components.

Notice 97-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 98-001

This notice advises members of certain action in the Federal Register regarding cross-connection control programs.

Notice 98-002

This notice advises members of Wilkins 950 series and 975 series modifications.

Notice 99-001

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 99-002

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 99-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 01-001

This notice discuss silicon parts in certain Febco relief valves.

Notice 01-002/Revised Notice 01-002-R1

This notice discusses some check valves not approved in certain Ames and Watts assemblies.

Notice 01-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 02-001

This notice explains there are some specific Febco assemblies with unapproved check valve retainers.

Notice 03-001

This notice explains there are improper markings of model designations on some Wilkins assemblies.

Notice 03-002

This notice explains the possibility of the interference of the check valves on some Ames and Watts assemblies.

Notice 04-001

This notice identifies some Febco 825YA assemblies sold with a dimensional variation.

Notice 05-001

This notice identifies some Ames and Watts assemblies sold with unapproved disc material.

Notice 06-001

This notice identifies unapproved guides found in certain Febco assemblies.

Notice 06-002

This notice identifies a change in the design of the Flomatic PVBs.

Notice o6-oo3

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 07-001

This notice discusses out of tolerance springs on Conbraco assemblies.

Notice 09-001

This notice highlights unapproved third party components that are being distributed.

Notice 13-001

This notice discusses modifications to guiding surfaces of the check valves on Wilkins assemblies.

Notice 14-001

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 14-002

This notice clarifies the method in which the model designation is indicated on the Wilkins 3/4" 950XLD and 975XLD assemblies.

Notice 15-001

This notice has been prepared to review Special Notice 14-002 and clarify the USC Approval Status of Wilkins Reduced Pressure Principle Detector Assemblies (RPDAs).

Notice 19-001

This notice brings to attention that certain Ames and Watts double check detector assemblies (DCDA) may have been produced with the bypass assembly containing the incorrect model designation.

Type: AVB	Manufacturer: Ames	Model: A100
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1991	Renewed: 01-Nov-2024	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 01-Nov-1991	Renewed: 01-Nov-2024	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1991	Renewed: 27-Sep-2024	Bypass:
Type: AVB	Manufacturer: Ames	Model: A100
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Aug-1991	Renewed: 21-Aug-2024	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Aug-1991	Renewed: 12-Aug-2024	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1991	Renewed: 27-Sep-2024	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Aug-1991	Renewed: 21-Aug-2024	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM3
Size: 2 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Sep-1991	Renewed: 10-Sep-2024	Bypass:

Type: AVB Size: 3 Manual: 8 Approved: 16-Sep-1991	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 16-Sep-2024	Model: 288AM3 Meters: Spare Parts Only: Yes Bypass:
	Manufactures Moto	Model: 200AN/5
Type: AVB	Manufacturer: Watts	Model: 288AM5
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1991	Renewed: 01-Nov-2024	Bypass:
Type: AVB	Manufacturer: Watts	Model: 288AM5
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1991	Renewed: 01-Nov-2024	Bypass:
Type: DC	Manufacturer: Ames	Model: 2000-DC
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2023	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo Notes: formerly Model DC	,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000-DCA
Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo Notes: formerly Model DCA	,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000-DCA
Size: 6	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo	,pp,uu,ccc,ddd,ffff,gggg	
Notes: formerly Model DCA		

Type: DC Manufacturer: Ames Model: 2000-DCA Size: 8 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2024 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA Type: DC Manufacturer: Ames Model: 2000-G-DC Size: 10 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 04-Aug-1987 Renewed: 04-Aug-2023 **Bypass:** Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DC Type: DC Manufacturer: Ames Model: 2000-G-DCA Size: 4 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Renewed: 11-Jan-2024 Approved: 11-Jan-1988 **Bypass:** Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA Type: DC Manufacturer: Ames Model: 2000-G-DCA Size: 6 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Renewed: 11-Jan-2024 Approved: 11-Jan-1988 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA Type: DC Manufacturer: Ames Model: 2000-G-DCA Size: 8 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2024 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model DCA Type: DC Manufacturer: Ames Model: 2000B Size: 1/2 **Orientation:** H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 06-Dec-1983 Renewed: 06-Dec-2022 **Bypass:**

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Notes: Upgraded to 9th Ed.

Type: DC Size: 1/2 Manual: 9 Approved: 16-Jun-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previous 8th Ed. Approval

Type: DC Size: 1/2 Manual: 9 Approved: 16-Jun-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 8 Approved: 05-Apr-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 3/4 Manual: 8 Approved: 27-Aug-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 1 Manual: 8 Approved: 26-Feb-1991 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Upgraded to 9th Ed.

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: Previous 8th Ed. Approval Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 16-Jun-2024

Manufacturer: Ames

Renewed: 16-Jun-2024

Manufacturer: Ames

Renewed: 05-Apr-2023

Manufacturer: Ames

Renewed: 27-Aug-2023

Manufacturer: Ames

Renewed: 26-Feb-2024

Manufacturer: Ames

Renewed: 18-May-2022

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: VU

0.25% Pb: No

Model: 2000B Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998	Renewed: 18-May-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 11-Mar-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Jun-1992	Renewed: 30-Jun-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	rr	
Type: DC	Manufacturer: Ames	Model: 2000B
Size: 2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No

Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: Model Designation chang	ged to 2000BM1-FP	
Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: Model Designation chang	ged to 2000BM2-FP	
Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: Model Designation chan	ged to 2000BM2-FP	
Type: DC	Manufacturer: Ames	Model: 2000B-FP
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: Model Designation chang	ged to 2000BM1-FP	
Type: DC	Manufacturer: Ames	Model: 2000BM1-FP
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
· · · ·	·	

Shutoffs: (eeeee),uuuuuu

Notes: formerly Model 2000B-FP. Model Change effective beginning with serial #: 028561

Type: DC	Manufacturer: Ames	Model: 2000BM1-FP
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-2017	Renewed: 21-Aug-2023	Bypass:
Shutoffs: (eeeee),uuuuuu		
Type: DC	Manufacturer: Ames	Model: 2000BM1-FP
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: (eeeee),uuuuuu		
Notes: formerly Model 2000B-FF	P. Model Change effective beginning with	n serial #: 039123
Type: DC	Manufacturer: Ames	Model: 2000BM1-FP
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Aug-2017	Renewed: 21-Aug-2023	Bypass:
Shutoffs: (eeeee),uuuuuu		
Type: DC	Manufacturer: Ames	Model: 2000BM2-FP
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: (eeeee),uuuuuu		
Notes: formerly Model 2000B-FP	P. Model Change effective beginning with	n serial #: 017727
Type: DC	Manufacturer: Ames	Model: 2000BM2-FP
	Manufacturer: Ames Orientation: VU	Model: 2000BM2-FP Meters:
Size: 1 1/4		
Size: 1 1/4 Manual: 9	Orientation: VU	Meters:
Size: 1 1/4 Manual: 9 Approved: 21-Aug-2017	Orientation: VU 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 1 1/4 Manual: 9 Approved: 21-Aug-2017 Shutoffs: (eeeee),uuuuuu	Orientation: VU 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 1 1/4 Manual: 9 Approved: 21-Aug-2017 Shutoffs: (eeeee),uuuuuu Type: DC	Orientation: VU 0.25% Pb: No Renewed: 21-Aug-2023	Meters: Spare Parts Only: No Bypass:
Size: 1 1/4 Manual: 9 Approved: 21-Aug-2017 Shutoffs: (eeeee),uuuuuuu Type: DC Size: 1 1/2	Orientation: VU 0.25% Pb: No Renewed: 21-Aug-2023 Manufacturer: Ames	Meters: Spare Parts Only: No Bypass: Model: 2000BM2-FP
Type: DC Size: 1 1/4 Manual: 9 Approved: 21-Aug-2017 Shutoffs: (eeeee),uuuuuuu Type: DC Size: 1 1/2 Manual: 9 Approved: 01-Sep-2009	Orientation: VU 0.25% Pb: No Renewed: 21-Aug-2023 Manufacturer: Ames Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 2000BM2-FP Meters:
Size: 1 1/4 Manual: 9 Approved: 21-Aug-2017 Shutoffs: (eeeee),uuuuuuu Type: DC Size: 1 1/2 Manual: 9	Orientation: VU 0.25% Pb: No Renewed: 21-Aug-2023 Manufacturer: Ames Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 2000BM2-FP Meters: Spare Parts Only: No

Type: DC Manufacturer: Ames Model: 2000BM2-FP Size: 1 1/2 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 21-Aug-2017 Renewed: 21-Aug-2023 Bypass: Shutoffs: (eeeee),uuuuuu Type: DC Manufacturer: Ames Model: 2000BM3 Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 27-Mar-2000 Renewed: 27-Mar-2023 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Ames Model: 2000BM3 Size: 3/4 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 27-Mar-2000 Renewed: 27-Mar-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Ames Model: 2000BM3-FP Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2024 **Bypass:** Shutoffs: (eeeee) Type: DC Manufacturer: Ames Model: 2000CIV Size: 4 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: Yes Approved: 15-Jan-1982 Renewed: 15-Jan-2024 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Type: DC Manufacturer: Ames Model: 2000CIV Size: 4 Orientation: VU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 11-Mar-1996 Renewed: 11-Mar-2023 **Bypass:** Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Type: DC Manufacturer: Ames Model: 2000CIV Size: 6 Orientation: H Meters: Manual: 6

Approved: 18-May-1982 Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee

0.25% Pb: No Renewed: 18-May-2024 Spare Parts Only: Yes Bypass:

Type: DC Size: 6 Manual: 8 Approved: 05-Dec-1996	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 05-Dec-2023	Model: 2000CIV Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	JU, EEE	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb : No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u		
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	JU,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Mar-1983	Renewed: 16-Mar-2025	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	JU,eee	
Type: DC	Manufacturer: Ames	Model: 2000CIV
Size: 10	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	JU,eee	
Type: DC	Manufacturer: Ames	Model: 2000SE
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Sep-1996	Renewed: 10-Sep-2023	Bypass:
Shutoffs: (mm),ee,ff,gg,hh,ll,mm	,oo,pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000SE
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Nov-1993	Renewed: 22-Nov-2023	Bypass:

Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Type: DC Manufacturer: Ames Model: 2000SE Size: 8 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 09-Sep-1992 Renewed: 09-Sep-2022 Bypass: Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Type: DC Manufacturer: Ames Model: 2000SS Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 05-May-2022 Approved: 05-May-1995 Bypass: Shutoffs: ii Type: DC Manufacturer: Ames Model: 2000SS Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 05-May-2022 Approved: 05-May-1995 Bypass: Shutoffs: ii Type: DC Manufacturer: Ames Model: 2000SS Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Jul-1995 **Renewed:** 14-Jul-2022 **Bypass:** Shutoffs: ii Type: DC Manufacturer: Ames Model: 2000SS Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 13-Oct-1995 Renewed: 13-Oct-2022 Bypass: Shutoffs: ii Type: DC Model: 2000SS Manufacturer: Ames Size: 2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 13-Oct-1995 Renewed: 13-Oct-2022 **Bypass:** Shutoffs: ii Type: DC Manufacturer: Ames Model: 2000SS Size: 2 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 11-Jul-1991 Renewed: 11-Jul-2024 Bypass: Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: DC Size: 2 1/2 Manual: 8 Approved: 11-Jul-1991 Shutoffs: II,mm,oo,ffff,gggg	Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 11-Jul-2024	Model: 2000SS Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3	Manufacturer: Ames Orientation: H	Model: 2000SS Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,cco	c,ddd	
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,cco	c,ddd	
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,cco	c,ddd	
Type: DC	Manufacturer: Ames	Model: 2000SS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2022	Bypass:

Shutoffs: II,mm,oo,ffff,gggg

Type: DC Manufacturer: Ames Size: 8 Orientation: H 0.25% Pb: No Manual: 8 Approved: 16-Sep-1996 Renewed: 16-Sep-2023 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd Type: DC Manufacturer: Ames Size: 8 Orientation: H 0.25% Pb: Yes Manual: 8 Renewed: 16-Sep-2023 Approved: 16-Sep-1996 Shutoffs: II,mm,oo,ffff,gggg Type: DC Manufacturer: Ames Size: 10 Orientation: H 0.25% Pb: No Manual: 8 Approved: 16-Feb-2001 Renewed: 16-Feb-2025 Shutoffs: pp, Type: DC Manufacturer: Ames Size: 10 Orientation: H Manual: 8 0.25% Pb: Yes Approved: 16-Feb-2001 Renewed: 16-Feb-2025 Shutoffs: (II),mm,oo Type: DC Manufacturer: Ames Size: 12 Orientation: H Manual: 9 0.25% Pb: No Renewed: 22-Jul-2024 Approved: 22-Jul-2009 Shutoffs: pp, Type: DC Manufacturer: Ames Size: 12 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 22-Jul-2009 Renewed: 22-Jul-2024 Shutoffs: (II),mm,oo

Type: DC Size: 12 Manual: 9 Approved: 22-Feb-2011 Shutoffs: pp, Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 22-Feb-2023 Model: 2000SS Meters: Spare Parts Only: No Bypass:

Type: DC Size: 12	Manufacturer: Ames Orientation: VU	Model: 2000SS Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:
Shutoffs: (II),mm,oo		
Type: DC	Manufacturer: Ames	Model: 2000SS-M
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-May-1995	Renewed: 05-May-2022	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,ll,mm,ou	o,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 2000SS-M
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-May-1995	Renewed: 05-May-2022	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,ll,mm,ou	o,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	,rrrr	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:

-**·-** ·

Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrı	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size : 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrr	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrı	r	
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	

Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: 200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Chuteffer (m) we and habb papa rever		

Type: DC Size: 1/2 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Size: 1/2 Manual: 9 Approved: 21-Apr-2006	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 21-Apr-2024 Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 21-Apr-2024	Model: 200B R10 Meters: Spare Parts Only: Yes Bypass: Model: 200B R10 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Nonomon 21 Apr 2027	-JP100 .
Type: DC Size: 1/2 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2024	Model: 200B R10 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 21-Apr-2024	Model: 200B R10 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 21-Apr-2024	Model: 200B R10 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2024	Model: 200B R10 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1/2 Manual: 9 Approved: 21-Apr-2006	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 21-Apr-2024	Model: 200B-A Meters: Spare Parts Only: Yes Bypass:

Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: DC	Manufacturer: Ames	Model: 200B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: DC	Manufacturer: Ames	Model: 200B-AR10
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2013	Renewed: 03-Jul-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: DC	Manufacturer: Ames	Model: 200B-AR10
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2013	Renewed: 03-Jul-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrr	r	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2022	Bypass:

Shutoffs: (ppp),qqq,nnnnn

Type: DC Manufacturer: Ames Size: 2 1/2 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 20-Jul-2004 Renewed: 20-Jul-2022 Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Ames Size: 2 1/2 Orientation: VU 0.25% Pb: No Manual: 9 Renewed: 20-Jul-2022 Approved: 20-Jul-2004 Shutoffs: (ppp),qqq,nnnnn Type: DC Manufacturer: Ames Size: 2 1/2 Orientation: VU Manual: 9 0.25% Pb: Yes Approved: 20-Jul-2004 Renewed: 20-Jul-2022 Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Ames Size: 3 Orientation: H Manual: 9 0.25% Pb: No Approved: 20-Jul-2004 Renewed: 20-Jul-2022 Shutoffs: (ppp),qqq,nnnnn Type: DC Manufacturer: Ames Size: 3 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 20-Jul-2004 **Renewed:** 20-Jul-2022 Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Ames Size: 3 Orientation: VU Manual: 9 0.25% Pb: No Approved: 20-Jul-2004 Renewed: 20-Jul-2022

Type: DCManufacturer: AmesSize: 3Orientation: VUManual: 90.25% Pb: YesApproved: 20-Jul-2004Renewed: 20-Jul-2022Chatefing and the fille and the f

Shutoffs: (ppp),qqq,nnnnn

Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn

Model: Colt 200 Meters: Spare Parts Only: No Bypass:

Model: Colt 200 Meters: Spare Parts Only: No Bypass:

Model: Colt 200 Meters: Spare Parts Only: No Bypass:

Model: Colt 200 Meters: Spare Parts Only: No Bypass:

Model: Colt 200 Meters: Spare Parts Only: No Bypass:

Model: Colt 200 Meters: Spare Parts Only: No Bypass:

Model: Colt 200 Meters: Spare Parts Only: No Bypass: Type: DC Manufacturer: Ames Model: Colt 200 Size: 4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 20-Jul-2022 Approved: 20-Jul-2004 Bypass: Shutoffs: (ppp),qqq,nnnnn Type: DC Manufacturer: Ames Model: Colt 200 Size: 4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 20-Jul-2004 Renewed: 20-Jul-2022 Bypass: Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Ames Model: Colt 200 Size: 4 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 20-Jul-2004 Renewed: 20-Jul-2022 Bypass: Shutoffs: (ppp),qqq,nnnnn Type: DC Manufacturer: Ames Model: Colt 200 Size: 4 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Jul-2004 Renewed: 20-Jul-2022 **Bypass:** Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Ames Model: Colt 200 Size: 6 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 21-Apr-2006 Renewed: 21-Apr-2024 **Bypass:** Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn Model: Colt 200 Type: DC Manufacturer: Ames Size: 6 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 21-Apr-2006 Renewed: 21-Apr-2024 **Bypass:** Shutoffs: yyy,zzz,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnn Type: DC

Size: 6 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 21-Apr-2024 Model: Colt 200 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ffff,	gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2022	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nn	nnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Aug-2004	Renewed: 11-Aug-2022	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,gg	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2024	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nn	nnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2024	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,gg	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:

Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Colt 200
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Dec-2014	Renewed: 05-Dec-2023	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	ıg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),fff,qqq,yyy,zzz,a	aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmm	ım,nnnn,nnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,IIII,mmn	nm,nnnn,nnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,IIII,mmn	nm,nnnn,nnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,IIII,mmn	
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
		Lypuss.

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,nnnn,nnnnn

Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmi	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmi	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200a
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,llll,mmi	mm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	ldd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 3	Orientation: VUVD	Meters:
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		-p

Type: DC Manufacturer: Ames Model: Colt 200N Size: 4 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 07-Apr-2024 Approved: 07-Apr-2009 Bypass: Shutoffs: (ppp),qqq,nnnnn Type: DC Manufacturer: Ames Model: Colt 200N Size: 4 Orientation: VUVD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 07-Apr-2024 Approved: 07-Apr-2009 Bypass: Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Ames Model: Colt 200N Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Apr-2009 Renewed: 07-Apr-2024 Bypass: Shutoffs: (ppp),qqq,nnnnn Type: DC Manufacturer: Ames Model: Colt 200N Size: 6 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 07-Apr-2009 Renewed: 07-Apr-2024 **Bypass:** Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Ames Model: Colt 200N Size: 8 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No

Approved: 03-Jan-2013 Shutoffs: ppp,qqq,aaaa,bbbb

Type: DCManufacturer: AmesSize: 8Orientation: VUVDManual: 90.25% Pb: YesApproved: 03-Jan-2013Renewed: 03-Jan-2025Shutoffs: yyy, zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: DC Size: 10 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (ppp),qqq Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 01-Sep-2024

Renewed: 03-Jan-2025

Model: Colt 200N Meters: Spare Parts Only: No Bypass:

Bypass:

Meters:

Bypass:

Model: Colt 200N

Spare Parts Only: No

Type: DC	Manufacturer: Ames	Model: Colt 200N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd		
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Mar-2003	Renewed: 20-Mar-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,IIII,mmr	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Mar-2003	Renewed: 20-Mar-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,IIII,mmr	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Mar-2003	Renewed: 20-Mar-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,IIII,mmr	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: Colt 200Na
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ffff,gggg,kkkk,IIII,mmr	nm,nnnn,nnnnn
Type: DC	Manufacturer: Ames	Model: DC
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-1985	Renewed: 14-Jun-2024	Bypass:
Shutoffs: oo,pp,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: DC
	Orientation: H	Meters:
Size: 6	onontation	
Size: 6 Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
		Spare Parts Only: Yes Bypass:

Type: DC	Manufacturer: Ames	Model: DC
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2023	Bypass:
Shutoffs: oo,pp,ffff,gggg		
Type: DC	Manufacturer: Ames	Model: DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-DC	
Type: DC	Manufacturer: Ames	Model: DC
Size : 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-G-DC	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-G-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size : 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 2000-G-DCA

Type: DC	Manufacturer: Ames	Model: DCA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 2000-DCA	
Type: DC	Manufacturer: Ames	Model: DCA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to 2000-G-DCA	
Type: DC	Manufacturer: Ames	Model: Deringer 20
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Ames	Model: Deringer 20
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Ames	Model: Deringer 20
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Ames	Model: Deringer 20
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Ames	Model: Deringer 20
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (int)		

Type: DC Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DC Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DC Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DC Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DC Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DC Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: Deringer 20 Meters: Spare Parts Only: No Bypass:

Model: Deringer 20 Meters: Spare Parts Only: No Bypass:

Model: Deringer 20 Meters: Spare Parts Only: No Bypass:

Model: Deringer 20 Meters: Spare Parts Only: No Bypass:

Model: Deringer 20 Meters: Spare Parts Only: No Bypass:

Model: Deringer 20G Meters: Spare Parts Only: No Bypass:

Model: Deringer 20G Meters: Spare Parts Only: No Bypass: Type: DC Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: Deringer 20G Meters: Spare Parts Only: No Bypass:

Model: Deringer 20G Meters: Spare Parts Only: No Bypass:

Model: Deringer 20G Meters: Spare Parts Only: No Bypass:

Model: Deringer 20G Meters: Spare Parts Only: No Bypass:

Model: Deringer 20G Meters: Spare Parts Only: No Bypass:

Model: Deringer 20G Meters: Spare Parts Only: No Bypass:

Model: Deringer 20G Meters: Spare Parts Only: No Bypass: Type: DC Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DC Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DC Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int) Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: Deringer 20G Meters: Spare Parts Only: No Bypass:

Model: Deringer 20GX Meters: Spare Parts Only: No Bypass:

Model: Deringer 20GX Meters: Spare Parts Only: No Bypass:

Model: Deringer 20GX Meters: Spare Parts Only: No Bypass:

Model: Deringer 20GX Meters: Spare Parts Only: No Bypass:

Model: Deringer 20X Meters: Spare Parts Only: No Bypass:

Model: Deringer 20X Meters: Spare Parts Only: No Bypass: Type: DC Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DC Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DC Size: 1/2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022 Model: Deringer 20X Meters: Spare Parts Only: No Bypass:

Model: Deringer 20X Meters: Spare Parts Only: No Bypass:

Model: LF2000B Meters: Spare Parts Only: No Bypass:

Model: LF2000B Meters: Spare Parts Only: No Bypass:

Model: LF2000BM1 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM1 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM1 Meters: Spare Parts Only: No Bypass: Type: DC Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: DC Size: 1 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: DC Size: 2 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: DC Size: 2 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: DC Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2022 Model: LF2000BM1 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM1-FP Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass: Type: DC Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

- Type: DC Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)
- Type: DC Size: 1 1/4 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu
- Type: DC Size: 1 1/4 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: DC Size: 1 1/2 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: DC Size: 1 1/2 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: DC Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022 Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2 Meters: Spare Parts Only: No Bypass:

Model: LF2000BM2-FP Meters: Spare Parts Only: No Bypass:

Model: LF2000BM3 Meters: Spare Parts Only: No Bypass: Type: DC Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022

Manufacturer: Ames Orientation: VD 0.25% Pb: Yes Renewed: 03-Jul-2022

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 03-Jul-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022

Manufacturer: Ames Orientation: VD 0.25% Pb: Yes Renewed: 03-Jul-2022

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 03-Jul-2022 Model: LF2000BM3 Meters: Spare Parts Only: No Bypass:

Model: LF200B Meters: Spare Parts Only: Yes Bypass:

Type: DC Size: 1 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Size: 1 Manual: 9	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2024 Manufacturer: Ames Orientation: VD 0.25% Pb: No	Model: LF200B Meters: Spare Parts Only: Yes Bypass: Model: LF200B Meters: Spare Parts Only: Yes
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC Size: 1 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 1/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 1/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 1/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 1/2 Manual: 9 Approved: 14-Jun-2006	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B Meters: Spare Parts Only: Yes Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 1 1/2 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 14-Jun-2024 Manufacturer: Ames	Model: LF200B Meters: Spare Parts Only: Yes Bypass: Model: LF200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Ames	Model: LF200B R10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Size: 3/4 Manual: 9	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 14-Jun-2024 Manufacturer: Ames Orientation: H 0.25% Pb: No	Model: LF200B R10 Meters: Spare Parts Only: Yes Bypass: Model: LF200B R10 Meters: Spare Parts Only: Yes
Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Renewed: 14-Jun-2024	Bypass:
Sintons. (<i>vv</i>),xx,000,iiiiiiii,pppp,iiii		
Type: DC Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VD 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B R10 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B R10 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B-A Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 1/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B-A Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 1 1/2 Manual: 9 Approved: 14-Jun-2006	Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2024	Model: LF200B-A Meters: Spare Parts Only: Yes Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: DC Manufacturer: Ames Model: LF200B-A Size: 2 Orientation: VUVD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Ames Model: LFU200B Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Renewed: 14-Jun-2024 Approved: 14-Jun-2006 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/4 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/4 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/2 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Renewed: 14-Jun-2024 Approved: 14-Jun-2006 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 1 1/2 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B **Size:** 2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B **Size:** 2 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: LFU200B Size: 2 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 14-Jun-2006 Renewed: 14-Jun-2024 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Ames Model: Maxim 200 Size: 2 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 20-Jul-2004 Renewed: 20-Jul-2022 Bypass: Shutoffs: (ppp),qqq,nnnnn

Type: DC Manufacturer: Ames Model: Maxim 200 Size: 2 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 20-Jul-2004 Renewed: 20-Jul-2022 Bypass: Shutoffs: yyy,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Ames Model: Maxim 200 Size: 2 1/2 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 20-Jul-2022 Approved: 20-Jul-2004 Bypass: Shutoffs: (ppp),qqq,nnnnn Type: DC Manufacturer: Ames Model: Maxim 200 Size: 2 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Jul-2004 Renewed: 20-Jul-2022 Bypass: Shutoffs: yyy,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn Type: DC Manufacturer: Ames Model: Maxim 200 Size: 3 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-2004 **Renewed:** 20-Jul-2022 **Bypass:** Shutoffs: (ppp),qqq,nnnnn Type: DC Manufacturer: Ames Model: Maxim 200 Size: 3 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 20-Jul-2004 **Renewed:** 20-Jul-2022 **Bypass:** Shutoffs: yyy,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn Model: Maxim 200 Type: DC Manufacturer: Ames Size: 3 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 20-Jul-2004 Renewed: 20-Jul-2022 **Bypass:** Shutoffs: (ppp),qqq,nnnnn Type: DC Manufacturer: Ames Model: Maxim 200 Size: 3 Orientation: VU Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 20-Jul-2004 Renewed: 20-Jul-2022 Bypass:

Shutoffs: yyy,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: DC Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 21-Apr-2024 Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,IIII,mmmm,nnnn	

Type: DCManufacturer: AmesSize: 4Orientation: VUManual: 90.25% Pb: NoApproved: 21-Apr-2006Renewed: 21-Apr-2024Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Type: DCManufacturer: AmesSize: 4Orientation: VUManual: 90.25% Pb: YesApproved: 21-Apr-2006Renewed: 21-Apr-2024Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,Illl,mmmm,nnnn

Type: DC Size: 6 Manual: 9 Approved: 11-Aug-2004 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn

Type: DCManufacturer: AmesSize: 6Orientation: HManual: 90.25% Pb: YesApproved: 11-Aug-2004Renewed: 11-Aug-2022Shutoffs: (yyy),zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnn

Type: DC Size: 6 Manual: 9 Approved: 10-Feb-2006 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 10-Feb-2024

Manufacturer: Ames

Renewed: 11-Aug-2022

Orientation: H

0.25% Pb: No

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2024	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	Innn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	999	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	Innn	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:
Shutoffs: (yyy),zzz,dddd,eeee,g	3 33	
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Ames	Model: Maxim 200
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2023	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg	

Type: DC Manufacturer: Ames Size: 10 Orientation: VU 0.25% Pb: No Manual: 9 Renewed: 20-Oct-2023 Approved: 20-Oct-2008 Shutoffs: (ppp),qqq,aaaa,bbbb Type: DC Manufacturer: Ames

Size: 10 Manual: 9 Approved: 20-Oct-2008 Shutoffs: yyy,zzz,dddd,eeee,gggg

Type: DC Manufacturer: Ames Size: 2 1/2 Orientation: H Manual: 9 0.25% Pb: No Approved: 07-Oct-2002 Renewed: 07-Oct-2023 **Shutoffs:** (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DC Manufacturer: Ames Size: 2 1/2 Orientation: VU Manual: 9 0.25% Pb: No Approved: 07-Oct-2002 Renewed: 07-Oct-2023 **Shutoffs:** (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DC Manufacturer: Ames Size: 3 Orientation: H 0.25% Pb: No Manual: 9 Approved: 07-Oct-2002 Renewed: 07-Oct-2023 **Shutoffs:** (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DC Manufacturer: Ames Size: 3 Orientation: VU 0.25% Pb: No Manual: 9 Approved: 07-Oct-2002 Renewed: 07-Oct-2023 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Type: DC Manufacturer: Ames Size: 4 Orientation: H 0.25% Pb: No Manual: 9 Approved: 03-Jul-2003 Renewed: 03-Jul-2024 **Shutoffs:** (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Model: Maxim 200 Meters: Spare Parts Only: No Bypass:

Model: Maxim 200 Meters: Spare Parts Only: No **Bypass:**

Model: Maxim 200a Meters: Spare Parts Only: Yes Bypass:

Model: Maxim 200a Meters: Spare Parts Only: Yes **Bypass:**

Model: Maxim 200a Meters: Spare Parts Only: Yes **Bypass:**

Model: Maxim 200a Meters: Spare Parts Only: Yes **Bypass:**

Model: Maxim 200a Meters: Spare Parts Only: Yes Bypass:

Orientation: VU

0.25% Pb: Yes Renewed: 20-Oct-2023

 Type: DC
 Manufacturer: Ames

 Size: 4
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 03-Jul-2003
 Renewed: 03-Jul-2024

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,ddd,eeee,gggg,nnnnn

Type: DC Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn

Type: DCManufacturer: AmesSize: 2 1/2Orientation: VUVDManual: 90.25% Pb: YesApproved: 07-Apr-2009Renewed: 07-Apr-2024Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnn

Type: DC Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn

Type: DCManufacturer: AmesSize: 3Orientation: VUVDManual: 90.25% Pb: YesApproved: 07-Apr-2009Renewed: 07-Apr-2024Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn

Type: DC Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,nnnn Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Type: DCManufacturer: AmesSize: 4Orientation: VUVDManual: 90.25% Pb: YesApproved: 07-Apr-2009Renewed: 07-Apr-2024Shutoffs: yyy,zzz,dddd,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn

Model: Maxim 200a Meters: Spare Parts Only: Yes Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames

Renewed: 07-Apr-2024

Orientation: VUVD

0.25% Pb: No

Type: DCManufacturer: AmesSize: 6Orientation: VUVDManual: 90.25% Pb: YesApproved: 03-Jan-2013Renewed: 03-Jan-2025Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Manufacturer: Ames

Renewed: 01-Sep-2024

Orientation: VUVD

0.25% Pb: No

Type: DC Size: 8 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (ppp),qqq,nnnn

Type: DCManufacturer: AmesSize: 8Orientation: VUVDManual: 90.25% Pb: YesApproved: 01-Sep-2009Renewed: 01-Sep-2024Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,IIII,mmmm,nnnn

 Type: DC
 Manufacturer: Ames

 Size: 2 1/2
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 20-Mar-2003
 Renewed: 20-Mar-2024

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

 Type: DC
 Manufacturer: Ames

 Size: 3
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 20-Mar-2003
 Renewed: 20-Mar-2024

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

 Type: DC
 Manufacturer: Ames

 Size: 4
 Orientation: VUVD

 Manual: 9
 0.25% Pb: No

 Approved: 03-Jul-2003
 Renewed: 03-Jul-2024

 Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200N Meters: Spare Parts Only: No Bypass:

Model: Maxim 200Na Meters: Spare Parts Only: Yes Bypass:

Model: Maxim 200Na Meters: Spare Parts Only: Yes Bypass:

Model: Maxim 200Na Meters: Spare Parts Only: Yes Bypass:

Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	· ·	
Type: DC	Manufacturer: Ames	Model: U200B
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200B
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	·	
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	······	_)["""
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Ames	Model: U200BR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 1/2DC
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 1/2DC
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed	to DC4S	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 10DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to DC4S

Type: DC	Manufacturer: Apollo/Conbraco	Model: 10DC
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC-7
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2022	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#	\$2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC-7
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2022	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#	\$2SOV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC8
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DC8
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCU
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCU
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC7
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2022	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2SO	DV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC7
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2022	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2SO	DV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DC8
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq		

Type: DC Size: 3 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 10-Apr-2022	Model: 3DCU Meters:
Manual: 9	0.25% Pb: No	Meters:
		Spare Parts Only: Yes Bypass:
Approved: 10-Apr-2001 Shutoffs: (II),mm	Kenewed. 10-Api-2022	Βύμασο.
Type: DC	Manufacturer: Apollo/Conbraco	Model: 3DCU
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001 Shutoffs: (II),mm	Renewed: 10-Apr-2022	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-100-02
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: tt,bb,ee,ll	Renewed: 08-Apr-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-100-03
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: uu,cc,mm	Renewed: 08-Apr-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-100-05
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2022	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-103-02
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-May-1995 Shutoffs: dd	Renewed: 01-May-2022	Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-02
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2025	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-99T
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-A2
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2023	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-A2T
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1992	Renewed: 25-Mar-2025	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-T2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-104-TC2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-02
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2025	Bypass:
Shutoffs: dd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-99T
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-A2
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2023	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-A2T
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Mar-1992	Renewed: 25-Mar-2025	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-105-T2
o : <i>i</i>	Orientation:	Meters:
Size: 1	Onentation.	motore:
Size: 1 Manual:	0.25% Pb: No	Spare Parts Only: No
Manual:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved:	0.25% Pb: No Renewed:	Spare Parts Only: No
Manual: Approved: Notes: model designation chang	0.25% Pb: No Renewed: ged to DC40	Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation chang Type: DC	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 40-105-TC2
Manual: Approved: Notes: model designation chang Type: DC Size: 1	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation:	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters:
Manual: Approved: Notes: model designation chang Type: DC Size: 1 Manual:	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: DC Size: 1 Manual: Approved:	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters: Spare Parts Only: No
Manual: Approved: Notes: model designation chang Type: DC Size: 1 Manual: Approved: Notes: model designation chang	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to DC40	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters: Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation chang Type: DC Size: 1 Manual: Approved: Notes: model designation chang	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters: Spare Parts Only: No Bypass: Model: 40-106-02
Manual: Approved: Notes: model designation chang Type: DC Size: 1 Manual: Approved: Notes: model designation chang Type: DC Size: 1 1/4	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: H	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters: Spare Parts Only: No Bypass: Model: 40-106-02 Meters:
Manual: Approved: Notes: model designation chang Type: DC Size: 1 Manual: Approved: Notes: model designation chang Type: DC Size: 1 1/4 Manual: 8	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters: Spare Parts Only: No Bypass: Model: 40-106-02 Meters: Spare Parts Only: Yes
Manual: Approved: Notes: model designation chang Type: DC Size: 1 Manual: Approved: Notes: model designation chang Type: DC Size: 1 1/4 Manual: 8 Approved: 06-Apr-1992	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters: Spare Parts Only: No Bypass: Model: 40-106-02 Meters: Spare Parts Only: Yes
Manual: Approved: Notes: model designation chang Type: DC Size: 1 Manual: Approved: Notes: model designation chang Type: DC Size: 1 1/4 Manual: 8 Approved: 06-Apr-1992 Shutoffs: dd	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 06-Apr-2022	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters: Spare Parts Only: No Bypass: Model: 40-106-02 Meters: Spare Parts Only: Yes Bypass:
Manual: Approved: Notes: model designation chang Type: DC Size: 1 Manual: Approved: Notes: model designation chang Type: DC Size: 1 1/4 Manual: 8 Approved: 06-Apr-1992 Shutoffs: dd	0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ged to DC40 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 06-Apr-2022 Manufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: 40-105-TC2 Meters: Spare Parts Only: No Bypass: Model: 40-106-02 Meters: Spare Parts Only: Yes Bypass: Model: 40-106-99T

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-A2
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2023	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-A2T
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2023	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-106-T2
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-02
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2025	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-99T
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-A2
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2023	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-A2T
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2023	Bypass:
Shutoffs: dd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-107-T2
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-02
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2025	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-99T
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-A2
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2023	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-A2T
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-May-1993	Renewed: 22-May-2023	Bypass:
Shutoffs: dd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-108-T2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to DC40	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-02
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2024	Bypass:
Shutoffs: tt,bb,ee,ll		

Type: DC Size: 2 1/2 Manual: 8	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 40-109-03 Meters: Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: uu,cc,mm	Renewed: 08-Apr-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-109-05
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2022	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-02
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: tt,bb,ee,ll	Renewed: 08-Apr-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-03
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991 Shutoffs: uu,cc,mm	Renewed: 08-Apr-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-05
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998 Shutoffs: mmm	Renewed: 08-Dec-2022	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10A-06
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Renewed: 01-Feb-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-02
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2024	Bypass:
Shutoffs: tt,bb,ee,ll		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-03
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2024	Bypass:
Shutoffs: uu,cc,mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-05
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Dec-1998	Renewed: 08-Dec-2022	Bypass:
Shutoffs: mmm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10C-06
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass:
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10E-02
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Oct-1991	Renewed: 22-Oct-2024	Bypass:
Shutoffs: tt,bb,ee,ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10E-03
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Oct-1991	Renewed: 22-Oct-2024	Bypass:
Shutoffs: uu,cc,mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10E-06
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass:
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 40-10G-02
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2023	Bypass:
Shutoffs: tt,bb,ee,ll		

Type: DC Size: 10 Manual: 8 Approved: 13-Apr-1993 Shutoffs: uu,cc,mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2023	Model: 40-10G-03 Meters: Spare Parts Only: Yes Bypass:
Type: DC Size: 10	Manufacturer: Apollo/Conbraco Orientation: H	Model: 40-10G-06 Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000 Shutoffs: mm[#1SOV], nnn[#2SOV]	Renewed: 01-Feb-2024	Bypass:
Type: DC Size: 2 1/2 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 4D-100 Meters: Spare Parts Only: Yes
Approved: 11-Mar-2012 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Renewed: 11-Mar-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2024	Bypass:
Shutoffs: (yyy), cccc, dddd		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2024	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2024	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2024	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4D-100U
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2024	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC7
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2022	Bypass:

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC7
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2022	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2SO	V]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC8
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DC8
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4DCU
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4S103
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	o W432100	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4S103
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	o W432100	
	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Type: DC		
Type: DC Size: 2 1/2	Orientation:	Meters:
	Orientation: 0.25% Pb: No	Meters: Spare Parts Only: No

Notes: model designation changed to DC4SG

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation ch	anged to DC4SG	
	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Type: DC	Manufacturer: Apollo/Conbraco Orientation:	Model: 4SG-100 Meters:
Type: DC Size: 4		
Type: DC Size: 4 Manual:	Orientation:	Meters:
Type: DC Size: 4 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Type: DC Size: 4 Manual: Approved: Notes: model designation ch	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Type: DC Size: 4 Manual: Approved: Notes: model designation ch	Orientation: 0.25% Pb: No Renewed: hanged to DC4SG	Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: Approved: Notes: model designation ch Type: DC Size: 6	Orientation: 0.25% Pb: No Renewed: aanged to DC4SG Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4SG-100
Type: DC Size: 4 Manual: Approved: Notes: model designation ch Type: DC Size: 6 Manual: Approved:	Orientation: 0.25% Pb: No Renewed: hanged to DC4SG Manufacturer: Apollo/Conbraco Orientation:	Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters:
Type: DC Size: 4 Manual: Approved: Notes: model designation ch Type: DC Size: 6 Manual: Approved:	Orientation: 0.25% Pb: No Renewed: aanged to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Type: DC Size: 4 Manual: Approved: Notes: model designation ch Type: DC Size: 6 Manual: Approved: Notes: model designation ch	Orientation: 0.25% Pb: No Renewed: aanged to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No
Type: DC Size: 4 Manual: Approved: Notes: model designation ch Type: DC Size: 6 Manual: Approved: Notes: model designation ch	Orientation: 0.25% Pb: No Renewed: aanged to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: aanged to DC4SG	Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: Approved: Notes: model designation ch Type: DC Size: 6 Manual:	Orientation: 0.25% Pb: No Renewed: aanged to DC4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: aanged to DC4SG Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4SG-100 Meters: Spare Parts Only: No Bypass: Model: 4SG-100

Notes: model designation changed to DC4SG

Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SG	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to DC4SGN	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Approved: Notes: model designation		Bypass:
		Bypass: Model: 4SG-100U
Notes: model designation	changed to DC4SGN	
Notes: model designation	changed to DC4SGN Manufacturer: Apollo/Conbraco	Model: 4SG-100U
Notes: model designation Type: DC Size: 4	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation:	Model: 4SG-100U Meters:
Notes: model designation Type: DC Size: 4 Manual:	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 4SG-100U Meters: Spare Parts Only: No
Notes: model designation Type: DC Size: 4 Manual: Approved:	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 4SG-100U Meters: Spare Parts Only: No
Notes: model designation Type: DC Size: 4 Manual: Approved: Notes: model designation Type: DC	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN	Model: 4SG-100U Meters: Spare Parts Only: No Bypass:
Notes: model designation Type: DC Size: 4 Manual: Approved: Notes: model designation	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN Manufacturer: Apollo/Conbraco	Model: 4SG-100U Meters: Spare Parts Only: No Bypass: Model: 4SG-100U
Notes: model designation Type: DC Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation:	Model: 4SG-100U Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters:
Notes: model designation Type: DC Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual:	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 4SG-100U Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No
Notes: model designation Type: DC Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved:	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 4SG-100U Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No
Notes: model designation Type: DC Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN	Model: 4SG-100U Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No Bypass:
Notes: model designation Type: DC Size: 4 Manual: Approved: Notes: model designation Type: DC Size: 6 Manual: Approved: Notes: model designation Type: DC	changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: changed to DC4SGN Manufacturer: Apollo/Conbraco	Model: 4SG-100U Meters: Spare Parts Only: No Bypass: Model: 4SG-100U Meters: Spare Parts Only: No Bypass: Model: 4SG-100U

Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC7
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2022	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2S0	DV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC7
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Oct-2001	Renewed: 23-Oct-2022	Bypass:
Shutoffs: (mm)[#1SOV], (qqq)[#2S0	DV]	
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC8
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DC8
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 6DCU
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass:
Shutoffs: (II),mm		

Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2024	Bypass:
Shutoffs: (mm),ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2024	Bypass:
Shutoffs: (mm),ll		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC8
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: 8DC8
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jun-1996	Renewed: 27-Jun-2023	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-104-99T, 40-	104-T2, 40-104-TC2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jun-1996	Renewed: 27-Jun-2023	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-105-99T, 40-	105-T2, 40-105-TC2	

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1996	Renewed: 09-Oct-2023	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-106-99T, 40-	106-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1996	Renewed: 09-Oct-2023	Bypass:
Shutoffs: (dd)		
Notes: formerly 40-107-99T, 40-	107-T2	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC40
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1996	Renewed: 09-Oct-2023	Bypass:
	Renewed: 09-Oct-2023	Bypass:
Approved: 09-Oct-1996		Bypass:
Approved: 09-Oct-1996 Shutoffs: (dd)		Bypass: Model: DC4A
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40-	108-T2	
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40-	108-T2 Manufacturer: Apollo/Conbraco	Model: DC4A
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2	108-T2 Manufacturer: Apollo/Conbraco Orientation: H	Model: DC4A Meters:
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: DC4A Meters: Spare Parts Only: No
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: DC4A Meters: Spare Parts Only: No
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiiii),sssss	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 27-Apr-2023	Model: DC4A Meters: Spare Parts Only: No Bypass:
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiiii),sssss	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 27-Apr-2023 Manufacturer: Apollo/Conbraco	Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss Type: DC Size: 1/2	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 27-Apr-2023 Manufacturer: Apollo/Conbraco Orientation: VU	Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A Meters:
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss Type: DC Size: 1/2 Manual: 9	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 27-Apr-2023 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No	Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A Meters: Spare Parts Only: No
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiiii),sssss Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 27-Apr-2023 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No	Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A Meters: Spare Parts Only: No
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 27-Apr-2023 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 27-Apr-2023	Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A Meters: Spare Parts Only: No Bypass:
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiiii),sssss Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiiii),sssss	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 27-Apr-2023 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 27-Apr-2023 Manufacturer: Apollo/Conbraco	Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A
Approved: 09-Oct-1996 Shutoffs: (dd) Notes: formerly 40-108-99T, 40- Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss Type: DC Size: 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiii),sssss Type: DC Size: 3/4	108-T2 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 27-Apr-2023 Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 27-Apr-2023 Manufacturer: Apollo/Conbraco Orientation: H	Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A Meters: Spare Parts Only: No Bypass: Model: DC4A Meters:

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2023	Bypass:
Shutoffs: (iiiii),sssss		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2023	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2023	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2024	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2024	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2024	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2024	Bypass:
Shutoffs: (iiiii),sssss,wwww		

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2024	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4A
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2024	Bypass:
Shutoffs: (iiiii),sssss,wwwww		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4AY
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2019	Renewed: 16-Jan-2025	Bypass:
Shutoffs: (sssss)		op surface
Shutoffs: (sssss) Notes: body axis oriented with tes	st cocks pointing up and nameplate on the t	·
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC	st cocks pointing up and nameplate on the to Manufacturer: Apollo/Conbraco	Model: DC4AY
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4	st cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU	Model: DC4AY Meters:
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10	st cocks pointing up and nameplate on the to Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No	Model: DC4AY Meters: Spare Parts Only: No
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10 Approved: 24-Oct-2018	st cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU	Model: DC4AY Meters:
Shutoffs: (sssss)	st cocks pointing up and nameplate on the to Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No	Model: DC4AY Meters: Spare Parts Only: No
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (sssss) Type: DC	St cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 24-Oct-2024	Model: DC4AY Meters: Spare Parts Only: No Bypass:
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (sssss) Type: DC Size: 1	St cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco	Model: DC4AY Meters: Spare Parts Only: No Bypass: Model: DC4AY
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (sssss) Type: DC Size: 1 Manual: 10	St cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H	Model: DC4AY Meters: Spare Parts Only: No Bypass: Model: DC4AY Meters:
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (sssss) Type: DC Size: 1 Manual: 10 Approved: 16-Jan-2019	St cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: DC4AY Meters: Spare Parts Only: No Bypass: Model: DC4AY Meters: Spare Parts Only: No
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (sssss) Type: DC Size: 1 Manual: 10 Approved: 16-Jan-2019 Shutoffs: (sssss)	St cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: DC4AY Meters: Spare Parts Only: No Bypass: Model: DC4AY Meters: Spare Parts Only: No Bypass:
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (sssss) Type: DC Size: 1 Manual: 10 Approved: 16-Jan-2019 Shutoffs: (sssss)	Anufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Jan-2025	Model: DC4AY Meters: Spare Parts Only: No Bypass: Model: DC4AY Meters: Spare Parts Only: No Bypass:
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (sssss) Type: DC Size: 1 Manual: 10 Approved: 16-Jan-2019 Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC	Anufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Jan-2025 St cocks pointing up and nameplate on the t	Model: DC4AY Meters: Spare Parts Only: No Bypass: Model: DC4AY Meters: Spare Parts Only: No Bypass:
Shutoffs: (sssss) Notes: body axis oriented with tes Type: DC Size: 3/4 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (sssss) Type: DC Size: 1 Manual: 10 Approved: 16-Jan-2019 Shutoffs: (sssss) Notes: body axis oriented with tes	Anufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Jan-2025 st cocks pointing up and nameplate on the t Manufacturer: Apollo/Conbraco	Model: DC4AY Meters: Spare Parts Only: No Bypass: Model: DC4AY Meters: Spare Parts Only: No Bypass: op surface Model: DC4AY

Shutoffs: (sssss)

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Sep-2000	Renewed: 18-Sep-2024	Bypass:
Shutoffs: (dd)		
Notes: formerly 1/2DC		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Sep-2000	Renewed: 18-Sep-2024	Bypass:
Shutoffs: (dd)		
Notes: formerly 1/2DC		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2024	Bypass:
	,	
Shutoffs: (mm),II, xxxxx, zzzzz, bbbb Notes: formerly 10DC		
Notes: formerly 10DC Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4S
Notes: formerly 10DC Type: DC Size: 10	Manufacturer: Apollo/Conbraco Orientation: VU	Meters:
Notes: formerly 10DC Type: DC Size: 10 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No	Meters: Spare Parts Only: No
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024	Meters:
Notes: formerly 10DC Type: DC Size: 10 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024	Meters: Spare Parts Only: No
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzz, bbbb	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024	Meters: Spare Parts Only: No
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzz, bbbb Notes: formerly 10DC	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024 obb, cccccc	Meters: Spare Parts Only: No Bypass:
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzzz, bbbb Notes: formerly 10DC Type: DC	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024 obb, cccccc Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: DC4SG
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzzz, bbbb Notes: formerly 10DC Type: DC Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024 obb, cccccc Manufacturer: Apollo/Conbraco Orientation: H	Meters: Spare Parts Only: No Bypass: Model: DC4SG Meters:
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzzz, bbbb Notes: formerly 10DC Type: DC Size: 2 1/2 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024 obb, cccccc Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: DC4SG Meters: Spare Parts Only: No
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzzz, bbbb Notes: formerly 10DC Type: DC Size: 2 1/2 Manual: 9 Approved: 18-Oct-2007	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024 obb, cccccc Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: DC4SG Meters: Spare Parts Only: No
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzzz, bbbb Notes: formerly 10DC Type: DC Size: 2 1/2 Manual: 9 Approved: 18-Oct-2007 Shutoffs: (yyy)ppp,qqq,ttt, xxxxxx	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024 obb, cccccc Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: DC4SG Meters: Spare Parts Only: No
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzzz, bbbb Notes: formerly 10DC Type: DC Size: 2 1/2 Manual: 9 Approved: 18-Oct-2007 Shutoffs: (yyy)ppp,qqq,ttt, xxxxxx Notes: formerly 4SG-100	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024 obb, cccccc Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 18-Oct-2022	Meters: Spare Parts Only: No Bypass: Model: DC4SG Meters: Spare Parts Only: No Bypass:
Notes: formerly 10DC Type: DC Size: 10 Manual: 9 Approved: 16-Jan-2003 Shutoffs: (mm),II, xxxxx, zzzzz, bbbb Notes: formerly 10DC Type: DC Size: 2 1/2 Manual: 9 Approved: 18-Oct-2007 Shutoffs: (yyy)ppp,qqq,ttt, xxxxxx Notes: formerly 4SG-100 Type: DC	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 16-Jan-2024 obb, cccccc Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 18-Oct-2022 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: DC4SG Meters: Spare Parts Only: No Bypass: Model: DC4SG

Shutoffs: (yyy)ppp,qqq,ttt, xxxxxx

Notes: formerly 4SG-100

entation: H 5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco entation: VU 5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco entation: H	Meters: Spare Parts Only: No Bypass: Model: DC4SG Meters: Spare Parts Only: No Bypass: Model: DC4SG
newed: 25-Sep-2022 nufacturer: Apollo/Conbraco entation: VU 5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco	Bypass: Model: DC4SG Meters: Spare Parts Only: No Bypass: Model: DC4SG
nufacturer: Apollo/Conbraco entation: VU 5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco	Model: DC4SG Meters: Spare Parts Only: No Bypass: Model: DC4SG
entation: VU 5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: DC4SG
entation: VU 5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: DC4SG
entation: VU 5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: DC4SG
5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco	Spare Parts Only: No Bypass: Model: DC4SG
newed: 25-Sep-2022 nufacturer: Apollo/Conbraco	Bypass: Model: DC4SG
nufacturer: Apollo/Conbraco	Model: DC4SG
·	
·	
entation: H	Matara
	Meters:
5% Pb: No	Spare Parts Only: No
newed: 25-Sep-2022	Bypass:
nufacturer: Apollo/Conbraco	Model: DC4SG
entation: VU	Meters:
5% Pb: No	Spare Parts Only: No
newed: 25-Sep-2022	Bypass:
nufacturer: Apollo/Conbraco	Model: DC4SG
entation: H	Meters:
5% Pb: No	Spare Parts Only: No
newed: 25-Sep-2022	Bypass:
nufacturer: Apollo/Conbraco	Model: DC4SG
entation: VU	Meters:
5% Pb: No	Spare Parts Only: No
newed: 25-Sep-2022	Bypass:
	5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco entation: VU 5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco entation: H 5% Pb: No newed: 25-Sep-2022 nufacturer: Apollo/Conbraco entation: VU 5% Pb: No

Shutoffs: (yyy)ppp,qqq,ttt, xxxxxx

Notes: formerly 4SG-100

Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2022	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt, xxxxx, y	•	
Notes: formerly 4SG-100		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SG
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Sep-2007	Renewed: 25-Sep-2022	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt, xxxxx, y Notes: formerly 4SG-100	yyyy, zzzzz, aaaaaa, xxxxxx	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass:
Shutoffs: (yyy)ppp,qqq,ttt		
Notes: formerly 4SG-100U		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DC4SGN
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Sep-2007	Renewed: 25-Sep-2022	Bypass:

Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100U

Type: DC Size: 8 Manual: 9 Approved: 25-Sep-2007 Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG-100U	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 25-Sep-2022	Model: DC4SGN Meters: Spare Parts Only: Yes Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2011 Shutoffs: (jjjjj),ttttt, uuuuu	Renewed: 27-Apr-2023	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2023	Bypass:
Shutoffs: (jjjjj),ttttt, uuuuu		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2011	Renewed: 27-Apr-2023	Bypass:
Shutoffs: (jjjjj),ttttt		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2023	Bypass:
Shutoffs: (jjjjj),ttttt		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2023	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		

Type: DC Size: 1 Manual: 9 Approved: 06-Apr-2011 Shutoffs: (jjjjj),ttttt,vvvvv	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 06-Apr-2023	Model: DCLF4A Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 07-Feb-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 07-Feb-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 07-Feb-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 07-Feb-2024	Bypass:
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Feb-2012	Renewed: 07-Feb-2024	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2024	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed: 05-Nov-2022	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed: 05-Nov-2022	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed: 05-Nov-2022	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2013	Renewed: 05-Nov-2022	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass:
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	xxx
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A		
Size: 6	Orientation: VU	Meters:		
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass:		
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx				
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A		
Size: 8	Orientation: H	Meters:		
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 15-May-2014	Renewed: 15-May-2023	Bypass:		
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A		
Size: 8	Orientation: VU	Meters:		
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 15-May-2014	Renewed: 15-May-2023	Bypass:		
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A		
Size: 10	Orientation: H	Meters:		
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:		
Shutoffs: (zzzz), yyy,zzz,cccc,d	lddd,kkkk,llll,mmmm,nnnn,xxxxx, yyyyy,aaaa	aaa		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4A		
Size: 12	Orientation: H	Meters:		
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:		
Shutoffs: (bbbbbb), II,mm,ccccco	;			
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN		
Size: 2 1/2	Orientation: VUVD	Meters:		
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 10-Jun-2014	Renewed: 10-Jun-2023	Bypass:		
Shutoffs: (yyy), cccc, dddd, mmr	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN		
Size: 3	Orientation: VUVD	Meters:		
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No		
Approved: 08-Apr-2014	Renewed: 08-Apr-2023	Bypass:		
······		1		

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN	
Size: 4	Orientation: VUVD	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 22-Nov-2013	Renewed: 22-Nov-2022	Bypass:	
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx			
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN	
Size: 6	Orientation: VUVD	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 15-Apr-2014	Renewed: 15-Apr-2023	Bypass:	
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN	
Size: 8	Orientation: VUVD	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass:	
Shutoffs: (yyy), cccc, dddd, mmr	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN	
Size: 10	Orientation: VUVD	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:	
Shutoffs: (zzzzz), yyy,zzz,cccc,d	ddd,kkkk,llll,mmmm,nnnn,xxxxx, yyyyy,aaaa	aaa	
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AN	
Size: 12	Orientation: VUVD	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:	
Shutoffs: (bbbbbb), II,mm,cccccc	;		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR	
Size: 2 1/2	Orientation: H	Meters:	
•• • · · ·	0.25% Pb: Yes	Spare Parts Only: Yes	
Manual: 10			
Manual: 10 Approved: 09-Nov-2015	Renewed: 09-Nov-2024	Bypass:	

	Manufacturer Apollo/Cophrasa	Model: DCI E44D
Type: DC Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: VU	Model: DCLF4AR Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 09-Nov-2015	Renewed: 09-Nov-2024	Bypass:
	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	Dypass.
	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 34" and max. 47
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 09-Nov-2015	Renewed: 09-Nov-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 35" and max. 48
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 09-Nov-2015	Renewed: 09-Nov-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 35" and max. 48
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Sep-2015	Renewed: 21-Sep-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel g 62 1/4"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 37 3/8" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Sep-2015	Renewed: 21-Sep-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Sep-2015	Renewed: 21-Sep-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm, n	nnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gro 1/4"	ooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 46" and max. 71
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Sep-2015	Renewed: 21-Sep-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm, n	nnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gro 1/4"	boved spool between the #2 ck and #2 SO	/ - assembly length: min. 46" and max. 71
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm, n	nnn, xxxxx, yyyyy, zzzz, aaaaaa	
Notes: Integral Stainless Steel gro 86"	ooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 55 3/4" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm, n	nnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gro 86"	ooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 55 3/4" and max.
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AR
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:

Shutoffs: (zzzz), zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,xxxxx, yyyyy,aaaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 65 3/4" and max. 100 5/8"

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AY
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2019	Renewed: 16-Jan-2025	Bypass:
Shutoffs: (ttttt)		
Notes: body axis oriented with te	est cocks pointing up and nameplate on the t	op surface
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AY
Size: 3/4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2018	Renewed: 24-Oct-2024	Bypass:
Shutoffs: (ttttt)		
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4AY
Size: 1	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2019	Renewed: 16-Jan-2025	Bypass:
	Renewed: 16-Jan-2025	Bypass:
Approved: 16-Jan-2019 Shutoffs: (ttttt)	Renewed: 16-Jan-2025 est cocks pointing up and nameplate on the t	
Approved: 16-Jan-2019 Shutoffs: (ttttt)		
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te	est cocks pointing up and nameplate on the t	op surface
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC	est cocks pointing up and nameplate on the t Manufacturer: Apollo/Conbraco	op surface Model: DCLF4AY
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1	est cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU	op surface Model: DCLF4AY Meters:
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1 Manual: 10	est cocks pointing up and nameplate on the termination of termination of the termination of te	op surface Model: DCLF4AY Meters: Spare Parts Only: No
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ttttt)	est cocks pointing up and nameplate on the termination of termination of the termination of te	op surface Model: DCLF4AY Meters: Spare Parts Only: No
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ttttt) Type: DC	est cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 24-Oct-2024	op surface Model: DCLF4AY Meters: Spare Parts Only: No Bypass:
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1 Manual: 10 Approved: 24-Oct-2018	est cocks pointing up and nameplate on the te Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco	op surface Model: DCLF4AY Meters: Spare Parts Only: No Bypass: Model: DCLF4SG
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ttttt) Type: DC Size: 2 1/2	Anufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H	op surface Model: DCLF4AY Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters:
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ttttt) Type: DC Size: 2 1/2 Manual: 9 Approved: 23-Jan-2015	est cocks pointing up and nameplate on the terminal Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 24-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	op surface Model: DCLF4AY Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ttttt) Type: DC Size: 2 1/2 Manual: 9 Approved: 23-Jan-2015	est cocks pointing up and nameplate on the technology of the second seco	op surface Model: DCLF4AY Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ttttt) Type: DC Size: 2 1/2 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm	est cocks pointing up and nameplate on the technology of the second state of the secon	op surface Model: DCLF4AY Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Approved: 16-Jan-2019 Shutoffs: (ttttt) Notes: body axis oriented with te Type: DC Size: 1 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ttttt) Type: DC Size: 2 1/2 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm Type: DC	est cocks pointing up and nameplate on the technology of the set cocks pointing up and nameplate on the technology of the set cocks point	op surface Model: DCLF4AY Meters: Spare Parts Only: No Bypass: Model: DCLF4SG Meters: Spare Parts Only: No Bypass: xxx Model: DCLF4SG

Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed: 23-Jan-2024	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	xxx
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed: 23-Jan-2024	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	xxx
Type: DC	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2015	Renewed: 23-Jan-2024	Bypass:
Charteffer (max) and alalalation	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	xxx
Snutoffs: (yyy), cccc, dddd, mm		
	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Type: DC		
Type: DC Size: 4	Manufacturer: Apollo/Conbraco	Model: DCLF4SG
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015	Manufacturer: Apollo/Conbraco Orientation: VU	Model: DCLF4SG Meters:
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes	Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 23-Jan-2024	Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 23-Jan-2024 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: xxx
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm Type: DC Size: 6	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 23-Jan-2024 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: xxx Model: DCLF4SG
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 23-Jan-2024 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: xxx Model: DCLF4SG Meters:
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 23-Jan-2024 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: XXX Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 23-Jan-2024 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 23-Jan-2024	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: XXX Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 23-Jan-2024 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 23-Jan-2024 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: xxx Model: DCLF4SG Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm Type: DC Size: 6 Manual: 9 Approved: 23-Jan-2015 Shutoffs: (yyy), cccc, dddd, mm	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 23-Jan-2024 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 23-Jan-2024 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco	Model: DCLF4SG Meters: Spare Parts Only: No Bypass: xxx Model: DCLF4SG Meters: Spare Parts Only: No Bypass: xxx Model: DCLF4SG

Type: DC	Manufacturer: Apollo/Conbraco	Model: W432100
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass:
Shutoffs: (dd)		
Notes: formerly 4S103		
Type: DC	Manufacturer: Apollo/Conbraco	Model: W432100
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass:
Shutoffs: (dd)		
Notes: formerly 4S103		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2025	Bypass:
Shutoffs: (00000), ii, 000,ffffff		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass:
Shutoffs: (00000),fffffff		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2025	Bypass:
Shutoffs: (ii),000, 00000, ffffff		
Type: DC	Manufacturer: ARI	Model: DC 500
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass:
Shutoffs: (00000), ffffff		

Type: DC Size: 1 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (00000), ffffff

Type: DC Size: 1 1/4 Manual: 10 Approved: 08-Jan-2014 Shutoffs: (00000), ffffff

Type: DC Size: 1 1/2 Manual: 10 Approved: 08-Jan-2014 Shutoffs: (00000), ffffff

Type: DC Size: 2 Manual: 10 Approved: 08-Jan-2014 Shutoffs: (00000), ffffff

Type: DC Size: 1/2 Manual: 10 Approved: 06-Sep-2018 Shutoffs: (int)

Type: DC Size: 3/4 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (int) Manufacturer: ARI Orientation: H 0.25% Pb: No Renewed: 02-Mar-2025

Manufacturer: ARI Orientation: H 0.25% Pb: Yes

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2023

Renewed: 18-Feb-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 06-Sep-2024

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 20-Mar-2023 Model: DC 500 Meters: Spare Parts Only: No Bypass:

Model: DC 500 Meters: Spare Parts Only: No Bypass:

Model: DC 500 Meters: Spare Parts Only: No Bypass:

Model: DC 500 Meters: Spare Parts Only: No Bypass:

Model: DC 500 Meters: Spare Parts Only: No Bypass:

Model: DC 501 Meters: Spare Parts Only: No Bypass:

Model: DC 501 Meters: Spare Parts Only: No Bypass: Type: DC Size: 1 Manual: 10 Approved: 15-Mar-2018 Shutoffs: (int)

- Type: DC Size: 1 1/4 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (int)
- Type: DC Size: 1 1/2 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (int)
- Type: DC Size: 2 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (int)

Type: DC Size: 2 1/2 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DC Size: 2 1/2 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DC Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int) Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 15-Mar-2024

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 20-Mar-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 20-Mar-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 20-Mar-2023

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 21-Dec-2024

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 21-Dec-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 21-Dec-2024 Model: DC 501 Meters: Spare Parts Only: No Bypass:

Model: DC 501 Meters: Spare Parts Only: No Bypass:

Model: DC 501 Meters: Spare Parts Only: No Bypass:

Model: DC 501 Meters: Spare Parts Only: No Bypass:

Model: Deringer 20 Meters: Spare Parts Only: No Bypass:

Model: Deringer 20 Meters: Spare Parts Only: No Bypass:

Model: Deringer 20 Meters: Spare Parts Only: No Bypass:

Type: DC Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 21-Dec-2024	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 30-Sep-2024	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 30-Sep-2024	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 6 Manual: 10 Approved: 30-Oct-2019 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 30-Oct-2022	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 6 Manual: 10 Approved: 30-Oct-2019 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2022	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 8 Manual: 10 Approved: 23-Dec-2016 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 23-Dec-2022	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 8 Manual: 10 Approved: 23-Dec-2016 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 23-Dec-2022	Model: Deringer 20 Meters: Spare Parts Only: No Bypass:

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 07-Dec-2024	Model: Deringer 20G Meters: Spare Parts Only: No Bypass:
Manufacturer: Backflow Direct	Model: Deringer 20G
Orientation: VU	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 07-Dec-2024	Bypass:
Manufacturer: Backflow Direct	Model: Deringer 20G
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 07-Dec-2024	Bypass:
Manufacturer: Backflow Direct	Model: Deringer 20G
Orientation: VU	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 07-Dec-2024	Bypass:
Manufacturer: Backflow Direct	Model: Deringer 20G
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 07-Dec-2024	Bypass:
Manufacturer: Backflow Direct	Model: Deringer 20G
Orientation: VU	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 07-Dec-2024	Bypass:
Manufacturer: Backflow Direct	Model: Deringer 20G
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 16-Jan-2023	Bypass:
	Orientation: H0.25% Pb: YesRenewed: 07-Dec-2024Manufacturer: Backflow DirectOrientation: VU0.25% Pb: YesRenewed: 07-Dec-2024Manufacturer: Backflow DirectOrientation: H0.25% Pb: YesRenewed: 07-Dec-2024Manufacturer: Backflow DirectOrientation: VU0.25% Pb: YesRenewed: 07-Dec-2024Manufacturer: Backflow DirectOrientation: VU0.25% Pb: YesRenewed: 07-Dec-2024Manufacturer: Backflow DirectOrientation: H0.25% Pb: YesRenewed: 07-Dec-2024Manufacturer: Backflow DirectOrientation: H0.25% Pb: YesRenewed: 07-Dec-2024Manufacturer: Backflow DirectOrientation: VU0.25% Pb: YesRenewed: 07-Dec-2024Manufacturer: Backflow DirectOrientation: VU0.25% Pb: YesRenewed: 07-Dec-2024Manufacturer: Backflow DirectOrientation: H0.25% Pb: YesRenewed: 07-Dec-2024

Type: DC Size: 6 Manual: 10 Approved: 16-Jan-2020 Shutoffs: (ssssss), tttttt	Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2023	Model: Deringer 20G Meters: Spare Parts Only: No Bypass:	
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20G	
Size: 8	Orientation: H	Meters:	
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No	
Approved: 31-Jul-2018 Shutoffs: (ssssss), tttttt	Renewed: 31-Jul-2024	Bypass:	
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20G	
Size: 8	Orientation: VU	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 31-Jul-2018	Renewed: 31-Jul-2024	Bypass:	
Shutoffs: (ssssss), tttttt			
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20GX	
Size: 4	Orientation: H	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 16-Jan-2020	Renewed: 16-Jan-2023	Bypass:	
Shutoffs: (ssssss), tttttt			
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20GX	
Size: 4	Orientation: VU	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 16-Jan-2020	Renewed: 16-Jan-2023	Bypass:	
Shutoffs: (ssssss), tttttt			
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20GX	
Size: 6	Orientation: H	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 31-Jul-2018	Renewed: 31-Jul-2024	Bypass:	
Shutoffs: (ssssss), tttttt			
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20GX	
Size: 6	Orientation: VU	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 31-Jul-2018	Renewed: 31-Jul-2024	Bypass:	
Shutoffs: (ssssss), tttttt			

Type: DC Size: 4 Manual: 10 Approved: 30-Oct-2019 Shutoffs: (int)	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 30-Oct-2022	Model: Deringer 20X Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20X
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2019 Shutoffs: (int)	Renewed: 30-Oct-2022	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20X
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Dec-2016 Shutoffs: (int)	Renewed: 23-Dec-2022	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Deringer 20X
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Dec-2016 Shutoffs: (int)	Renewed: 23-Dec-2022	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018	Renewed: 15-Mar-2024	Bypass:
Shutoffs: (int)		

Type: DC Size: 3 Manual: 10	Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes	Model: Magnum 20 Meters: Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20G
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Dec-2018	Renewed: 07-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr		
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20G
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Dec-2018	Renewed: 07-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr		

Type: DC Size: 3 Manual: 10 Approved: 07-Dec-2018 Shutoffs: (qqqqqq), rrrrrr	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 07-Dec-2024	Model: Magnum 20G Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20G
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Dec-2018 Shutoffs: (qqqqqq), rrrrrr	Renewed: 07-Dec-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20G
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Dec-2018 Shutoffs: (qqqqqq), rrrrrr	Renewed: 07-Dec-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20G
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Dec-2018 Shutoffs: (qqqqqq), rrrrrr	Renewed: 07-Dec-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20G
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2020 Shutoffs: (qqqqqq), rrrrr	Renewed: 16-Jan-2023	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20G
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2020 Shutoffs: (qqqqqq), rrrrr	Renewed: 16-Jan-2023	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20G
Size: 8	Orientation: H	Meters:
Manual : 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Jul-2018	Renewed: 31-Jul-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr		

Type: DC Size: 8 Manual: 10 Approved: 31-Jul-2018 Shutoffs: (qqqqqq), rrrrrr	Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 31-Jul-2024	Model: Magnum 20G Meters: Spare Parts Only: No Bypass:
Type: DC Size: 6	Manufacturer: Backflow Direct Orientation: H	Model: Magnum 20GX Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Jul-2018	Renewed: 31-Jul-2024	Bypass:
Shutoffs: (qqqqqq), rrrrr		
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20GX
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Jul-2018	Renewed: 31-Jul-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr		
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20X
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: DC	Manufacturer: Backflow Direct	Model: Magnum 20X
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018	Renewed: 15-Mar-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: BEECO	Model: Barracuda 20
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr, vvvvv	v, wwwww	
Type: DC	Manufacturer: BEECO	Model: Barracuda 20
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
		_

0.25% Pb: Yes **Renewed:** 18-Dec-2024

Bypass:

 Approved:
 18-Dec-2018
 Renewed

 Shutoffs:
 (qqqqqq), rrrrr, vvvvvv, wwwww

Type: DC	Manufacturer: BEECO	Model: Barracuda 20
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrr, vvvvv	v, wwwww	
	Manufacturary REECO	Model: Barracuda 20
Type: DC Size: 3	Manufacturer: BEECO Orientation: VU	Model: Barracuda 20 Meters:
Manual: 10	0.25% Pb: Yes	
	Renewed: 18-Dec-2024	Spare Parts Only: No
Approved: 18-Dec-2018 Shutoffs: (qqqqqq), rrrrrr, vvvvv		Bypass:
	Manufacturer: BEECO	Model: Porregudo 20
Type: DC Size: 4	Orientation: H	Model: Barracuda 20 Meters:
Size: 4 Manual: 10	0.25% Pb: Yes	
		Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrr, vvvvv	v, wwwww	
Type: DC	Manufacturer: BEECO	Model: Barracuda 20
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrr, vvvvv	v, wwwww	
Type: DC	Manufacturer: BEECO	Model: Barracuda 20
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr, vvvvv	v, wwwww	
Type: DC	Manufacturer: BEECO	Model: Barracuda 20
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr, vvvvv		
Type: DC	Manufacturer: BEECO	Model: Barracuda 20
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No

Approved: 18-Dec-2018 Shutoffs: (qqqqqq), rrrrrr 0.25% Pb: Yes Renewed: 18-Dec-2024

Bypass:

Type: DC	Manufacturer: BEECO	Model: Barracuda 20
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr		
Type: DC	Manufacturer: BEECO	Model: Barracuda 20X
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrr, vvvvv	v, wwwww	
Type: DC	Manufacturer: BEECO	Model: Barracuda 20X
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrr, vvvvv	v, wwwww	
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Jan-2022	Renewed: 21-Jan-2025	Bypass:
Shutoffs: (уууууу)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Jan-2022	Renewed: 21-Jan-2025	Bypass:
Shutoffs: (уууууу)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Jan-2022	Renewed: 21-Jan-2025	Bypass:
Shutoffs: (уууууу)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 3/4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Jan-2022	Renewed: 21-Jan-2025	Bypass:
Shutoffs: (уууууу)		

Type: DC	Manufacturer: BEECO	Model: FDC
Size: 1	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Oct-2022	Renewed:	Bypass:
Shutoffs: (yyyyyy)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 1	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Oct-2022	Renewed:	Bypass:
Shutoffs: (уууууу)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 1 1/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Jan-2022	Renewed: 21-Jan-2025	Bypass:
Shutoffs: (yyyyyy)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 1 1/4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Jan-2022	Renewed: 21-Jan-2025	Bypass:
Shutoffs: (уууууу)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 1 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Jan-2022	Renewed: 21-Jan-2025	Bypass:
Shutoffs: (уууууу)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 1 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Jan-2022	Renewed: 21-Jan-2025	Bypass:
Shutoffs: (уууууу)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Oct-2022	Renewed:	Bypass:
Shutoffs: (уууууу)		

Type: DC	Manufacturer: BEECO	Model: FDC
Size: 2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Oct-2022	Renewed:	Bypass:
Shutoffs: (уууууу)		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (vvvvv), wwwww		

Type: DC	Manufacturer: BEECO	Model: FDC
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (vvvvv), wwwww		2,000
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-Feb-2024	Renewed:	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-Feb-2024	Renewed:	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-Feb-2024	Renewed:	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: BEECO	Model: FDC
Size: 10	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-Feb-2024	Renewed:	Bypass:
Shutoffs: (vvvvv), wwwww		
Type: DC	Manufacturer: Cla-Val	Model: D4
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2022	Bypass:
Shutoffs: (gg),hh,qq,rr	-	

Type: DC	Manufacturer: Cla-Val	Model: D4
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2022	Bypass:
Shutoffs: (gg),hh,qq,rr		Uypass.
Type: DC	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 805YD	
Type: DC	Manufacturer: Febco	Model: 805 Type YD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 805YD

Type: DC Manufacturer: Febco Model: 805 Type YD Size: 10 **Orientation:** Meters: 0.25% Pb: No Spare Parts Only: No Manual: **Renewed:** Approved: Bypass: Notes: model designation changed to 805YD Type: DC Manufacturer: Febco Model: 805Y Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: Yes Renewed: 13-May-2024 Approved: 13-May-1982 Bypass: Shutoffs: ii,fff,jjj,ooo Type: DC Manufacturer: Febco Model: 805Y Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 6 Spare Parts Only: Yes Approved: 13-May-1982 Renewed: 13-May-2024 Bypass: Shutoffs: ii,fff,jjj,ooo Type: DC Manufacturer: Febco Model: 805Y Size: 1 1/2 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Renewed: 05-Jan-2025 Approved: 05-Jan-1983 Bypass: Shutoffs: ii,fff,jjj,000 Model: 805Y Type: DC Manufacturer: Febco **Size:** 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 6 Renewed: 05-Jan-2025 Approved: 05-Jan-1983 Bypass: Shutoffs: ii,fff,ooo Type: DC Manufacturer: Febco Model: 805YB Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 04-May-1994 Renewed: 04-May-2024 Bypass: Shutoffs: (ii),fff,jjj,ooo

Notes: Replaceable seats beginning with Serial No. A105801

Type: DC Manufacturer: Febco Model: 805YB Size: 3/4 Orientation: VU Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 16-Apr-1996 Renewed: 16-Apr-2023 Bypass: Shutoffs: (ii),fff,jjj,000 Notes: Replaceable seats beginning with Serial No. A105801 Type: DC Manufacturer: Febco Model: 805YD Size: 2 1/2 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 31-May-1987 Renewed: 31-May-2023 Bypass: Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg Notes: formerly 805 Type YD Type: DC Manufacturer: Febco Model: 805YD Size: 3 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 31-May-1987 Renewed: 31-May-2023 Bypass: Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg Notes: formerly 805 Type YD Type: DC Manufacturer: Febco Model: 805YD Size: 4 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 31-May-1987 Renewed: 31-May-2023 Bypass: Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg Notes: formerly 805 Type YD Type: DC Manufacturer: Febco Model: 805YD Size: 6 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 31-May-1987 Renewed: 31-May-2023 Bypass: Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg Notes: formerly 805 Type YD Manufacturer: Febco Model: 805YD Type: DC Size: 8 **Orientation:** H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Renewed: 31-May-2023 Approved: 31-May-1987 Bypass: Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Notes: formerly 805 Type YD

Type: DCManualSize: 10OrientManual: 70.25%Approved: 31-May-1987RenewShutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,ggggNotes: formerly 805 Type YD

Type: DC Size: 3/4 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,000

Type: DC Size: 1 Manual: 8 Approved: 22-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: DC Size: 1/2 Manual: 9 Approved: 21-Nov-1997 Shutoffs: (fff),000

Type: DC Size: 1/2 Manual: 9 Approved: 13-Apr-2000 Shutoffs: (fff),000

Type: DC Size: 1/2 Manual: 9 Approved: 17-Dec-1999 Shutoffs: (fff),000 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 31-May-2023

Manufacturer: Febco

Renewed: 22-Jan-2023

Manufacturer: Febco

Renewed: 22-Jan-2023

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Model: 805YD Meters: Spare Parts Only: Yes Bypass:

Model: 805YR Meters: Spare Parts Only: Yes Bypass:

Model: 805YR Meters: Spare Parts Only: Yes Bypass:

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 21-Nov-2024

Manufacturer: Febco Orientation: VD 0.25% Pb: No Renewed: 13-Apr-2024

Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 17-Dec-2023 Model: 850 Meters: Spare Parts Only: No Bypass:

Model: 850 Meters: Spare Parts Only: No Bypass:

Model: 850 Meters: Spare Parts Only: No Bypass:

Type: DCManufacturer: FebcoModel: 850Shutoffs: (ff),jj, coo25% Pb: NoSpare Parts Only: NoType: DCManufacturer: FebcoModel: 850Size: 34Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Apr-2000Renewed: 10-Apr-2024Bypass:Shutoffs: (ff),jj, cooSpare Parts Only: NoSpare Parts Only: NoApproved: 10-Apr-2000Renewed: 10-Apr-2024Bypass:Shutoffs: (ff),jj, cooManufacturer: FebcoModel: 850Size: 34Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2023Bypass:Shutoffs: (ff),jj, cooJoint Statuers: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (ff),jj, cooSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 21-Nov-2024Bypass:Shutoffs: (ff),jj, cooJoint Statuers: FebcoModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (ff),jj, cooTripp: DCManufacturer: FebcoModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Se	Type: DC	Manufacturer: Febco	Model: 850
Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2024 Bypass: Shutoffs: (fff, jjj, coo Manufacturer: Febco Model: 850 Size: 3/4 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Apr-2000 Renewed: 10-Apr-2024 Bypass: Shutoffs: (fff, jjj, coo Manufacturer: Febco Model: 850 Size: 3/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass: Shutoffs: (fff, jjj, coo Joze Sy Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass: Shutoffs: (fff, jjj, coo Joze Sy Pb: No Spare Parts Only: No Approved: 11-Nov-1997 Renewed: 21-Nov-2024 Bypass: Shutoffs: (fff, jjj, coo Manufacturer: Febco Model: 850 Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jan-2000 Renewed: 14-Jan-2024 Bypass: Shutoffs: (fff, jjj, coo Manufacturer: Febco Model: 850 Size: 1 Orientation: VD Meters: <t< th=""><th></th><th></th><th></th></t<>			
Approved: 21-Nov-1997 Shutoffs: (ff),jjj.cooRenewed: 21-Nov-2024 Bypass:Bypass:Type: DC Size: 3/4 Manual: 9 Approved: 10-Apr-2000 Size: 3/4 Manual: 9 Approved: 10-Apr-2000 CoolerManufacturer: Febco Model: 850 Model: 850 Model: 850 Size: 3/4 Orientation: VU Meters: Manual: 9 Manufacturer: Febco Model: 850 Model: 850 Model: 850 Size: 3/4 Orientation: VU Meters: Manual: 9 Maproved: 17-Dec-1999 Renewed: 17-Dec-2023 Renewed: 17-Dec-2023 Bypass: Shutoffs: (fff),jjj.cooManufacturer: Febco Model: 850 Model: 850 Size: 1 Manual: 9 Orientation: H Meters: Manual: 9 Manufacturer: Febco Model: 850 Size: 1 Manual: 9 Orientation: H Meters: Manual: 9 Manufacturer: Febco Model: 850 Size: 1 Manual: 9 Orientation: H Meters: Manual: 9 Manufacturer: Febco Model: 850 Size: 1 Manual: 9 Orientation: H Meters: Manual: 9 Manual: 9 Manufacturer: Febco Model: 850 Size: 1 Manual: 9 Manual: 9 Manufacturer: Febco Model: 850 Size: 1 Manual: 9 Manufacturer: Febco Model: 850 Size: 1 Manual: 9 Manufacturer: Febco Model: 850 Size: 1 Manual: 9 Manufacturer: Febco Model: 850 Size: 1 Manual: 9 Manufacturer: Febco Model: 850 Size: 1 Manufacturer: Febco Model: 850 Size: 1 Manufacturer: Febco Model: 850 Size: 1 Manufi 9 Manufi 9 Manufacturer: Febco Model: 850 Size: 11/4 Meters: Manufi 9 Manufi 9 Manufi 9 Manufi 9 Manufacturer: Febco Mode			
Shutoffs: (ff),jjj.coo Manufacturer: Febco Model: 850 Size: 3/4 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Apr-2000 Renewed: 10-Apr-2024 Bypass: Shutoffs: (ff),jjj.coo Manufacturer: Febco Model: 850 Size: 3/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass: Shutoffs: (ff),jjj.coo Manufacturer: Febco Model: 850 Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 21-Nov-2023 Bypass: Shutoffs: (fff),jjj.coo Ype: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2024 Bypass: Shutoffs: (fff),jjj.coo Meters: Manual: 9 Type: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jan-2000 Renewed:			
Type: DCManufacturer: FebcoModel: 850Size: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Apr-2000Renewed: 10-Apr-2024Bypass:Shutoffs: (fff).jjj.cooManufacturer: FebcoModel: 850Size: 3/4Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2023Bypass:Shutoffs: (fff).jjj.cooJointation: FlooModel: 850Type: DCManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (fff).jjj.cooSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 11-Nov-2024Bypass:Shutoffs: (fff).jjj.cooJointation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff).jjj.cooJointation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff).jjj.cooJointation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff).jjj.cooJointation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: No<	••		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Size: 3/4Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 10-Apr-2000Renewed: 10-Apr-2024Bypass:Shutoffs: (fff.jjj.cooManufacturer: FebcoModel: 850Size: 3/4Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2023Bypass:Shutoffs: (fff.jjj.cooManufacturer: FebcoModel: 850Type: DCManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (fff.jjj.cooSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff.jjj.cooSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff.jjj.cooSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff.jjj.cooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff.jjj.cooSpare Parts Only: NoType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpar			
Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 10-Apr-2000 Renewed: 10-Apr-2024 Bypass: Shutoffs: (fff),jjj.coo Manufacturer: Febco Model: 850 Size: 3/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass: Shutoffs: (fff),jjj.coo Manufacturer: Febco Model: 850 Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass: Shutoffs: (fff),jjj.coo Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2024 Bypass: Shutoffs: (fff),jjj.coo Spare Parts Only: No Type: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jan-2000 Renewed: 14-Jan-2024 Bypass: Shutoffs: (fff),jjj.coo Spar	Type: DC	Manufacturer: Febco	Model: 850
Approved: 10-Apr-2000 Shutoffs: (ff),jjj.cooRenewed: 10-Apr-2024 Bypass:Bypass:Type: DCManufacturer: Febco Size: 3/4Model: 850 Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass:Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass:Type: DCManufacturer: Febco Model: 850 Size: 1Model: 850 Size: 1Manual: 90.25% Pb: No Orientation: HMeters: Meters: Manual: 9Manual: 90.25% Pb: No Orientation: HSpare Parts Only: No Spare Parts Only: No Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2024 Bypass: Shutoffs: (fff),jjj.cooModel: 850 Size: 1Type: DCManufacturer: Febco Orientation: VDModel: 850 Size: 1Manual: 90.25% Pb: No Orientation: VDSpare Parts Only: No Approved: 14-Jan-2000 Bypass: Shutoffs: (fff),jjj.cooType: DC Size: 1Manufacturer: Febco Orientation: VDModel: 850 Size: 1Manual: 9 Approved: 07-Sep-2000 Approved: 07-Sep-2000 Renewed: 07-Sep-2024 Bypass: Shutoffs: (fff),jjj.cooManufacturer: Febco Spare Parts Only: No Approved: 07-Sep-2000 Bypass: Shutoffs: (fff),jjj.cooType: DC Type: DC Size: 1 Manual: 9 Approved: 07-Sep-2000 Renewed: 07-Sep-2024 Bypass: Shutoffs: (fff),jjj.cooModel: 850 Spare Parts Only: No Spare Parts Only: No Approved: 07-Sep-2000 Bypass: Shutoffs: (fff),jjj.cooType: DC Size: 1.1/4 Orientation: H Meters: Manual: 9 Approved: 21-Nov-1997Model: 850 Spare Parts Only: No Spare Parts Only: No Spare Parts Only: No Spare Parts Only:	Size: 3/4	Orientation: VD	Meters:
Shutoffs: (ff),jjj.coo Manufacturer: Febco Model: 850 Size: 3/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass: Shutoffs: (ff),jjj.coo Manufacturer: Febco Model: 850 Type: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2024 Bypass: Shutoffs: (ff),jjj.coo Manufacturer: Febco Model: 850 Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jan-2000 Renewed: 14-Jan-2024 Bypass: Shutoffs: (ff),jjj.coo Manufacturer: Febco Model: 850 Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jan-2000 Renewed: 14-Jan-2024 Bypass: Shutoffs: (ff),jjj.coo Manufacturer: Febco Model: 850 Size: 1 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Sep-2000 Renewed: 07-Sep-202	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Type: DCManufacturer: FebcoModel: 850Size: 3/4Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2023Bypass:Shutoffs: (ff),jjj.cooSpare Parts Only: NoType: DCManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (ff),jjj.cooSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (ff),jjj.cooModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (ff),jjj.cooSpare Parts Only: NoType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.cooSpare Parts Only: NoType: DCManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.cooType: DCManufacturer: FebcoModel: 850 </td <td>Approved: 10-Apr-2000</td> <td>Renewed: 10-Apr-2024</td> <td>Bypass:</td>	Approved: 10-Apr-2000	Renewed: 10-Apr-2024	Bypass:
Size: 3/4Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2023Bypass:Shutoffs: (fff),jjj.oooManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (fff),jjj.oooModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 8	Shutoffs: (fff),jjj,000		
Size: 3/4Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 17-Dec-1999Renewed: 17-Dec-2023Bypass:Shutoffs: (fff),jjj.oooManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (fff),jjj.oooModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 8	Type: DC	Manufacturer: Febco	Model: 850
Approved: 17-Dec-1999 Shutoffs: (fff),jjj,oooRenewed: 17-Dec-2023Bypass:Type: DCManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (fff),jjj,oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj,oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj,oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,oooType: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,oooManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024B	••		
Approved: 17-Dec-1999 Shutoffs: (fff),jjj,oooRenewed: 17-Dec-2023Bypass:Type: DC Size: 1 Manual: 9 Approved: 21-Nov-1997 State fift),jjj,oooModel: 850 Spare Parts Only: No Spare Parts Only: No Bypass: Shutoffs: (fff),jjj,oooType: DC Manufacturer: Febco Manufacturer: Febco Model: 850 Size: 1 Manual: 9 O.25% Pb: No Spare Parts Only: No Spare Parts O	Manual: 9	0.25% Pb: No	Spare Parts Only: No
Shutoffs: (fff),jjj.oooManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (fff),jjj.oooSize: 1Orientation: VDType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.oooSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.cooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.cooType: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:			
Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2024 Bypass: Shutoffs: (ff),jjj,coo Type: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jan-2000 Renewed: 14-Jan-2024 Bypass: Shutoffs: (fff),jjj,coo Type: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Sep-2000 Renewed: 07-Sep-2024 Bypass: Shutoffs: (fff),jjj,coo Type: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Sep-2000 Renewed: 07-Sep-2024 Bypass: Shutoffs: (fff),jjj,coo			
Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2024 Bypass: Shutoffs: (ff),jjj,coo Type: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Jan-2000 Renewed: 14-Jan-2024 Bypass: Shutoffs: (fff),jjj,coo Type: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Sep-2000 Renewed: 07-Sep-2024 Bypass: Shutoffs: (fff),jjj,coo Type: DC Manufacturer: Febco Model: 850 Size: 1 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 07-Sep-2000 Renewed: 07-Sep-2024 Bypass: Shutoffs: (fff),jjj,coo		Manufacturor: Febro	Model: 850
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:Shutoffs: (ff),jjj,cooModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj,cooType: DCManual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj,cooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,cooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,cooType: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:	••		
Approved: 21-Nov-1997 Shutoffs: (fff),jjj.oooRenewed: 21-Nov-2024Bypass:Type: DC Size: 1 Manual: 9 Approved: 14-Jan-2000 Size: 1 Manual: 9Manufacturer: Febco 0.25% Pb: No Renewed: 14-Jan-2024Model: 850 Spare Parts Only: No Bypass: Shutoffs: (fff),jjj.oooType: DC Size: 1 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (fff),jjj.oooManufacturer: Febco Nodel: 850 Spare Parts Only: No Meters: Model: 850 Spare Parts Only: No Meters: Manual: 9 Approved: 07-Sep-2000 Shutoffs: (fff),jjj.oooType: DC Shutoffs: (fff),jjj.oooManufacturer: Febco No Orientation: VU Meters: Manual: 9 Shutoffs: (fff),jjj.oooType: DC Spare Parts Only: No Mapproved: 07-Sep-2000 Super Parts Only: No Spare Parts Only: No S			
Shutoffs: (fff),jjj.oooManufacturer: FebcoModel: 850Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj.oooType: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:			
Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj,oooManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,oooSpare Parts Only: NoType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Type: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:			
Size: 1Orientation: VDMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj,oooManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,oooSpare Parts Only: NoType: DCManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Type: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:	Type: DC	Manufacturer: Febco	Model: 850
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 14-Jan-2000Renewed: 14-Jan-2024Bypass:Shutoffs: (fff),jjj,oooManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,oooManufacturer: FebcoModel: 850Type: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:	••		
Approved: 14-Jan-2000 Shutoffs: (fff),jjj,oooRenewed: 14-Jan-2024Bypass:Type: DC Size: 1Manufacturer: Febco Orientation: VUModel: 850Manual: 9 Approved: 07-Sep-2000 Shutoffs: (fff),jjj,ooo0.25% Pb: No Renewed: 07-Sep-2024Spare Parts Only: No Bypass:Type: DC Shutoffs: (fff),jjj,oooManufacturer: Febco VUModel: 850Type: DC Size: 1 1/4Manufacturer: Febco Orientation: HModel: 850Size: 1 1/4 Manual: 9 Approved: 21-Nov-19970.25% Pb: No Renewed: 21-Nov-2024Spare Parts Only: No Bypass:			
Shutoffs: (fff),jjj,oooManufacturer: FebcoModel: 850Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,oooType: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:			
Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,oooType: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:			
Size: 1Orientation: VUMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,oooType: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:	Type: DC	Manufacturer: Febco	Model: 850
Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 07-Sep-2000Renewed: 07-Sep-2024Bypass:Shutoffs: (fff),jjj,oooManufacturer: FebcoModel: 850Type: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:	••		
Approved: 07-Sep-2000 Shutoffs: (fff),jjj,oooRenewed: 07-Sep-2024Bypass:Type: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:			
Shutoffs: (fff),jjj,oooType: DCManufacturer: FebcoModel: 850Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:			
Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:			
Size: 1 1/4Orientation: HMeters:Manual: 90.25% Pb: NoSpare Parts Only: NoApproved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:	Type: DC	Manufacturer: Febco	Model: 850
Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 21-Nov-1997 Renewed: 21-Nov-2024 Bypass:			
Approved: 21-Nov-1997Renewed: 21-Nov-2024Bypass:			
	Approved: 21-Nov-1997	Renewed: 21-Nov-2024	

Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2024	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2023	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Feb-1998	Renewed: 19-Feb-2025	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Apr-2000	Renewed: 13-Apr-2024	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2023	Bypass:
Shutoffs: (fff),jjj,000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Feb-1998	Renewed: 19-Feb-2025	Bypass:
Shutoffs: (fff),000		
Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Apr-2000	Renewed: 10-Apr-2024	Bypass:
Shutoffs: (fff),000		

Type: DC	Manufacturer: Febco	Model: 850
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2023	Bypass:
Shutoffs: (fff),000		Dypass.
Type: DC	Manufacturer: Febco	Model: 850
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Mar-1997	Renewed: 14-Mar-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 14-Mar-1997	Renewed: 14-Mar-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u		
Type: DC	Manufacturer: Febco	Model: 850
Size: 3	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	•	
	Manufacturer: Febco	Model: 850
Type: DC Size: 4	Orientation: VU	Model: 850
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Feb-1995	Renewed: 07-Feb-2025	Bypass:

Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,nnn,zzz,cccc,ffff,gggg

Type: DC	Manufacturer: Febco	Model: 850
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	lu,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1995	Renewed: 31-May-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1995	Renewed: 04-Oct-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Oct-1996	Renewed: 14-Oct-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Sep-2001	Renewed: 28-Sep-2022	Bypass:
Shutoffs: fff,jjj		
Type: DC	Manufacturer: Febco	Model: 850F
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Sep-2001	Renewed: 28-Sep-2022	Bypass:
Shutoffs: (fff),jjj		
Type: DC	Manufacturer: Febco	Model: 850F
		Meters:
Size: 3/4	Orientation: VU	Meters.
Size: 3/4 Manual: 9	Orientation: VU 0.25% Pb: No	Spare Parts Only: No

Type: DC Manufacturer: Febco Model: 850U Size: 1/2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 12-Oct-1998 Renewed: 12-Oct-2022 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1/2 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2024 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1/2 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-1999 Renewed: 08-Mar-2023 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 3/4 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2024 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 3/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 17-Dec-1999 Renewed: 17-Dec-2023 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 04-Aug-1999 Renewed: 04-Aug-2023 Bypass: Shutoffs: (kkk)

Type: DC Manufacturer: Febco Model: 850U Size: 1 Orientation: VD Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 14-Jan-2000 Renewed: 14-Jan-2024 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2024 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 12-Oct-1998 Renewed: 12-Oct-2022 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/4 Orientation: VD Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2024 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/4 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 04-Aug-1999 Renewed: 04-Aug-2023 Bypass: Shutoffs: (kkk) Manufacturer: Febco Type: DC Model: 850U Size: 1 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 12-Oct-1998 Renewed: 12-Oct-2022 Bypass: Shutoffs: (kkk) Type: DC Manufacturer: Febco Model: 850U Size: 1 1/2 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Oct-2000 Renewed: 16-Oct-2024 Bypass: Shutoffs: (kkk)

Type: DC	Manufacturer: Febco	Model: 850U
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1999	Renewed: 04-Aug-2023	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2022	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 850U
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Aug-1999	Renewed: 04-Aug-2023	Bypass:
Shutoffs: (kkk)		
Type: DC	Manufacturer: Febco	Model: 857
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	tt, uu, yy, fff	
Type: DC	Manufacturer: Febco	Model: 857
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	tt, uu, yy, fff	
Type: DC	Manufacturer: Febco	Model: 857
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Shutoffs: (oo), gg, hh,ll, mm, pp, tt, uu, yy, fff

Type: DC	Manufacturer: Febco	Model: 857
Size: 3	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp	, tt, uu, yy, fff	
Type: DC	Manufacturer: Febco	Model: 870
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2025	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2025	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2024	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2024	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1994	Renewed: 24-May-2024	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1996	Renewed: 04-Oct-2023	Bypass:

Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DC	Manufacturer: Febco	Model: 870V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 3	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Shutoffs: (ee),ff,ll,mm,oo.pp,tt,uu,zzz,cccc,ffff,gggg

Type: DC	Manufacturer: Febco	Model: 870V
Size: 6	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Mar-1996	Renewed: 08-Mar-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u		
Type: DC	Manufacturer: Febco	Model: 870V
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jan-1997	Renewed: 06-Jan-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	iu,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 8	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jan-1997	Renewed: 06-Jan-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	iu,zzz,cccc,ffff,gggg	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jul-1997	Renewed: 11-Jul-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	u,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: 870V
Size: 10	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jul-1997	Renewed: 11-Jul-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo.pp,tt,u	uu,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2025	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Type: DC Size: 1/2	Manufacturer: Febco Orientation: VD	Model: LF850 Meters:
Size: 1/2	Orientation: VD	Meters:

Type: DC Manufacturer: Febco Model: LF850 Size: 1/2 Orientation: VU Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 31-Jul-2019 Renewed: 31-Jul-2022 Bypass: Shutoffs: (qqqqq), hhhh Type: DC Manufacturer: Febco Model: LF850 Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2025 Bypass: Shutoffs: (qqqqq), hhhh Type: DC Manufacturer: Febco Model: LF850 Size: 3/4 Orientation: VD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 31-Jul-2019 Renewed: 31-Jul-2022 Bypass: Shutoffs: (qqqqq), hhhh Type: DC Manufacturer: Febco Model: LF850 Size: 3/4 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 31-Jul-2019 **Renewed:** 31-Jul-2022 Bypass: Shutoffs: (qqqqq), hhhh Type: DC Manufacturer: Febco Model: LF850 Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2025 Bypass: Shutoffs: (qqqqq), hhhh Type: DC Manufacturer: Febco Model: LF850 Size: 1 Orientation: VD Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 31-Jul-2019 Renewed: 31-Jul-2022 Bypass: Shutoffs: (qqqqq), hhhh Type: DC Manufacturer: Febco Model: LF850 Size: 1 Orientation: VU Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 31-Jul-2019 Renewed: 31-Jul-2022 Bypass: Shutoffs: (qqqqq), hhhh

Type: DC Size: 1 1/4 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: DC Size: 1 1/4 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (qqqqq), hhhh

Type: DC Size: 1 1/4 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (qqqqq), hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (qqqqq), hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (qqqqq), hhhh

Type: DC Size: 2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Febco Orientation: VD 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Febco Orientation: VD 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2025 Model: LF850 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Febco	Model: LF850
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 31-Jul-2019	Renewed: 31-Jul-2022	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Jul-2019	Renewed: 31-Jul-2022	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccd	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF850
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccd	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF850
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,ccco	c,aaaa,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Shutoffs: (mm),II,oo,pp,zzz,ccco Type: DC	c,adad,eeee,ffff,gggg,nnnnn,zzzzz,aaaa Manufacturer: Febco	Model: LF850
Type: DC	Manufacturer: Febco	Model: LF850
Type: DC Size: 3	Manufacturer: Febco Orientation: VU	Model: LF850 Meters:
Type: DC Size: 3 Manual: 9 Approved: 22-May-2012	Manufacturer: Febco Orientation: VU 0.25% Pb: Yes	Model: LF850 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 22-May-2012	Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 22-May-2024	Model: LF850 Meters: Spare Parts Only: No Bypass:
Type: DC Size: 3 Manual: 9 Approved: 22-May-2012 Shutoffs: (mm),II,oo,pp,zzz,ccco	Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 22-May-2024 c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	Model: LF850 Meters: Spare Parts Only: No Bypass: aaa
Type: DC Size: 3 Manual: 9 Approved: 22-May-2012 Shutoffs: (mm),II,oo,pp,zzz,cccd	Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 22-May-2024 c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa Manufacturer: Febco	Model: LF850 Meters: Spare Parts Only: No Bypass: aaa Model: LF850

Type: DC	Manufacturer: Febco	Model: LF850
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,ccco	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF850
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,ccco	c,dddd,eeee,ffff,ggggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF850
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF850
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,ccco	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF850
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,ccco	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF850
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccd	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF850
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass:

Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DC Size: 1/2 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Type: DC Size: 1/2 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (ppppp), hhhh

Type: DC Size: 1/2 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (ppppp), hhhh

Type: DC Size: 3/4 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Type: DC Size: 3/4 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (ppppp), hhhh

Type: DC Size: 3/4 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (ppppp), hhhh

Type: DC Size: 1 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco Orientation: VD 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco Orientation: VD 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022 Model: LF850U Meters: Spare Parts Only: No Bypass:

Model: LF850U Meters: Spare Parts Only: No Bypass: Type: DC Size: 1 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (ppppp), hhhh

Type: DC Size: 1 Manual: 9 Approved: 31-Jul-2019

Type: DC Size: 1 1/4 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Shutoffs: (ppppp), hhhh

Type: DC Size: 1 1/4 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (ppppp), hhhh

Type: DC Size: 1 1/4 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (ppppp), hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 31-Jul-2019 Shutoffs: (ppppp), hhhh Manufacturer: Febco Orientation: VD 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco Orientation: VD 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco Orientation: VD 0.25% Pb: Yes Renewed: 31-Jul-2022 Model: LF850U Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Febco	Model: LF850U
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Jul-2019	Renewed: 31-Jul-2022	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2022	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Jul-2019	Renewed: 31-Jul-2022	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF850U
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Jul-2019	Renewed: 31-Jul-2022	Bypass:
Shutoffs: (ppppp), hhhh		
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Aug-2012	Renewed: 09-Aug-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	ааа
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Aug-2012	Renewed: 09-Aug-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	ааа
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:

Type: DC	Manufacturer: Febco	Model: LF870V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaa	aa
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaa	aa
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaa	aa
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaa	aa
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaa	aa
Type: DC	Manufacturer: Febco	Model: LF870V
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-May-2012	Renewed: 22-May-2024	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaa	aa
Type: DC	Manufacturer: Febco	Model: LF870V
	Orientation: VUVU	Meters:
Size: 8		
Size: 8 Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaaa

Manufacturer: Febco	Model: LF870V
Orientation: VUVD	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 29-May-2024	Bypass:
,dddd,eeee,ffff,gggg,nnnnn	
Manufacturer: Febco	Model: LF870V
Orientation: VUVU	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 29-May-2024	Bypass:
,dddd,eeee,ffff,gggg,nnnnn	
Manufacturer: Febco	Model: LF870W
Orientation: VUVD	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 26-Mar-2023	Bypass:
,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Manufacturer: Febco	Model: LF870W
Orientation: VUVU	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 26-Mar-2023	Bypass:
,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Manufacturer: Febco	Model: LF870W
Orientation: VUVD	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 26-Mar-2023	Bypass:
,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Manufacturer: Febco	Model: LF870W
Orientation: VUVU	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 26-Mar-2023	Bypass:
,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Manufacturer: Febco	Model: LF870W
Manufacturer: Febco Orientation: VUVD	Model: LF870W
	Orientation: VUVD 0.25% Pb: Yes Renewed: 29-May-2024 ,dddd,eeee,ffff,gggg,nnnnn Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: 29-May-2024 ,dddd,eeee,ffff,gggg,nnnnn Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 26-Mar-2023 ,dddd,eeee,ffff,gggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Mar-2023 ,dddd,eeee,ffff,gggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 26-Mar-2023 ,dddd,eeee,ffff,gggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 26-Mar-2023 ,dddd,eeee,ffff,gggg,nnnnn,zzzzzz,aaaa

Type: DC	Manufacturer: Febco	Model: LF870W
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF870W
Size: 10	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870W
Size: 10	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870WZ
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF870WZ
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	ааа
Type: DC	Manufacturer: Febco	Model: LF870WZ
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (mm),II,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	ааа
Type: DC	Manufacturer: Febco	Model: LF870WZ
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:

Type: DC	Manufacturer: Febco	Model: LF870WZ
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF870WZ
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: DC	Manufacturer: Febco	Model: LF870WZ
Size: 10	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Febco	Model: LF870WZ
Size: 10	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm),ll,oo,pp,zzz,cccc	,dddd,eeee,ffff,gggg,nnnnn	
Type: DC	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: DC	Manufacturer: Watts	Model: 007
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Sep-1990	Renewed: 30-Sep-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 007
Size: 2 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Aug-1996	Renewed: 27-Aug-2023	Bypass:

Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,ffff,gggg

Type: DC	Manufacturer: Watts	Model: 007
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Sep-1990	Renewed: 30-Sep-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	•	
	Manager daman Mathe	
Type: DC	Manufacturer: Watts	Model: 007
Size: 3	Orientation: VU	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Aug-1996	Renewed: 27-Aug-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,u	iu,yy,eee,iiii,gggg	
Type: DC	Manufacturer: Watts	Model: 007M1-FP
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Watts	Model: 007M1-FP
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: (eeeee)		
Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb : Yes	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb : Yes	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp	Neneweu. 27-0ep-2024	Dypass.

Type: DC	Manufacturer: Watts	Model: 007M1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M1QT
Size : 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Feb-1991	Renewed: 26-Feb-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Notes: This assembly is only used a	is the by-pass assembly for DCDA as	ssemblies
Type: DC	Manufacturer: Watts	Model: 007M1QT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Feb-1991	Renewed: 26-Feb-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: Upgraded to 9th Ed.		
Type: DC	Manufacturer: Watts	Model: 007M1QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998	Renewed: 18-May-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: Previous 8th Ed. Approval		
Type: DC	Manufacturer: Watts	Model: 007M1QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-May-1998	Renewed: 18-May-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1992	Renewed: 30-Jun-2022	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: DC Manufacturer: Watts Model: 007M1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 30-Jun-1992 Renewed: 30-Jun-2022 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M1QT Size: 2 Orientation: VU Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 08-Mar-1996 Renewed: 08-Mar-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M2-FP Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2024 Bypass: Shutoffs: (eeeee) Type: DC Manufacturer: Watts Model: 007M2-FP Size: 1 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-2009 Renewed: 01-Sep-2024 Bypass: Shutoffs: (eeeee) Type: DC Manufacturer: Watts Model: 007M2PCQT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 09-Dec-1996 Renewed: 09-Dec-2023 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M2PCQT Size: 1 1/4 Orientation: VU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 09-Dec-1996 Renewed: 09-Dec-2023 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M2PCQT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 12-Sep-1994 Renewed: 12-Sep-2024 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp

Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Apr-1993	Renewed: 05-Apr-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 3/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 01-Oct-1996	Renewed: 01-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1994	Renewed: 24-May-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M2QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-1996	Renewed: 11-Mar-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 007M3-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009		
	Renewed: 01-Sep-2024	Bypass:

Type: DC Manufacturer: Watts Model: 007M3QT Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 18-Oct-1999 Renewed: 18-Oct-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007M3QT Size: 3/4 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 18-Oct-1999 Renewed: 18-Oct-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007PCQT Size: 1/2 **Orientation:** H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 17-Feb-2025 Approved: 17-Feb-1995 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007PCQT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Renewed: 27-Sep-2024 Approved: 27-Sep-1994 Bypass: **Shutoffs:** vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007PCQT **Size:** 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 27-Sep-1994 Renewed: 27-Sep-2024 Bypass: **Shutoffs:** vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: 007QT Size: 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 06-Dec-1993 Renewed: 08-Dec-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr

Notes: Upgraded to 9th Ed.

Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Notes: Previous 8th Ed. Approval		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1996	Renewed: 19-Apr-2023	Bypass:
Shutoffs: pppp,rrrrr		
Notes: Upgraded to 9th Ed.		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2024	Bypass:
Shutoffs: (vv),xx,pppp,rrrrr		
Notes: Previous 8th Ed. Approval		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 3/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass:
Shutoffs: pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass:
Shutoffs: pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 007QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jul-1988	Renewed: 21-Jul-2024	Bypass:
Shutoffs: pppp,rrrrr		

Notes: Upgraded to 9th Ed.

Type: DC Size: 2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp,rrrrr Notes: Upgraded to 9th Ed.

Orientation: H 0.25% Pb: No Renewed: 21-Jul-2024

Manufacturer: Watts

Model: 007QT Meters: Spare Parts Only: Yes Bypass:

Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 3/4 Manual: 8 Approved: 26-Feb-1991 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 1 Manual: 8 Approved: 26-Feb-1991 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Feb-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Feb-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024 Model: 007SSM1PCQT Meters: Spare Parts Only: Yes Bypass:

Model: 007SSM1PCQT Meters: Spare Parts Only: Yes Bypass:

Model: 007SSM1QT Meters: Spare Parts Only: Yes Bypass:

Model: 007SSM1QT Meters: Spare Parts Only: Yes Bypass:

Model: 007SSPCQT Meters: Spare Parts Only: Yes Bypass: Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: DC Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: pppp

Type: DC Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: pppp

Type: DC Size: 1 1/2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp

Type: DC Size: 2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: pppp

Type: DC Size: 2 1/2 Manual: 5 Approved: 10-Jan-1981

Type: DC Size: 3 Manual: 5 Approved: 10-Jan-1981 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024

Manufacturer: Watts

Renewed: 11-Jan-2024

Manufacturer: Watts

Renewed: 11-Jan-2024

Manufacturer: Watts

Renewed: 21-Jul-2024

Manufacturer: Watts

Renewed: 21-Jul-2024

Manufacturer: Watts

Orientation: H

0.25% Pb: No

Model: 007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: 007SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 700 Meters: Spare Parts Only: Yes Bypass:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Jan-2023

Renewed: 10-Jan-2023

Model: 700 Meters: Spare Parts Only: Yes Bypass:

Type: DC	Manufacturer: Watts	Model: 709
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1986	Renewed: 12-Jun-2022	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1986	Renewed: 12-Jun-2022	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Jan-1982	Renewed: 15-Jan-2024	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-1996	Renewed: 11-Mar-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-May-1982	Renewed: 18-May-2024	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2023	Bypass:

Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,eee,ffff,gggg

Type: DC	Manufacturer: Watts	Model: 709
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Mar-1983	Renewed: 16-Mar-2025	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709
Size: 10	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709BB
Size: 2 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jul-1982	Renewed: 20-Jul-2024	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709BB
Size: 3	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jul-1982	Renewed: 20-Jul-2024	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 709QT
Size: 3/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1982	Renewed: 04-Aug-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Notes: Formerly Model 709

Size: 1 Manual: 6 Approved: 04-Aug-1982 Shutoffs: vv,xx,ooo,hhhh,pppp Notes: Formerly Model 709 Type: DC Size: 1 1/2 Manual: 6	Orientation: H 0.25% Pb: No Renewed: 04-Aug-2024 Manufacturer: Watts	Meters: Spare Parts Only: Yes Bypass: Model: 709QT
Approved: 04-Aug-1982 Shutoffs: vv,xx,ooo,hhhh,pppp Notes: Formerly Model 709 Type: DC Size: 1 1/2	Renewed: 04-Aug-2024 Manufacturer: Watts	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp Notes: Formerly Model 709 Type: DC Size: 1 1/2	Manufacturer: Watts	
Notes: Formerly Model 709 Type: DC Size: 1 1/2		Model: 709OT
Type : DC Size: 1 1/2		Model: 709OT
Size: 1 1/2		
	Only of the second seco	
Manual: 6	Orientation: H	Meters:
	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Apr-1982	Renewed: 21-Apr-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Notes: Formerly Model 709		
Type: DC	Manufacturer: Watts	Model: 709QT
Size: 2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Apr-1982	Renewed: 21-Apr-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Notes: Formerly Model 709		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:

Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719AQTR10
Size: 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2013	Renewed: 03-Jul-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719AQTR10
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2013	Renewed: 03-Jul-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: DC	Manufacturer: Watts	Model: 719QT
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr		
Type: DC	Manufacturer: Watts	Model: 719QTR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrrr

Type: DC Size: 2 1/2	Manufacturer: Watts Orientation: H	Model: 757 Meters:
Manual: 9 Approved: 29-Sep-2004	0.25% Pb: No Renewed: 29-Sep-2022	Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb	Kenewed. 23-36p-2022	Буразэ.
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Renewed: 29-Sep-2022

Bypass:

Approved: 29-Sep-2004

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC	Manufacturer: Watts	Model: 757
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	ıg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	g,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Sep-2004	Renewed: 16-Sep-2022	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Feb-2006	Renewed: 10-Feb-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
A	B	Damage

Renewed: 02-May-2023

Bypass:

Approved: 02-May-2008

Shutoffs: (ppp),qqq,aaaa,bbbb

Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	•	
Type: DC	Manufacturer: Watts	Model: 757
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb	Renewed. 02-inlay-2023	bypass.
Type: DC	Manufacturer: Watts	Model: 757
Size : 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 02-May-2008	Renewed: 02-May-2023	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	igg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: DC	Manufacturer: Watts	Model: 757a
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,ggggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	
Type: DC	Manufacturer: Watts	Model: 757a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Watts	Model: 757a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757a
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	յ,որող,որորո
Type: DC	Manufacturer: Watts	Model: 757N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:

Shutoffs: (ppp),qqq,nnnnn

Type: DC	Manufacturer: Watts	Model: 757N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddc	ld,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddd	ld,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,nnnnn		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ddc	ld,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2025	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2025	Bypass:

Type: DC	Manufacturer: Watts	Model: 757N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: (ppp),qqq		
Type: DC	Manufacturer: Watts	Model: 757N
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,dd	dd,gggg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Mar-2003	Renewed: 20-Mar-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Mar-2003	Renewed: 20-Mar-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Mar-2003	Renewed: 20-Mar-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757Na
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 757NQT
Size: 2 1/2	Orientation: VUVD	Meters:
Manuali 0		Spara Barta Only No

Manual: 9 Approved: 04-Dec-2009 Shutoffs: fffff

0.25% Pb: Yes **Renewed:** 04-Dec-2024 Spare Parts Only: No Bypass:

Type: DC Manufacturer: Watts Model: 757NQT Size: 3 **Orientation: VUVD** Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Approved: 04-Dec-2009 Renewed: 04-Dec-2024 Bypass: Shutoffs: fffff Type: DC Manufacturer: Watts Model: 757NQT Size: 4 **Orientation: VUVD** Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-Dec-2009 Renewed: 04-Dec-2024 Bypass: Shutoffs: fffff Type: DC Manufacturer: Watts Model: 757QT Size: 2 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-Dec-2009 Renewed: 04-Dec-2024 Bypass: Shutoffs: fffff Type: DC Manufacturer: Watts Model: 757QT Size: 2 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 04-Dec-2024 Approved: 04-Dec-2009 **Bypass:** Shutoffs: fffff Type: DC Manufacturer: Watts Model: 757QT **Size:** 3 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Renewed: 04-Dec-2024 Approved: 04-Dec-2009 Bypass: Shutoffs: fffff Type: DC Manufacturer: Watts Model: 757QT Size: 3 Orientation: VU Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-Dec-2009 Renewed: 04-Dec-2024 **Bypass:** Shutoffs: fffff Type: DC Manufacturer: Watts Model: 757QT Size: 4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-Dec-2009 Renewed: 04-Dec-2024 Bypass: Shutoffs: fffff

Type: DC	Manufacturer: Watts	Model: 757QT
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2024	Bypass:
Shutoffs: fffff		
Type: DC	Manufacturer: Watts	Model: 767
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model : 767
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model : 767
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Chutoffer (non) and that	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Snutoms: (ppp),qqq,yyy,zzz,aaaa		
Type: DC	Manufacturer: Watts	Model: 767
Type: DC	Manufacturer: Watts Orientation: H	Model: 767 Meters:
Type: DC Size: 4		
Type: DC Size: 4 Manual: 9	Orientation: H	Meters:
Type: DC Size: 4 Manual: 9 Approved: 21-Apr-2006	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 21-Apr-2006	Orientation: H 0.25% Pb: No Renewed: 21-Apr-2024	Meters: Spare Parts Only: No Bypass:
Type: DC Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,yyy,zzz,aaaa	Orientation: H 0.25% Pb: No Renewed: 21-Apr-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn
Type: DC Size: 4 Manual: 9 Approved: 21-Apr-2006 Shutoffs: (ppp),qqq,yyy,zzz,aaaa Type: DC	Orientation: H 0.25% Pb: No Renewed: 21-Apr-2024 a,bbbb,dddd,eeee,gggg,kkkk,IIII,mmmm, Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: nnnn,nnnnn Model: 767

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Manufacturer: Watts	Model: 767
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 16-Sep-2022	Bypass:
,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	nnnn,nnnnn
Manufacturer: Watts	Model: 767
Orientation: VU	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 10-Feb-2024	Bypass:
,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	nnnn,nnnnn
Manufacturer: Watts	Model: 767
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 02-May-2023	Bypass:
aa, bbbb, dddd, eeee, ffff, gggg,nnnnn	
Manufacturer: Watts	Model: 767
Orientation: VU	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 02-May-2023	Bypass:
aa, bbbb, dddd, eeee, ffff, gggg,nnnnn	
Manufacturer: Watts	Model: 767
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 20-Oct-2023	Bypass:
,bbbb,dddd,eeee,gggg	
Manufacturer: Watts	Model: 767
Orientation: VU	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 20-Oct-2023	Bypass:
,bbbb,dddd,eeee,gggg	
Manufacturer: Watts	Model: 767a
Manufacturer: Watts Orientation: H	Model: 767a Meters:
	Orientation: H 0.25% Pb: No Renewed: 16-Sep-2022 a,bbbb,dddd,eeee,gggg,kkkk,IllI,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 10-Feb-2024 a,bbbb,dddd,eeee,gggg,kkkk,IllI,mmmm Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2023 aa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 02-May-2023 aa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-May-2023 aa, bbbb, dddd, eeee, ffff, gggg,nnnnn Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Oct-2023 a,bbbb,dddd,eeee,gggg Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 20-Oct-2023

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: DC	Manufacturer: Watts	Model: 767a
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767a
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Manual: 9 Approved: 03-Jul-2003	0.25% Pb: No Renewed: 03-Jul-2024	Spare Parts Only: Yes Bypass:
Approved: 03-Jul-2003		Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa	Renewed: 03-Jul-2024	Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	Bypass: ,nnnn,nnnnn
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts	Bypass: ,nnnn,nnnnn Model: 767a
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU	Bypass: ,nnnn,nnnnn Model: 767a Meters:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No	Bypass: ,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: Yes Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 03-Jul-2024	Bypass: ,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: Yes Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	Bypass: ,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: Yes Bypass: ,nnnn,nnnnn
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts	Bypass: ,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: Yes Bypass: ,nnnn,nnnnn Model: 767N
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2 Manual: 9	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VUVD	Bypass: ,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: Yes Bypass: ,nnnn,nnnnn Model: 767N Meters:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: No	Bypass: ,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: Yes Bypass: ,nnnn,nnnnn Model: 767N Meters: Spare Parts Only: No Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,yyy,zzz,ddd	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024	Bypass: ,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: Yes Bypass: ,nnnn,nnnnn Model: 767N Meters: Spare Parts Only: No Bypass:
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (ppp),qqq,yyy,zzz,ddd	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024 d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn	Bypass: ,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: Yes Bypass: ,nnnn,nnnnn Model: 767N Meters: Spare Parts Only: No Bypass: ,nnnnn
Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,yyy,zzz,aaa Type: DC Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009	Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 03-Jul-2024 a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024 d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn	Bypass: ,nnnn,nnnnn Model: 767a Meters: Spare Parts Only: Yes Bypass: ,nnnn,nnnnn Model: 767N Meters: Spare Parts Only: No Bypass: ,nnnnn Model: 767N

Type: DC	Manufacturer: Watts	Model: 767N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddd	d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn,	,nnnnn
Type: DC	Manufacturer: Watts	Model: 767N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2025	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb		
Type: DC	Manufacturer: Watts	Model: 767N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jan-2013	Renewed: 03-Jan-2025	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Type: DC	Manufacturer: Watts	Model: 767N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,ddd	d,eeee,dddd,gggg,kkkk,llll,mmmm,nnnn,	,ททกท
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Mar-2003	Renewed: 20-Mar-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,ոորո,որորո
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Mar-2003	Renewed: 20-Mar-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,	,nnnn,nnnnn
Type: DC	Manufacturer: Watts	Model: 767Na
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes

Shutoffs: (ppp), qqq, yyy, zzz, aaaa, bbbb, dddd, eeee, gggg, kkkk, llll, mmmm, nnnn, nnnnn, nnnn, nnnnn, nnnnn, nnnn, nnn, nnnn, nnnn, nnn, nnn, nnn, nnn, nnn, nnn, nnn, nnn, nnn

Type: DC	Manufacturer: Watts	Model: 770
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-May-1992	Renewed: 20-May-2022	Bypass:
Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu,yy		
Type: DC	Manufacturer: Watts	Model: 770
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2023	Bypass:
Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu,yy		
Type: DC	Manufacturer: Watts	Model: 770QTFDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jan-1993	Renewed: 12-Jan-2023	Bypass:
Shutoffs: ww		
Type: DC	Manufacturer: Watts	Model: 770QTFDA
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jan-1993	Renewed: 12-Jan-2023	Bypass:
Shutoffs: ww		
Type: DC	Manufacturer: Watts	Model: 772
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jul-1992	Renewed: 01-Jul-2022	Bypass:
Shutoffs: oo,yy		
Type: DC	Manufacturer: Watts	Model: 772
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2023	Bypass:
Shutoffs: oo,yy		
Type: DC	Manufacturer: Watts	Model: 774
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	Bypass:

Type: DC	Manufacturer: Watts	Model : 774
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	
Shutoffs: II,mm,oo,ffff,gggg	Reliewed. 11-Jul-2024	Bypass:
Type: DC	Manufacturer: Watts	Model: 774
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jul-1991	Renewed: 11-Jul-2024	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2022	Bypass:
	-	

Shutoffs: II,mm,oo,ffff,gggg

Type: DC	Manufacturer: Watts	Model: 774
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2023	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,cc	c,ddd	
Type: DC	Manufacturer: Watts	Model: 774
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2023	Bypass:
Shutoffs: II,mm,oo,ffff,gggg	·	
Type: DC	Manufacturer: Watts	Model: 774
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Feb-2001	Renewed: 16-Feb-2025	Bypass:
Shutoffs: (II),mm,ffff,gggg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2025	Bypass:
Shutoffs: hh,gg		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jan-2010	Renewed: 12-Jan-2025	Bypass:
Shutoffs: (II),mm		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Bypass:
Shutoffs: pp,		
Type: DC	Manufacturer: Watts	Model: 774
Size: 12	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Bypass:
Shutoffs: (II),mm,oo		

Type: DC	Manufacturer: Watts	Model: 774X
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Sep-1996	Renewed: 10-Sep-2023	Bypass:
Shutoffs: (mm),ee,ff,gg,hh,ll,oo	,pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 774X
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Nov-1993	Renewed: 22-Nov-2023	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo	,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 774X
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Sep-1992	Renewed: 09-Sep-2022	Bypass:
Shutoffs: tt,ee,ff,gg,hh,ll,mm,oo	,pp,uu,ccc,ddd,ffff,gggg	
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass:
Shutoffs: int		
Type: DC	Manufacturer: Watts	Model: 775QT
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass:
Shutoffs: int		

Type: DC Manufacturer: Watts Model: 775QT Size: 1 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 9 Renewed: 12-Aug-2023 Approved: 12-Aug-1999 Bypass: Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 1 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Renewed: 12-Aug-2023 Approved: 12-Aug-1999 Bypass: Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 07-Sep-2000 Renewed: 07-Sep-2024 Bypass: Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 1 1/4 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 07-Sep-2000 Renewed: 07-Sep-2024 **Bypass:** Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 9 Approved: 07-Sep-2000 Renewed: 07-Sep-2024 Bypass: Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 1 1/2 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 07-Sep-2000 Renewed: 07-Sep-2024 **Bypass:** Shutoffs: int Type: DC Manufacturer: Watts Model: 775QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Renewed: 28-Mar-2023 Approved: 28-Mar-2002 Bypass: Shutoffs: int

Type: DC Size: 2 Manual: 9 Approved: 28-Mar-2002 Shutoffs: int

- Type: DC Size: 2 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (00)
- Type: DC Size: 3 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (oo)
- Type: DC Size: 2 1/2 Manual: 9 Approved: 08-Dec-2022 Shutoffs: (00)

Type: DC Size: 3 Manual: 9 Approved: 08-Dec-2022 Shutoffs: (00)

Type: DC Size: 1/2 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 28-Mar-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 25-Feb-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 25-Feb-2024 Model: 775QT Meters: Spare Parts Only: Yes Bypass:

Model: LF007 Meters: Spare Parts Only: No Bypass:

Model: LF007 Meters: Spare Parts Only: No Bypass:

Model: LF007IOT Meters: Spare Parts Only: No Bypass:

Model: LF007IOT Meters: Spare Parts Only: No Bypass:

Model: LF007IOTQT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 25-Feb-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 25-Feb-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 25-Feb-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 25-Feb-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 13-Mar-2024 Model: LF007M1IOTQT Meters: Spare Parts Only: No Bypass:

Model: LF007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M1PCQT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2023 Model: LF007M1PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M1QT Meters: Spare Parts Only: No Bypass:

Model: LF007M2QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 3/4 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 25-Feb-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 25-Feb-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023 Model: LF007M2QT Meters: Spare Parts Only: No Bypass:

Model: LF007M2QT Meters: Spare Parts Only: No Bypass:

Model: LF007M3IOTQT Meters: Spare Parts Only: No Bypass:

Model: LF007M3IOTQT Meters: Spare Parts Only: No Bypass:

Model: LF007M3PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007M3PCQT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 3/4 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrr

Type: DC Size: 1/2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC Size: 1/2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: DC

Size: 2 1/2

Manual: 9

Ma Ori 0.2

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts

Renewed: 12-Jan-2025

Orientation: H

0.25% Pb: Yes

Manufacturer: Watts

Renewed: 11-Jan-2023

Manufacturer: Watts

Renewed: 13-Mar-2024

Manufacturer: Watts

Renewed: 13-Mar-2024

Manufacturer: Watts

Renewed: 11-Jan-2023

Orientation: H

0.25% Pb: Yes

Orientation: VU

0.25% Pb: Yes

Orientation: VU

0.25% Pb: Yes

Orientation: H

0.25% Pb: Yes

Model: LF007M3QT Meters: Spare Parts Only: No Bypass:

Model: LF007PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007PCQT Meters: Spare Parts Only: No Bypass:

Model: LF007QT Meters: Spare Parts Only: No Bypass:

Model: LF007QT Meters: Spare Parts Only: No Bypass:

Model: LF709 Meters: Spare Parts Only: No Bypass:

Type: DC Size: 3 Manual: 9 Approved: 12-Jan-2010

Approved: 12-Jan-2010

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Jan-2025 Model: LF709 Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Watts	Model: LF709
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2024	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccd	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa
Type: DC	Manufacturer: Watts	Model: LF709
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2024	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccd	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa
Type: DC	Manufacturer: Watts	Model: LF709
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2024	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccco	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa
Type: DC	Manufacturer: Watts	Model: LF709
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jul-2012	Renewed: 27-Jul-2024	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa
Type: DC	Manufacturer: Watts	Model: LF709
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccd	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa
Type: DC	Manufacturer: Watts	Model: LF709
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Jul-2010	Renewed: 01-Jul-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccd	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa
Type: DC	Manufacturer: Watts	Model: LF709
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Size: 10 Orientation: VU Manual: 9 0.25% Pb: Yes Approved: 01-Jul-2010 Renewed: 01-Jul-2022 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	Type: DC	Manufacturer: Watts
Approved: 01-Jul-2010 Renewed: 01-Jul-2022	Size: 10	Orientation: VU
	Manual: 9	0.25% Pb: Yes
Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn	Approved: 01-Jul-2010	Renewed: 01-Jul-2022

Type: DC Manufacturer: Watts Size: 2 1/2 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 08-Dec-2022 **Renewed:** Shutoffs: (II),oo,dddd,eeee,nnnnn,zzzzz,aaaaaaa

Type: DC Manufacturer: Watts Size: 3 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 08-Dec-2022 **Renewed:** Shutoffs: (II),oo,dddd,eeee,nnnnn,zzzzz,aaaaaaa

Type: DC Manufacturer: Watts Size: 4 Orientation: H Manual: 9 0.25% Pb: Yes Approved: 08-Dec-2022 Renewed: Shutoffs: (II),oo,dddd,eeee,nnnnn,zzzzz,aaaaaaa

Type: DC Manufacturer: Watts Size: 4 Orientation: VU 0.25% Pb: Yes Manual: 9 Approved: 08-Dec-2022 **Renewed:** Shutoffs: (II),oo,dddd,eeee,nnnnn,zzzzz,aaaaaaa

Type: DC Manufacturer: Watts Size: 6 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 08-Dec-2022 **Renewed:** Shutoffs: (II),oo,dddd,eeee,nnnnn,zzzzz,aaaaaaa

Type: DC Manufacturer: Watts Size: 6 Orientation: VU 0.25% Pb: Yes Manual: 9 Approved: 08-Dec-2022 **Renewed:** Shutoffs: (II),oo,dddd,eeee,nnnnn,zzzzz,aaaaaaa

Model: LF709 Meters: Spare Parts Only: No Bypass:

Model: LF709IOT Meters: Spare Parts Only: No Bypass:

Model: LF709IOT Meters: Spare Parts Only: No Bypass:

Model: LF709IOT Meters: Spare Parts Only: No **Bypass:**

Model: LF709IOT Meters: Spare Parts Only: No Bypass:

Model: LF709IOT Meters: Spare Parts Only: No **Bypass:**

Type: DC Size: 8 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 08-Dec-2022 **Renewed:** Shutoffs: (II),oo,dddd,eeee,nnnnn,zzzzzz,aaaaaaa

Type: DC Manufacturer: Watts Size: 8 Orientation: VU 0.25% Pb: Yes Manual: 9 Approved: 08-Dec-2022 **Renewed:** Shutoffs: (II),oo,dddd,eeee,nnnnn,zzzzz,aaaaaaa

Type: DC Size: 10 Manual: 9 Approved: 08-Dec-2022 Shutoffs: (II),oo,dddd,eeee,nnnnn

Type: DC Size: 10 Manual: 9 Approved: 08-Dec-2022 Shutoffs: (II),oo,dddd,eeee,nnnnn

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 **Shutoffs:** (vv),xx,ooo,pppp,rrrrr

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr Manufacturer: Watts

Manufacturer: Watts

Manufacturer: Watts

Manufacturer: Watts

Renewed: 22-Aug-2023

Manufacturer: Watts

Renewed: 22-Aug-2023

Orientation: VUVD

0.25% Pb: Yes

Orientation: VUVD

0.25% Pb: No

Orientation: VU

0.25% Pb: Yes

Renewed:

Orientation: H

0.25% Pb: Yes

Renewed:

Model: LF709IOT Meters: Spare Parts Only: No Bypass:

Model: LF709IOT Meters: Spare Parts Only: No Bypass:

Model: LF709IOT Meters: Spare Parts Only: No Bypass:

Model: LF709IOT Meters: Spare Parts Only: No **Bypass:**

Model: LF719AQT Meters: Spare Parts Only: No Bypass:

Model: LF719AQT Meters: Spare Parts Only: No **Bypass:**

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 22-Aug-2023

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC

Size: 1 1/2

Manual: 9

Type: DC

Size: 1 1/2

Manual: 9

Type: DC

Manual: 9

Type: DC

Manual: 9

Type: DC

Size: 1/2

Manual: 9

Size: 2

Size: 2

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Approved: 03-Jul-2013

Shutoffs: (hhhh)

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 03-Jul-2022 Model: LF719AQT Meters: Spare Parts Only: No Bypass:

Model: LF719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1/2 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 3/4 Manual: 9 Approved: 03-Jul-2013 Shutoffs: (hhhh)

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 03-Jul-2022

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 03-Jul-2022

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 03-Jul-2022

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2023 Model: LF719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC

Manual: 9

Type: DC

Manual: 9

Type: DC

Size: 1 1/4

Manual: 9

Type: DC

Size: 1 1/4

Manual: 9

Type: DC

Size: 1 1/4

Manual: 9

Size: 1

Size: 1

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: No Approved: 22-Aug-2005 Renewed: 22-Aug-2023 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2023 Model: LF719QT Meters: Spare Parts Only: No Bypass:

Model: LF719QT Meters: Spare Parts Only: No Bypass:

Model: LF719QT Meters: Spare Parts Only: No Bypass:

Model: LF719QT Meters: Spare Parts Only: No **Bypass:**

Model: LF719QT Meters: Spare Parts Only: No Bypass:

Model: LF719QT Meters: Spare Parts Only: No **Bypass:**

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2023 Model: LF719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrrr

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp,rrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2023 Model: LF719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh,rrrr

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: hhhh,rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: DC

Manual: 9

Size: 2

Size: 2

Size: 2

Size: 2

Size: 2

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2023

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005

Shutoffs: hhhh,rrrrr

Approved: 22-Aug-2005

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Spare Parts Only: No Bypass:

Meters:

Model: LF719QT

Model: LF719QT Meters: Spare Parts Only: No Bypass:

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2023

Type: DC Manufacturer: Watts Model: LF719QTR10 Size: 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 22-Aug-2005 Renewed: 22-Aug-2023 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Watts Model: LF719QTR10 Size: 1/2 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Renewed: 22-Aug-2023 Approved: 22-Aug-2005 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Watts Model: LF719QTR10 Size: 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 22-Aug-2005 Renewed: 22-Aug-2023 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Watts Model: LF719QTR10 Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 22-Aug-2005 Renewed: 22-Aug-2023 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Watts Model: LF719QTR10 Size: 3/4 Orientation: VD Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 9 Approved: 22-Aug-2005 Renewed: 22-Aug-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: DC Manufacturer: Watts Model: LF719QTR10 Size: 3/4 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 22-Aug-2005 Renewed: 22-Aug-2023 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Model: LFU719QT Type: DC Manufacturer: Watts Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No

Renewed: 22-Aug-2023

Bypass:

Approved: 22-Aug-2005

Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp

Type: DC Size: 1 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2023 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 1/4 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Approved: 22-Aug-2005

Shutoffs: (vv),xx,ooo,pppp

Shutoffs: (vv),xx,ooo,pppp

Type: DC

Size: 1 1/4

Manual: 9

Type: DC

Size: 1 1/4

Manual: 9

Type: DC

Size: 1 1/4

Manual: 9

Type: DC

Size: 1 1/2

Manual: 9

Shutoffs: hhhh

Shutoffs: hhhh

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2023

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2023 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,000,pppp

Type: DC Size: 1 1/2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 22-Aug-2023 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: (vv),xx,ooo,pppp

Type: DC Size: 2 Manual: 9 Approved: 22-Aug-2005 Shutoffs: hhhh

Type: DC Size: 2 1/2 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: DC Size: 2 1/2 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: DC Size: 3 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: DC Size: 3 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: DC Size: 4 Manual: 10 Approved: 15-May-2020 Shutoffs: (int) Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 22-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023 Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Model: LFU719QT Meters: Spare Parts Only: No Bypass:

Model: Magnum 20 Meters: Spare Parts Only: No Bypass:

Model: Magnum 20 Meters: Spare Parts Only: No Bypass:

Model: Magnum 20 Meters: Spare Parts Only: No Bypass:

Model: Magnum 20 Meters: Spare Parts Only: No Bypass:

Model: Magnum 20 Meters: Spare Parts Only: No Bypass: Type: DC Size: 4 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: DC Size: 6 Manual: 10 Approved: 03-Aug-2020 Shutoffs: (int)

Type: DC Size: 6 Manual: 10 Approved: 03-Aug-2020 Shutoffs: (int)

Type: DC Size: 8 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: DC Size: 8 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: DC Size: 2 1/2 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: DC Size: 2 1/2 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 03-Aug-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 03-Aug-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-May-2023 Model: Magnum 20 Meters: Spare Parts Only: No Bypass:

Model: Magnum 20 Meters: Spare Parts Only: No Bypass:

Model: Magnum 20 Meters: Spare Parts Only: No Bypass:

Model: Magnum 20 Meters: Spare Parts Only: No Bypass:

Model: Magnum 20 Meters: Spare Parts Only: No Bypass:

Model: Magnum 20G Meters: Spare Parts Only: No Bypass:

Model: Magnum 20G Meters: Spare Parts Only: No Bypass: Type: DC Size: 3 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: DC Size: 3 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: DC Size: 4 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: DC Size: 4 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: DC Size: 6 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: DC Size: 6 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: DC Size: 8 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023 Model: Magnum 20G Meters: Spare Parts Only: No Bypass:

Model: Magnum 20G Meters: Spare Parts Only: No Bypass:

Model: Magnum 20G Meters: Spare Parts Only: No Bypass:

Model: Magnum 20G Meters: Spare Parts Only: No Bypass:

Model: Magnum 20G Meters: Spare Parts Only: No Bypass:

Model: Magnum 20G Meters: Spare Parts Only: No Bypass:

Model: Magnum 20G Meters: Spare Parts Only: No Bypass: Type: DC Size: 8 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (hhh)

Type: DC Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (hhh)

Type: DC Size: 1/2 Manual: 9 Approved: 11-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 1/2 Manual: 9 Approved: 11-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 3/4 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (hhh)

Type: DC Size: 3/4 Manual: 9 Approved: 07-Sep-2000 Shutoffs: (hhh) Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-May-2022

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 18-May-2022

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Sep-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 11-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 07-Sep-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 07-Sep-2024 Model: Magnum 20G Meters: Spare Parts Only: No Bypass:

Model: SS007M1QT Meters: Spare Parts Only: No Bypass:

Model: SS007M1QT Meters: Spare Parts Only: No Bypass:

Model: SS007M3QT Meters: Spare Parts Only: No Bypass:

Type: DC Size: 3/4 Manual: 8 Approved: 10-Dec-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC	Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 10-Dec-2024 Manufacturer: Watts	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass: Model: U007M1APCQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: No
Approved: 10-Dec-1994	Renewed: 10-Dec-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1994	Renewed: 10-Dec-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1994	Renewed: 10-Dec-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1APCQT
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 27-Sep-2024	Model: U007M1APCQT Meters: Spare Parts Only: No Bypass:
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2 Manual: 8	Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	Nellewed. 24-1 60-2024	Буразэ.
Type: DC	Manufacturer: Watts	Model: U007M1AQT
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Feb-1994	Renewed: 24-Feb-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Dec-1993	Renewed: 10-Dec-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U007M1QT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1993	Renewed: 28-Aug-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	<u> </u>	

Type: DC Manufacturer: Watts Model: U007M1QT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 30-Aug-1993 Renewed: 30-Aug-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007M1QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 20-Oct-2023 Approved: 20-Oct-1993 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007M1QT Size: 2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 20-Oct-1993 Renewed: 20-Oct-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007M2AQT Size: 1 1/2 Orientation: VDVD Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 06-Sep-1994 Renewed: 06-Sep-2024 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007M2AQT Size: 1 1/2 Orientation: VDVU Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 06-Sep-1994 Renewed: 06-Sep-2024 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007M2AQT Size: 1 1/2 Orientation: VUVD Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 06-Sep-1994 Renewed: 06-Sep-2024 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007M2AQT Size: 1 1/2 Orientation: VUVU Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Approved: 06-Sep-1994 Renewed: 06-Sep-2024 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Manufacturer: Watts Model: U007M2QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 01-Oct-1996 Renewed: 01-Oct-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007M2QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 06-Sep-2024 Approved: 06-Sep-1994 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007PCQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2023 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007PCQT Size: 1 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2023 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007PCQT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2024 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007PCQT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2024 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 08-Mar-1999 Renewed: 08-Mar-2023 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 1/2 Manual: 9 Approved: 08-Mar-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp

Shutoffs: vv,xx,pppp

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 08-Mar-2023 Model: U007QT Meters: Spare Parts Only: No Bypass:

Type: DC Manufacturer: Watts Model: U007QT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Renewed: 11-Jan-2024 Approved: 11-Jan-1988 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 11-Jan-1988 Renewed: 11-Jan-2024 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT Size: 1 1/2 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Renewed: 21-Jul-2024 Approved: 21-Jul-1988 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U007QT **Size:** 2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Renewed: 21-Jul-2024 Approved: 21-Jul-1988 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Model: U007SSPCQT Type: DC Size: 3/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2023 **Bypass:** Shutoffs: vv,xx,pppp Type: DC Manufacturer: Watts Model: U007SSPCQT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2023 Bypass:

Type: DC Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: DC Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: DC Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 1 1/2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 2 Manual: 7 Approved: 21-Jul-1988 Shutoffs: vv,xx,pppp

Type: DC Size: 1/2 Manual: Approved: Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 21-Jul-2024

Manufacturer: Watts Orientation: 0.25% Pb: No Renewed: Model: U007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U007SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U007SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U719QT Meters: Spare Parts Only: No Bypass:

Notes: model designation changed to U719QTR10

Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to U719QTR10	
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
-		

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: DC Size: 1	Manufacturer: Watts Orientation: VU	Model: U719QT Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005 Shutoffs: (vv),xx,ooo,hhhh,pppp	Renewed: 04-Oct-2023	Bypass:
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: DC	Manufacturer: Watts	Model: U719QT
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: DC Manufacturer: Watts Model: U719QT Size: 2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 04-Oct-2005 Renewed: 04-Oct-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U719QT Size: 2 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 04-Oct-2005 Renewed: 04-Oct-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U719QT Size: 2 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 04-Oct-2023 Approved: 04-Oct-2005 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: DC Manufacturer: Watts Model: U719QTR10 Size: 1/2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Renewed: 04-Oct-2023 Approved: 04-Oct-2005 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT Type: DC Manufacturer: Watts Model: U719QTR10 **Size:** 1/2 Orientation: VD Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 04-Oct-2005 Renewed: 04-Oct-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Notes: formerly U719QT Type: DC Manufacturer: Watts Model: U719QTR10 Size: 1/2 Orientation: VU Meters: Manual: 9 0.25% Pb: No Spare Parts Only: Yes Renewed: 04-Oct-2023 Approved: 04-Oct-2005 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp

Notes: formerly U719QT

Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: formerly U719QT		
Type: DC	Manufacturer: Watts	Model: U719QTR10
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: formerly U719QT		
Type: DC	Manufacturer: Watts	Model: U719QTR10
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-2005	Renewed: 04-Oct-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Notes: formerly U719QT		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-2005	Renewed: 06-Jul-2023	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Thread	ded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Jul-2005	Renewed: 06-Jul-2023	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Thread	ded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
		Dumana
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:

Manufacturer: Watts

Model: U719QTR10

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: DC

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Apr-2006	Renewed: 21-Apr-2024	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2001	Renewed: 05-Sep-2022	Bypass:
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnnn Notes: Up to serial number J352		y,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmm
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number J35214 ar	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg, nd higher	hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2023	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Up to serial number J352	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,l 214	hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnnn	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	y,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmm
Notes: Serial number 135214 an	d higher	

Notes: Serial number J35214 and higher

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2001	Renewed: 05-Sep-2022	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnn	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	r,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmm
Notes: Up to serial number J352	14	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l	hhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 ar	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2023	Bypass:
Shutoffs:		
	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	r,zzz,kkkkk,gggggg,hhhhhh,jjjjjj,kkkkkk,mmmm
mm,nnnnnn Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l	hhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnn
Notes: Serial number J35214 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2023	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnnn	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number J352	214	

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Sep-2000	Renewed: 07-Sep-2024	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
kkkkk,mmmmmm,nnnnnn		
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2023	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
kkkkk,mmmmmm,nnnnnn		
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn **Notes:** Serial number J35214 and higher

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Dec-1999	Renewed: 17-Dec-2023	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnnn	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number J352	14	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 an	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Mar-2002	Renewed: 08-Mar-2023	Bypass:
Shutoffs:		
	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
kkkkk,mmmmmm,nnnnnn		
Notes: Up to serial number J352	14	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł	x,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnn
Notes: Serial number J35214 an	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2003	Renewed: 16-Jan-2024	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp kkkkk,mmmmmm,nnnnnn	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number J352	214	

Type: DC	Manufacturer: Wilkins	Model: 350
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-2002	Renewed: 28-Aug-2023	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
kkkkk,mmmmmm,nnnnnn		
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 14-Mar-2003	Renewed: 14-Mar-2024	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppj kkkkk,mmmmmm,nnnnnn	o,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size : 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn **Notes:** Serial number J35214 and higher

Size: 12	Manufacturer: Wilkins	Model: 350
Size. 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Feb-2009	Renewed: 10-Feb-2024	Bypass:
Shutoffs: (hh),ssss,tttt,vvvv,ww	ww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,k	kkkkk,mmmmmm,nnnnnn
Notes: Up to serial number J352	214	
Type: DC	Manufacturer: Wilkins	Model: 350
Size: 12	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (hh),ssss,tttt,vvvv,ww	ww,yyyy,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,k	kkkkk,mmmmmm,nnnnnn
Notes: Serial number J35214 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2023	Bypass:
Shutoffs:		
(ppp),sss,ttt,qqq,yyy,zzz,dddd,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,	.gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooc
Notes: Up to serial number U26	097	
	Manufacturer: Wilkins	Model: 350A
Type: DC		
Type: DC Size: 2 1/2	Orientation: H	Meters:
Size: 2 1/2	Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No
Size: 2 1/2		
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	0.25% Pb: Yes	Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	0.25% Pb: Yes Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,gg	Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s	0.25% Pb: Yes Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,gg	Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 ar Type: DC	0.25% Pb: Yes Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,gg nd higher	Spare Parts Only: No Bypass: ggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 ar Type: DC Size: 2 1/2	0.25% Pb: Yes Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,gg nd higher Manufacturer: Wilkins	Spare Parts Only: No Bypass: ggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350A
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 ar Type: DC Size: 2 1/2 Manual: 9	0.25% Pb: Yes Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,gg nd higher Manufacturer: Wilkins Orientation: VU	Spare Parts Only: No Bypass: ggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350A Meters:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Serial number J35214 ar	0.25% Pb: Yes Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,gg nd higher Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Spare Parts Only: No Bypass: ggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo Model: 350A Meters: Spare Parts Only: No

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,gc	ggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 an	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2023	Bypass:
Shutoffs:		
(ppp),sss,ttt,qqq,yyy,zzz,dddd,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,	,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjj,lllll,mmmmmm,oooooo
Notes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2023	Bypass:
Shutoffs:		
(ppp),sss,ttt,qqq,yyy,zzz,dddd,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll	,gggggg,iiiiii,jjjjj,lllll,mmmmmm,oooooo
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp).aga.sss.ttt.vvv.s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I,gggggg,iiiiii,jjjjjj,IIIII,mmmmmm.oooooo

Notes: Serial number U26097 and higher

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: H 0.25% Pb: No	Meters:
Manual: 9 Approved: 16-Mar-2004	Renewed: 16-Mar-2025	Spare Parts Only: No Bypass:
Shutoffs:	Reneweu. 10-Mai-2025	Буразэ.
	dd.eeee.ssss.uuuu.vvvv.xxxx.vvvv.aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,ooooo
0		, , , , , , , , , , , , , , , , , , ,
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2025	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,do	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2024	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,do	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number U26	097	

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2024	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dd	ddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number U26	097	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number U26097 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004		
	Renewed: 12-Feb-2025	Bypass:
Shutoffs:	Renewed: 12-Feb-2025	Bypass:
Shutoffs:		
Shutoffs:		Bypass: a,kkkkk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,do	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,do o	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,do o Notes: Up to serial number U26	ddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa 097	a,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmm,ooooo
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,do o Notes: Up to serial number U26 Type: DC	ddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa 097 Manufacturer: Wilkins	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo Model: 350A
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,zzz,do o Notes: Up to serial number U26 Type: DC Size: 8	ddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa 097 Manufacturer: Wilkins Orientation: H	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo Model: 350A Meters:

Notes: Serial number U26097 and higher

Type: DC	Manufacturer: Wilkins	Model: 350A	
Size: 8	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 12-Feb-2004	Renewed: 12-Feb-2025	Bypass:	
Shutoffs:			
(ppp),qqq,sss,ttt,www,yyy,zzz,d	ddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	aa,kkkkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo	
0			
Notes: Up to serial number U26	6097		
Type: DC	Manufacturer: Wilkins	Model: 350A	
Size: 8	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll	ll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo	
Notes: Serial number U26097 a	nd higher		
Type: DC	Manufacturer: Wilkins	Model: 350A	
Size: 10	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 06-Apr-2006	Renewed: 06-Apr-2024	Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll	ll,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo	
Notes: Up to serial number U26	6097		
Type: DC	Manufacturer: Wilkins	Model: 350A	
Size: 10	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll	ll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo	
Notes: Serial number U26097 a	ind higher		
Type: DC	Manufacturer: Wilkins	Model: 350A	
Size: 10	Orientation: VU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 06-Apr-2006	Renewed: 06-Apr-2024	Bypass:	
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lll	ll,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo	

Notes: Up to serial number U26097

Type: DC	Manufacturer: Wilkins	Model: 350A
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Serial number U26097 and	d higher	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2022	Bypass:
Shutoffs:		
(ppp),sss,ttt,qqq,yyy,zzz,dddd,sss	s,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,	gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Integral grooved spool bet serial number U26097	ween the #2 ck and #2 SOV - assembly	/ length: min. 34 1/4" and max. 47 1/8" Up to
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs:		
	s,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,	
•	• • • •	egral grooved spool between the #2 ck and #2
SOV with length: min. 34 1/4" and	max. 47 1/8	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2022	Bypass:
Shutoffs:		
(ppp),sss,ttt,qqq,yyy,zzz,dddd,sss	s,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,	gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
•	•	egral grooved spool between the #2 ck and #2
SOV with length: min. 34 1/4" and	max. 47 1/8"	
Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 2 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs:		

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo **Notes:** Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2022	Bypass:

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 3/4" and max. 48 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 3/4" and max. 48 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2022	Bypass:
Shutoffs:		

Shutoffs:

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 3	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs:		

(ppp),sss,ttt,qqq,yyy,zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 3/4" and max. 48 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 42 1/2" and max. 71 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 42 1/2" and max. 71 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 6	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 42 1/2" and max. 71 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 8	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: DC	Manufacturer: Wilkins	Model: 350AR
Size: 10	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No. C00102 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,gggg	gg,iiiiii,jjjjjj,lllll,mmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 2 1/2	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,gggg	gg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggg	gg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 3	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggg	gg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,gggg	gg,iiiiii,jjjjjj,lllll,mmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Nov-2012	Renewed: 09-Nov-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,gggg	gg,iiiiii,jjjjjj,lllll,mmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Mar-2012	Renewed: 27-Mar-2024	Bypass:
Shutoffs: (vvv).ssss.uuuu.vvvv.)	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	ii.IIIII.mmmmmm.oooooo

Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2012	Renewed: 24-Oct-2024	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350AST
Size: 10	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed: 12-Jun-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,ssss,uu	uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggg	gg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
		SOV - assembly length: min. 34 1/4" and max.

	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 12-Jun-2024 uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg rooved spool between the #2 ck and #2	Model: 350ASTR Meters: Spare Parts Only: No Bypass: gg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 34 1/4" and max.
	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 12-Jun-2024 uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg rooved spool between the #2 ck and #2	Model: 350ASTR Meters: Spare Parts Only: No Bypass: gg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 34 3/4" and max.
	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 12-Jun-2024 uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg rooved spool between the #2 ck and #2	Model: 350ASTR Meters: Spare Parts Only: No Bypass: gg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 34 3/4" and max.
	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 12-Jun-2024 uu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg rooved spool between the #2 ck and #2	Model: 350ASTR Meters: Spare Parts Only: No Bypass: gg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 35 3/4" and max.
Type: DC Size: 4 Manual: 10 Approved: 12-Jun-2015	Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 12-Jun-2024	Model: 350ASTR Meters: Spare Parts Only: No Bypass:

Shutoffs: (ppp),qqq,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo **Notes:** Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4"

Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed: 12-Jun-2024	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 71 1/4"	prooved spool between the #2 ck and #2	SOV - assembly length: min. 42 1/2" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 6	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed: 12-Jun-2024	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Notes: Integral Stainless Steel g 71 1/4"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 42 1/2" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 86"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 8	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Notes: Integral Stainless Steel g 86"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: DC	Manufacturer: Wilkins	Model: 350ASTR
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2023	Bypass:

Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 52 5/8" and max. 100 5/8" Type: DC Manufacturer: Wilkins Model: 350ASTR Size: 10 Orientation: VU Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 25-Feb-2014 Renewed: 25-Feb-2023 Bypass: Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 52 5/8" and max. 100 5/8" Manufacturer: Wilkins Model: 350D Type: DC Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 19-May-2009 Renewed: 19-May-2024 Bypass: Shutoffs: (ii), 000 Manufacturer: Wilkins Type: DC Model: 350D Size: 3/4 Orientation: VU Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 22-Jun-2009 Renewed: 22-Jun-2024 Bypass: Shutoffs: (ii), 000 Manufacturer: Wilkins Model: 350XL Type: DC Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 30-Aug-2006 Renewed: 30-Aug-2024 **Bypass:** Shutoffs: (iiii)

Type: DCManufacturer: WilkinsModel: 350XLSize: 3/4Orientation: VUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 30-Aug-2006Renewed: 30-Aug-2024Bypass:Shutoffs: (iiii)State of 45 degree male SAE flare

Type: DC Size: 1 Manual: 9 Approved: 27-Oct-2006 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 27-Oct-2024 Model: 350XL Meters: Spare Parts Only: No Bypass:

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Oct-2006	Renewed: 27-Oct-2024	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1 1/4	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 1 1/2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		

Type: DC	Manufacturer: Wilkins	Model: 350XL
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2009	Renewed: 08-Jan-2024	Bypass:
Shutoffs: (int)		
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2023	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnnn	p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	v,zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjj,kkkkkk,mmmn
Notes: Up to serial number K01	185	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 2 1/2	Orientation: VUVD	Meters:
		On the Dente On the Nu
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	0.25% Pb: Yes Renewed: 09-Sep-2022	Spare Parts Only: No Bypass:
Approved: 09-Sep-2010		Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,l	Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number K01185 a	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,l	Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number K01185 an Type: DC	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l nd higher	Bypass: hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number K01185 ar Type: DC Size: 3	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l nd higher Manufacturer: Wilkins	Bypass: hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn Model: 450
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l nd higher Manufacturer: Wilkins Orientation: VUVD	Bypass: hhhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 450 Meters:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Bypass: hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn Model: 450 Meters: Spare Parts Only: No
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023	Bypass: hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn Model: 450 Meters: Spare Parts Only: No
Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs:	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Bypass: hhhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 450 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnn Notes: Up to serial number K01	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Bypass: hhhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 450 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number K01185 ar Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnn	Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	Bypass: hhhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 450 Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss, Notes: Serial number K01185 an Type: DC Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp mm,nnnnn Notes: Up to serial number K01 Type: DC	Renewed: 09-Sep-2022 tttt,vvvv,www,yyyy,zzzz,kkkkk,gggggg,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 185 Manufacturer: Wilkins	Bypass: hhhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 450 Meters: Spare Parts Only: No Bypass: y,zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjjj,kkkkkk,mmm Model: 450

Type: DC Size: 4 Manual: 9	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 450 Meters: Spare Parts Only: No
Approved: 12-Apr-2000	Renewed: 12-Apr-2024	Bypass:
Shutoffs:		2,7,200
	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number K017	85	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	kkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number K01185 ar	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-2000	Renewed: 24-May-2024	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc o	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
Notes: Up to serial number K01	185	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number K01185 ar		kkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
	Manufacturer: Wilkins	Model: 450
Type: DC Size: 8	Orientation: VUVD	Model: 450 Meters:
Manual: 9	0.25% Pb: No	
		Spare Parts Only: No
Approved: 14-Apr-2003 Shutoffs:	Renewed: 14-Apr-2024	Bypass:
	dd.eeee.sss.uuuu.vvvv.xxxx vvvv aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number K01	185	

Type: DC	Manufacturer: Wilkins	Model: 450
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number K01185 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Sep-2003	Renewed: 11-Sep-2024	Bypass:
Shutoffs:		
		kkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Up to serial number K01	185	
Type: DC	Manufacturer: Wilkins	Model: 450
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,	IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number K01185 a	nd higher	
Type: DC	Manufacturer: Wilkins	Model: 450ST
Size: 4	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Jun-2018	Renewed: 13-Jun-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	ı,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	jj,IIIII,mmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 450ST
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Jun-2018	Renewed: 13-Jun-2024	Bypass:
	ı,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	
Type: DC	Manufacturer: Wilkins	Model: 450ST
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
	ı,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	

Type: DC	Manufacturer: Wilkins	Model: 450ST
Size: 10	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 450STR
Size: 4	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Jun-2018	Renewed: 13-Jun-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu,	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 450STR
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Jun-2018	Renewed: 13-Jun-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu,	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 450STR
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu,	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIIII,mmmmmm,oooooo
Type: DC	Manufacturer: Wilkins	Model: 450STR
Size: 10	Orientation: VUVD	Meters:
		Weters.
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Manual: 10 Approved: 18-Dec-2018	0.25% Pb: Yes	Spare Parts Only: No Bypass:
Manual: 10 Approved: 18-Dec-2018	0.25% Pb: Yes Renewed: 18-Dec-2024	Spare Parts Only: No Bypass:
Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu Type: DC	0.25% Pb: Yes Renewed: 18-Dec-2024 ,vvvv,xxxx,yyyy,aaaaa,lllll,ggggggg,iiiiii,jjjjj	Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo
Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu	0.25% Pb: Yes Renewed: 18-Dec-2024 ,vvvv,xxxx,yyyy,aaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins	Spare Parts Only: No Bypass: ij,IIIIII,mmmmmm,oooooo Model: 550
Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: DC Size: 3/4	0.25% Pb: Yes Renewed: 18-Dec-2024 www.xxxx,yyyy,aaaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H	Spare Parts Only: No Bypass: ij,IIIIII,mmmmmm,oooooo Model: 550 Meters:
Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: DC Size: 3/4 Manual: 5	0.25% Pb: Yes Renewed: 18-Dec-2024 www.xxxx,yyyy,aaaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 11-Oct-2024	Spare Parts Only: No Bypass: ij,IIIIII,mmmmmm,oooooo Model: 550 Meters: Spare Parts Only: Yes
Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: DC Size: 3/4 Manual: 5 Approved: 11-Oct-1976	0.25% Pb: Yes Renewed: 18-Dec-2024 www.xxxx,yyyy,aaaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 11-Oct-2024	Spare Parts Only: No Bypass: ij,IIIIII,mmmmmm,oooooo Model: 550 Meters: Spare Parts Only: Yes
Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: DC Size: 3/4 Manual: 5 Approved: 11-Oct-1976 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	0.25% Pb: Yes Renewed: 18-Dec-2024 www.xxxx,yyyy,aaaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 11-Oct-2024 sss,uuuu,www,xxxx,yyyy,aaaaa	Spare Parts Only: No Bypass: ij,IIIII,mmmmmm,ooooooo Model: 550 Meters: Spare Parts Only: Yes Bypass:
Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: DC Size: 3/4 Manual: 5 Approved: 11-Oct-1976 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	0.25% Pb: Yes Renewed: 18-Dec-2024 www.xxxx,yyyy,aaaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 11-Oct-2024 sss,uuuu,www,xxxx,yyyy,aaaaa Manufacturer: Wilkins	Spare Parts Only: No Bypass: ij,IIIII,mmmmmm,oooooo Model: 550 Meters: Spare Parts Only: Yes Bypass: Model: 550

Shutoffs: (ppp),qqq,sss,ttt,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa

Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 1 1/2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 2	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Oct-1976	Renewed: 11-Oct-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Sep-1986	Renewed: 25-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1979	Renewed: 20-Aug-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-1980	Renewed: 20-Jun-2022	Bypass:

Shutoffs: (ppp),qqq,sss,ttt,www,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa

Type: DC	Manufacturer: Wilkins	Model: 550
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550A
Size: 3/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Apr-1987	Renewed: 17-Apr-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550A
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Apr-1987	Renewed: 17-Apr-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 550M
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Mar-1989	Renewed: 15-Mar-2025	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z Notes: 4"x4"x8" Manifold Forme	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa rly MBD	
Type: DC	Manufacturer: Wilkins	Model: 550M
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Apr-1983	Renewed: 11-Apr-2022	Bypass:
Shutoffs: (ppp),sss,ttt,qqq,yyy,z	zz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Notes: 6"x6"x10" Manifold Form	erly MBD	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:

Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
	zzz,dddd,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	
	Manufacturen M/illing	Madal: 050
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Apr-1991	Renewed: 05-Apr-2024	Bypass:
Snutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	с,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Apr-1991	Renewed: 05-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Apr-1991	Renewed: 05-Apr-2024	Bypass:
••	Renewed: 05-Apr-2024 ,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins	x,yyyy,aaaaa Model: 950
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H	Model: 950 Meters:
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950 Meters: Spare Parts Only: Yes
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H	Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 26-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 950 Meters: Spare Parts Only: Yes Bypass: x,yyyy,aaaaa
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 26-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins	Model: 950 Meters: Spare Parts Only: Yes Bypass: x,yyyy,aaaaa Model: 950
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 3	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 26-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H	Model: 950 Meters: Spare Parts Only: Yes Bypass: s,yyyy,aaaaa Model: 950 Meters:
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 3 Manual: 8	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 26-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950 Meters: Spare Parts Only: Yes Bypass: (,yyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 3 Manual: 8 Approved: 08-Nov-1991	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 26-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Nov-2024	Model: 950 Meters: Spare Parts Only: Yes Bypass: Ayyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 3 Manual: 8 Approved: 08-Nov-1991	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 26-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Model: 950 Meters: Spare Parts Only: Yes Bypass: Ayyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 3 Manual: 8 Approved: 08-Nov-1991	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 26-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Nov-2024	Model: 950 Meters: Spare Parts Only: Yes Bypass: Ayyyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 3 Manual: 8 Approved: 08-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 26-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 950 Meters: Spare Parts Only: Yes Bypass: x,yyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass: x,yyyy,aaaaa
Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 2 1/2 Manual: 8 Approved: 26-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www Type: DC Size: 3 Manual: 8 Approved: 08-Nov-1991 Shutoffs: (ppp),qqq,sss,ttt,www	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 26-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 08-Nov-2024 yyyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 950 Meters: Spare Parts Only: Yes Bypass: (,yyyy,aaaaa Model: 950 Meters: Spare Parts Only: Yes Bypass: (,yyyy,aaaaa Model: 950

Type: DC	Manufacturer: Wilkins	Model: 950
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Aug-1995	Renewed: 29-Aug-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Mar-1992	Renewed: 18-Mar-2025	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	х,уууу,ааааа
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 6	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Aug-1995	Renewed: 29-Aug-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,u	uuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Mar-1989	Renewed: 18-Mar-2025	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,u	uuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 8	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Aug-1995	Renewed: 29-Aug-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Apr-1994	Renewed: 12-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	
Type: DC	Manufacturer: Wilkins	Model: 950A
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes

Orientation: H 0.25% Pb: No Renewed: 18-Jul-2024 y,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: Yes Bypass: Model: 950A
Renewed: 18-Jul-2024 /,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins	Bypass:
/,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa Manufacturer: Wilkins	
Manufacturer: Wilkins	Model: 950A
	Model: 950A
Orientation: H	
	Meters:
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 18-Jul-2024	Bypass:
Manufacturer: Wilkins	Model: 950A
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 18-Jul-2024	Bypass:
Manufacturer: Wilkins	Model: 950A
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 18-Jul-2024	Bypass:
Manufacturer: Wilkins	Model: 950XL
Orientation: H	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 02-Nov-2022	Bypass:
d End or 45 degree male SAE flare	
Manufacturer: Wilkins	Model: 950XL
Orientation: VU	Meters:
0.25% Pb: No	Spare Parts Only: No
Renewed: 12-Dec-2023	Bypass:
	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2024 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 18-Jul-2024 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022 d End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VU 0.25% Pb: No

Type: DC	Manufacturer: Wilkins	Model: 950XL
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Nov-1992	Renewed: 02-Nov-2022	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Threa	ded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 950XL
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Nov-1992	Renewed: 02-Nov-2022	Bypass:
Shutoffs: (ii),000,ggg		
Type: DC	Manufacturer: Wilkins	Model: 950XL
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Nov-1992	Renewed: 02-Nov-2022	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 950XL
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Nov-1992	Renewed: 02-Nov-2022	Bypass:
Shutoffs: (ii),bbb,ooo		
Type: DC	Manufacturer: Wilkins	Model: 950XL3
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 06-Sep-2022	Renewed:	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 950XL3
Size: 3/4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 06-Sep-2022	Renewed:	Bypass:

Type: DC Manufacturer: Wilkins Model: 950XL3 Size: 1 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No **Manual:** 10 Approved: 06-Sep-2022 **Renewed:** Bypass: Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XL3 Size: 1 Orientation: VU Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 06-Sep-2022 Renewed: Bypass: Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XL3 Size: 1 1/4 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 06-Sep-2022 **Renewed:** Bypass: Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XL3 Size: 1 1/4 Orientation: VU Meters: **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 06-Sep-2022 Renewed: **Bypass:** Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XL3 Size: 1 1/2 Orientation: H Meters: 0.25% Pb: Yes Spare Parts Only: No **Manual:** 10 Approved: 06-Sep-2022 **Renewed:** Bypass: Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XL3 Size: 1 1/2 Orientation: VU Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 06-Sep-2022 **Renewed: Bypass:** Shutoffs: (iiii) Type: DC Manufacturer: Wilkins Model: 950XL3 Size: 2 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 06-Sep-2022 Renewed: Bypass: Shutoffs: (iiii)

Type: DC Size: 2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)

Approved: 23-May-2023

Approved: 23-May-2023

Approved: 06-Sep-2022

Approved: 06-Sep-2022

Shutoffs: (mmmmm)

Shutoffs: (mmmmm)

Shutoffs: (ppppp)

Shutoffs: (ppppp)

Type: DC

Manual: 10

Type: DC

Manual: 10

Type: DC

Size: 3/4

Manual: 10

Type: DC

Size: 3/4

Manual: 10

Type: DC

Manual: 10

Size: 1

Size: 2

Size: 2

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Type: DC Size: 1 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Approved: 06-Sep-2022

Shutoffs: (mmmmm)

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: Model: 950XL3 Meters: Spare Parts Only: No Bypass:

Model: 950XL3BFSS Meters: Spare Parts Only: No Bypass:

Model: 950XL3BFSS Meters: Spare Parts Only: No Bypass:

Model: 950XL3U Meters: Spare Parts Only: No Bypass: Type: DC Size: 1 1/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: DC Size: 1 1/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: DC Size: 1 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: DC Size: 1 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: DC Size: 2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: DC Size: 2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: Model: 950XL3U Meters: Spare Parts Only: No Bypass:

Type: DC	Manufacturer: Wilkins	Model: 950XLD
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2023	Bypass:
Shutoffs: (ii),000, iiii, mmmmm		
Notes: Up to Serial # 3863324 T	estcocks: Female Threaded End or 45 d	egree male SAE flare
Type: DC	Manufacturer: Wilkins	Model: 950XLD
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2023	Bypass:
Shutoffs: (ii),000, iiii, mmmmm		
Notes: Starting at Serial # 38633	325 Testcocks: Female Threaded End or	45 degree male SAE flare
Type: DC	Manufacturer: Wilkins	Model: 950XLD
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2022	Bypass:
Shutoffs: (iiii), mmmmm		
	estcocks: Female Threaded End or 45 d	egree male SAE flare
Notes: Up to Serial # 3863324 T	estcocks: Female Threaded End or 45 d Manufacturer: Wilkins	egree male SAE flare Model: 950XLD
Notes: Up to Serial # 3863324 T Type: DC		
	Manufacturer: Wilkins	Model: 950XLD
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4	Manufacturer: Wilkins Orientation: H	Model: 950XLD Meters:
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 950XLD Meters: Spare Parts Only: No
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmmm	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 950XLD Meters: Spare Parts Only: No Bypass:
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmm Notes: Starting at Serial # 38633	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022	Model: 950XLD Meters: Spare Parts Only: No Bypass:
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmm Notes: Starting at Serial # 38633 Type: DC	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022 325 Testcocks: Female Threaded End or	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmmm Notes: Starting at Serial # 38633 Type: DC Size: 3/4	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022 325 Testcocks: Female Threaded End or Manufacturer: Wilkins	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLD
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmm Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: VU	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLD Meters:
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmm Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLD Meters: Spare Parts Only: No
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmmm Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),ooo, iiii, mmmmm	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLD Meters: Spare Parts Only: No Bypass:
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmmm Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),ooo, iiii, mmmmm	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 05-Jan-2023	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLD Meters: Spare Parts Only: No Bypass:
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmm Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),ooo, iiii, mmmm Notes: Up to Serial # 3863324 T	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 05-Jan-2023	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLD Meters: Spare Parts Only: No Bypass: egree male SAE flare
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmm Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),ooo, iiii, mmmm Notes: Up to Serial # 3863324 T Type: DC	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 05-Jan-2023 festcocks: Female Threaded End or 45 d	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLD Meters: Spare Parts Only: No Bypass: egree male SAE flare Model: 950XLD
Notes: Up to Serial # 3863324 T Type: DC Size: 3/4 Manual: 10 Approved: 03-Jul-2013 Shutoffs: (iiii), mmmmm Notes: Starting at Serial # 38633 Type: DC Size: 3/4 Manual: 9 Approved: 05-Jan-2000 Shutoffs: (ii),ooo, iiii, mmmmm Notes: Up to Serial # 3863324 T Type: DC Size: 3/4	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 03-Jul-2022 325 Testcocks: Female Threaded End or Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 05-Jan-2023 Testcocks: Female Threaded End or 45 d Manufacturer: Wilkins Orientation: VU	Model: 950XLD Meters: Spare Parts Only: No Bypass: 45 degree male SAE flare Model: 950XLD Meters: Spare Parts Only: No Bypass: egree male SAE flare Model: 950XLD Meters:

Notes: Starting at Serial # 3863325 Testcocks: Female Threaded End or 45 degree male SAE flare

Type: DC	Manufacturer: Wilkins	Model: 950XLD
Size: 3/4	Orientation: VU	Meters:
Manual: 10	0.25% Pb : No	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2022	Bypass:
Shutoffs: (iiii), mmmmm		
	estcocks: Female Threaded End or 45 d	egree male SAE flare
Type: DC	Manufacturer: Wilkins	Model: 950XLD
Size: 3/4	Orientation: VU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2022	Bypass:
Shutoffs: (iiii), mmmmm		
Notes: Starting at Serial # 38633	325 Testcocks: Female Threaded End or	45 degree male SAE flare
Type: DC	Manufacturer: Wilkins	Model: 950XLDTCU
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (iiii), mmmmm		
Type: DC	Manufacturer: Wilkins	Model: 950XLT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 09-May-1997	Renewed: 09-May-2024	Bypass:
Shutoffs: (ii),000		
.,	aded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 950XLT
Size: 1	Orientation: H	Meters:
Size: 1 Manual: 9	0.25% Pb: No	
		Spare Parts Only: No
Approved: 09-May-1997	Renewed: 09-May-2024	Bypass:
Shutoffs: (ii),000		
Notes: Lestcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 950XLT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-1998	Renewed: 19-Jun-2022	Bypass:
Approved. 19-5011-1950		

Type: DC	Manufacturer: Wilkins	Model: 950XLT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Apr-1998	Renewed: 09-Apr-2022	Bypass:
Shutoffs: (ii),000		
Type: DC	Manufacturer: Wilkins	Model: 950XLT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Apr-1998	Renewed: 09-Apr-2022	Bypass:
Shutoffs: (ii),000,bbbbbb,ccccc,p	ррррр	
Type: DC	Manufacturer: Wilkins	Model: 950XLT2
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Aug-2009	Renewed: 21-Aug-2024	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 950XLT2
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Aug-2009	Renewed: 21-Aug-2024	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 950XLT2
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Aug-2009	Renewed: 21-Aug-2024	Bypass:
Shutoffs: (iiii)		
Type: DC	Manufacturer: Wilkins	Model: 950XLT2
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Aug-2009	Renewed: 21-Aug-2024	Bypass:

Shutoffs: (iiii)

Type: DC Manufacturer: Wilkins Model: 950XLT2 Size: 2 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 21-Aug-2009 Renewed: 21-Aug-2024 Bypass: Shutoffs: (iiii),pppppp Type: DC Manufacturer: Wilkins Model: 950XLT2BFSS Size: 2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 05-Nov-2021 Renewed: 05-Nov-2024 Bypass: Shutoffs: (ppppp) Manufacturer: Wilkins Type: DC Model: 950XLT2U Size: 3/4 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 22-Feb-2023 Approved: 22-Feb-2011 Bypass: Shutoffs: (mmmmm) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare Type: DC Manufacturer: Wilkins Model: 950XLTBF **Size:** 2 **Orientation:** H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 22-Feb-2023 Approved: 22-Feb-2011 **Bypass:** Shutoffs: (bbbbb),pppppp Type: DC Manufacturer: Wilkins Model: 950XLTBFSS **Size:** 2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 22-Feb-2011 Renewed: 22-Feb-2023 Bypass: Shutoffs: (ccccc),pppppp Type: DC Manufacturer: Wilkins Model: 950XLTU Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 14-Aug-2006 Renewed: 14-Aug-2024 Bypass:

Shutoffs: (ggg),xxx

Type: DC	Manufacturer: Wilkins	Model: 950XLTU
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Aug-2006	Renewed: 14-Aug-2024	Bypass:
Shutoffs: (ggg),xxx		
Type: DC	Manufacturer: Wilkins	Model: 950XLU
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Feb-1994	Renewed: 15-Feb-2024	Bypass:
Shutoffs: (ggg),xxx		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: DC	Manufacturer: Wilkins	Model: 950XLU
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved 15 Ech 1001	Renewed: 15-Feb-2024	Bypass:
Approved. 15-reb-1994		
Approved: 15-Feb-1994 Shutoffs: (ggg),xxx		
Shutoffs: (ggg),xxx	aded End or 45 degree male SAE flare	
Shutoffs: (ggg),xxx	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 950XLU
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC		Model: 950XLU Meters:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa	Manufacturer: Wilkins	
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2	Manufacturer: Wilkins Orientation: H	Meters:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2024	Meters: Spare Parts Only: No Bypass:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2024 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 950XLU
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2 Manual: 8	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2024 Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2024 Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters: Spare Parts Only: No
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2 Manual: 8 Approved: 15-Feb-1994	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2024 Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters: Spare Parts Only: No
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2024 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2024	Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters: Spare Parts Only: No Bypass:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: DC Size: 1 1/2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx Type: DC Size: 2 Manual: 8 Approved: 15-Feb-1994 Shutoffs: (ggg),xxx	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2024 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 15-Feb-2024 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 950XLU Meters: Spare Parts Only: No Bypass: Model: MBD

Notes: 4"x4"x8" Manifold, Model designation changed to 550M

Type: DC	Manufacturer: Wilkins	
Size: 10	Orientation:	
Manual:	0.25% Pb: No	
Approved:	Renewed:	
Notes: 6"x6"x10" Manifold, Model designation changed to 550M		

Model: MBD Meters: Spare Parts Only: No Bypass:

Type: DCDA	Manufacturer: Ames	Model: 3000-1SS
Size: 12	Orientation: H	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2024	Bypass: Ames 200B 3/4" (H); Watts 719QT 3/4" (H)

Shutoffs: (mm), II

Type: DCDA	Manufacturer: Ames	М
Size: 12	Orientation: VU	М
Manual: 9	0.25% Pb: No	S
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	B

Shutoffs: (mm), II

Type: DCDA **Size:** 2 Manual: 9

Approved: 16-Jun-1997

Shutoffs: (bbb),jjjj,rrrrr

Type: DCDA Size: 2 Manual: 9 Approved: 16-Jun-1997

Shutoffs: (bbb),jjjj,rrrrr

Manufacturer: Ames

Orientation: H

0.25% Pb: No

Renewed: 16-Jun-2024

Manufacturer: Ames

Orientation: VU

0.25% Pb: No

Renewed: 16-Jun-2024

Model: 3000-1SS Meters: (N), H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 200B 3/4" (VU); Watts 719QT 3/4" (VU)

Model: 3000B Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)

Model: 3000B Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)

Type: DCDA	Manufacturer: Ames	Model: 3000B-FP
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass: Ames 2000B 1/2" (H), Watts
		007QT 1/2" (H)
Shutoffs: (eeeee)		
Type: DCDA	Manufacturer: Ames	Model: 3000BM1
Size: 2	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2015	Renewed: 19-Jun-2024	Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)
Shutoffs: (eeeee), bbb, jjjj,rrrrr		
Type: DCDA	Manufacturer: Ames	Model: 3000BM1
Size: 2	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: No
Approved: 19-Jun-2015	Renewed: 19-Jun-2024	Bypass: Ames 2000B 1/2" (VU), Watts
Shutoffs: (eeeee), bbb, jjjj,rrrrr		007QT 1/2" (VU)
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 4	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jul-1987	Renewed: 27-Jul-2023	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 4	Orientation: VU	Meters:
Manual: 8	0.25% Pb: No	(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes
Approved: 27-Aug-1996	Renewed: 27-Aug-2023	Bypass: Ames 2000B 1/2"(VU),Watts 007QT 1/2"(VU)
Shutoffs: (pp),hh,uu,eee		

Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size : 6	Orientation: H	Meters:
		(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jul-1987	Renewed: 27-Jul-2023	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 6	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 8	Orientation: H	Meters: (N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1987	Renewed: 19-Apr-2023	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 8	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 10	Orientation: H	Meters: (N),E,F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Jul-1987	Renewed: 27-Jul-2023	Bypass: Ames 2000B 1/2"(H),Watts 007QT 1/2"(H)

Type: DCDA	Manufacturer: Ames	Model: 3000CIV
Size: 10	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,eee		
Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Size: 4	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ce Notes: formerly DCDA	cc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Size: 6	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ce	cc,ddd,ffff,gggg	
Notes: formerly DCDA-I		
Type: DCDA	Manufacturer: Ames	Model: 3000DCDA
Size: 8	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,pp,ce Notes: formerly DCDA	cc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000DCDC
Size: 10	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2023	Bypass: Watts007M2QT 3/4" (H),Watts 709QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,oo,pp,ccc, Notes: formerly DCDA	ddd,ffff,gggg	

Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 4	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,	pp,ccc,ddd,ffff,gggg	
Notes: formerly DCDA		
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size: 6	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,	pp,ccc,ddd,ffff,gggg	
Notes: formerly DCDA-I		
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDA
Size : 8	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass: Watts 007QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,mm,oo,	pp,ccc,ddd,ffff,gggg	
Notes: formerly DCDA		
Type: DCDA	Manufacturer: Ames	Model: 3000GDCDC
Size: 10	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Aug-1987	Renewed: 04-Aug-2023	Bypass: Watts 709QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,oo,pp,c	cc,ddd,ffff,gggg	
Notes: formerly DCDC		
Type: DCDA	Manufacturer: Ames	Model: 3000SE
Size: 2 1/2	Orientation: H	Meters: (M),N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Sep-1996	Renewed: 10-Sep-2023	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)

Shutoffs: (mm),ee,ff,gg,hh,ll,oo,pp,tt,uu,ccc,ddd,ffff,gggg

Type: DCDA	Manufacturer: Ames	Model: 3000SE
Size : 6	Orientation: H	Meters:
	Chentation. II	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2022	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,ll,mm,o	o,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SE
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Sep-1992	Renewed: 09-Sep-2022	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,ll,mm,o	o,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SEA
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2022	Bypass: Ames 2000SS 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,ll,mm,o	o,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SEWM1
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Nov-1993	Renewed: 22-Nov-2023	Bypass: Watts 007M1QT 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	,oo,pp,tt,ccc,ddd,ffff,gggg	
Notes: formerly 3000SS prior to	S/N 2EK0320	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 2 1/2	Orientation:	Meters:
	0.25% Pb: No	Spare Parts Only: No
Manual:	0.23 /0 FD. NU	opare raits only. No

Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 2 1/2	Orientation: H	
Manual: 8	0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
	0.23% FD. NO	Spare Parts Only: No Bypass: Watts007M2QT 3/4" (H), Ames
Approved: 24-May-1995	Renewed: 16-Jan-2023	2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,d	po,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: to S/N 2EK0320 model de	esignation changed to 3000SSWM1	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 3	Orientation: H	Meters:
Size. 5		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 16-Jan-2023	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,d	po,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: to S/N 2EK0320 model de	esignation changed to 3000SSWM1	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-1995	Renewed: 16-Jan-2023	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,d	po,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
		-

Notes: to S/N 2EK0320 model designation changed to 3000SEWM1

Renewed:

Bypass:

Approved:

Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2022	Bypass: Watts 007M1QT 3/4" (H)), Watts 007M3QT 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,c	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2023	Bypass: Watts007M2QT 3/4" (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,t	t,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 10	Orientation: H	Meters: (J),C,E,F,G,H,I,K,L,M,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Feb-2001	Renewed: 16-Feb-2025	Bypass: Ames 2000B 3/4" (H)
Shutoffs: (II),mm,oo,pp,ffff,gggg		
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 12	Orientation: H	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2024	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (mm), II		
Type: DCDA	Manufacturer: Ames	Model: 3000SS
Size: 12	Orientation: VU	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass: Ames 2000BM3 3/4" (VU)
Shutoffs: (mm), ll		
Type: DCDA	Manufacturer: Ames	Model: 3000SSA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2022	Bypass: Ames 2000SS 3/4" (H)
Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo	,pp,tt,ccc,ddd,ffff,gggg	

Type: DCDA Manufacturer: Ames Size: 4 Orientation: H 0.25% Pb: No Manual: 8 Renewed: 05-May-2022 Approved: 05-May-1995 Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Manufacturer: Ames Size: 6 Orientation: H 0.25% Pb: No Manual: 8 Renewed: 05-May-2022 Approved: 05-May-1995 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA Manufacturer: Ames Size: 2 1/2 Orientation: H Manual: 8 0.25% Pb: No Renewed: 11-Jul-2024 Approved: 11-Jul-1991 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Type: DCDA

Size: 3

Manufacturer: Ames

Orientation: H

0.25% Pb: No Approved: 11-Jul-1991 Renewed: 11-Jul-2024 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Model: 3000SSM Meters: (R) Spare Parts Only: Yes Bypass: Ames 2000SS 1" (H)

Model: 3000SSM Meters: (S) Spare Parts Only: No Bypass: Watts 007M2QT 1 1/2" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Model: 3000SSWM1 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M1QT 3/4" (H)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024 Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Type: DCDA Manufacturer: Ames Size: 4 Orientation: H Manual: 8 0.25% Pb: No Approved: 11-Jul-1991 Renewed: 11-Jul-2024 Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg Notes: formerly 3000SS prior to S/N 2EK0320

Manual: 8

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 29-Sep-2004 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 29-Sep-2022

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2023 Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU) Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2022 Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4 (H) Type: DCDA Size: 6 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023 Model: Colt 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU) Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 17-Sep-2009

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 17-Sep-2009

Shutoffs: (yyy)

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2025

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: No

Renewed: 17-Sep-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No

Renewed: 17-Sep-2024

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: Colt 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2025 Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H) Type: DCDA Size: 6 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

- Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)
- Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)
- Type: DCDA Size: 10 Manual: 9

Approved: 17-Sep-2009

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 17-Sep-2009 0.25% Pb: No Renewed: 02-Mar-2025

Manufacturer: Ames

Orientation: VU

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: No

Renewed: 17-Sep-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No

Renewed: 17-Sep-2024

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: Colt 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)

Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024 Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2025

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2022

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024 Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013 Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2022

Shutoffs: (zzz)

Type: DCDAManufacturer: AmesSize: 4Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 3000DCDA

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Colt 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: DCDA Meters: Spare Parts Only: No Bypass:

Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2025

	Manufacturer: Ames	Model: DCDA
Type: DCDA Size: 4	Orientation:	Model: DCDA Meters:
Manual:	0.25% Pb: No	
		Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha		
Type: DCDA	Manufacturer: Ames	Model: DCDA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	anged to 3000DCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDA
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	anged to 3000GDCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDA
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	anged to 3000DCDC	
Type: DCDA	Manufacturer: Ames	Model: DCDA-I
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cha	anged to 3000DCDA	
Type: DCDA	Manufacturer: Ames	Model: DCDA-I
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Model: DCDC
Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H) Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H)
Bypass: Watts 709QT 3/4" (H) Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H)
Model: DCDC Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H)
Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H)
Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H)
(K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H)
Spare Parts Only: Yes Bypass: Watts 709QT 3/4" (H)
Bypass: Watts 709QT 3/4" (H)
Model: DCDC
Meters:
(K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T
Spare Parts Only: Yes
Bypass: Watts 709QT 3/4" (H)
Model: DCDC
Meters:
Spare Parts Only: No
Bypass:
Model: LFColt 300BF
Meters: (O)
Spare Parts Only: No
Bypass: Watts LF007M3QT 3/4" (H),

Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)

Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA	Manufacturer: Ames	Model: LFColt 300BF
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)

Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300GV
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NBF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFColt 300NGV
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 3	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300BF
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 2 1/2	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 2 1/2	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 3	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA Size: 3	Manufacturer: Ames Orientation: VU	Model: LFMaxim 300GV
Manual: 9	0.25% Pb: Yes	Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 4	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 4	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 6	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 6	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 8	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 8	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 10	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300GV
Size: 10	Orientation: VU	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (VU), Ames LF2000BM3 3/4" (VU)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (yyy)		
Notes: Lead free compliant vers	sion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NBF
Size: 10	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 6	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: DCDA	Manufacturer: Ames	Model: LFMaxim 300NGV
Size: 8	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Type: DCDA

Size: 10

Manual: 9

Approved: 08-Jan-2014

Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (yyy) Renewed: 08-Jan-2023 tified with NSF61 mark on

Manufacturer: Ames

Orientation: VUVD

0.25% Pb: Yes

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2022 Model: LFMaxim 300NGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H), Ames LF2000BM3 3/4" (H)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4 (H) Type: DCDA Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Oct-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 06-Oct-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 03-Nov-2022

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2023 Model: Maxim 300aBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4 (H)

Model: Maxim 300aGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Ames 2000BM3 3/4" (VU) Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2025

Manufacturer: Ames Orientation: Vu 0.25% Pb: No Renewed: 02-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU) Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2025

> Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 17-Sep-2024

Manufacturer: Ames

Orientation: H 0.25% Pb: No

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 17-Sep-2024 Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T

Bypass: Ames 2000BM3 3/4" (H & VU)

Meters: (N),G,H,I,J,K,L,M,O,P,Q,T

Model: Maxim 300BF

Spare Parts Only: No

Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Type: DCDA

Shutoffs: (yyy)

Type: DCDA

Size: 8

Manual: 9

Size: 8

Manual: 9

Approved: 17-Sep-2009

Approved: 17-Sep-2009

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 17-Sep-2009

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 17-Sep-2009

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Orientation: VU

0.25% Pb: No

Renewed: 17-Sep-2024

Manufacturer: Ames

Renewed: 17-Sep-2024

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz) Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 02-Mar-2025

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2025 Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (VU)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(H)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)

Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2024	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 8	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2024	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2024	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300GV
Size: 10	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2024	Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Shutoffs: (zzz)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300NBF
Size: 2 1/2	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Ames	Model: Maxim 300NBF
Size: 3	Orientation: VUVD	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Ames 2000BM3 3/4" (H)
Shutoffs: (yyy)		

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2025

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2022

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2022

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024 Model: Maxim 300NBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NBF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NBF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDAManufacturer: Apollo/ConbracoSize: 10Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to DCDA4S

Model: 10DCDA Meters: Spare Parts Only: No Bypass:

Type: DCDAManufacturer: Apollo/ConbracoModel: 10DCDASize: 10Orientation:Meters:Manual:0.25% Pb: NoSpare Parts Only: NoApproved:Renewed:Bypass:Notes: model designation changed to DCDA4SState State S

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2025

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2022

Manufacturer: Ames

Renewed: 28-May-2022

Orientation: VUVD

0.25% Pb: No

Model: Maxim 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Bypass: Ames 2000BM3 3/4" (H) Model: Maxim 300NGV

Model: Maxim 300NGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H), Watts 007M3QT 3/4" (H)

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: No

Model: Maxim 300NGV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H)

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
		Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA6
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2S	SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA6
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2S	SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA7
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2S	SOV]	

	Manufacturari Apollo/Conbraco	Model: 2 1/2DCDA7
Type: DCDA Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: VU	Model: 2 1/20CDA7 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
	0.23701 0.110	Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2SC	V]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA8
Size: 2 1/2	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDA8
Size: 2 1/2	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		(00)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 2 1/2DCDAU
Size: 2 1/2	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA
Size: 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)

Size: 3 Orientation: VU Meters: (M), E, F, G, H, I, J, K, L, N, O, P, Q, T Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2* (VU) Size: 3 Orientation: H Manual: 9 0.25% Pb: No Size: 3 Orientation: H Manual: 9 0.25% Pb: No Spare Parts Only: Yes Spare Parts Only: Yes Manual: 9 0.25% Pb: No Spare Parts Only: Yes Spare Parts Only: Yes Approved: 10-Apr-2001 Renewed: 10-Apr-2022 Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Size: 3 Orientation: VU Manual: 9 0.25% Pb: No Spare Parts Only: Yes Spare: Apollo/Conbraco 1/2DC 1/2* Manual: 9 0.25% Pb: No Spare: Apollo/Conbraco 1/2DC 1/2* (VU) Manual: 9 0.25% Pb: No Spare: Apollo/Conbraco 1/2DC 1/2* (VU) Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Model: 3DCDA7 Size: 3 Orientation: H Meters: (M), E, F, G, H, J, K, L, N, O, P, Q, T <t< th=""><th>Type: DCDA</th><th>Manufacturer: Apollo/Conbraco</th><th>Model: 3DCDA</th></t<>	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA
Bypass: Applo/Conbraco 1/2DC 1/2* (VU), Apollo/Conbraco W432100 1/2* (VU) Shutoffs: (III),mm (VU), Apollo/Conbraco Model: 3DCDA6 Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Approved: 10-Apr-2001 Renewed: 10-Apr-2022 Bypass: Apollo/Conbraco 1/2DC 1/2* (H), Apollo/Conbraco 1/2DC 1/2* (VU) Size: 3 Orientation: VU Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2* (VU), Apollo/Conbraco 1/2DC 1/2* (VU), Apollo/Conbraco 1/2DC 1/2* (VU) Approved: 10-Apr-2001 Renewed: 10-Apr-2022 Model: 3DCDA6 Manufacturer: Apollo/Conbraco Model: 3DCDA7 Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manufacturer: Apollo/Conbraco Model: 3DCDA7 Manufacturer: Apollo/Conbraco Model: 3DCDA7 Manufacturer: Apollo/Conbraco Model: 3DCDA7 Manufacturer: Apollo/Conbraco <t< th=""><th>Size: 3</th><th>Orientation: VU</th><th>Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T</th></t<>	Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Approved: 16-Oct-2000 Renewed: 16-Oct-2024 (VU) Apollo/Conbraco W432100 1/2" Shutoffs: (III),mm	Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Apr-2001 Renewed: 10-Apr-2022 Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (mm)]#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Apr-2001 Renewed: 10-Apr-2022 (VU) Approved: 10-Apr-2001 Renewed: 10-Apr-2022 (VU), Apollo/Conbraco 1/2DC 1/2" Shutoffs: (mm)]#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco M432100 1/2" (VU) Shutoffs: (mm)]#1SOV],(nnn)[#2SOV] Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 Orientation: H Meters:		Renewed: 16-Oct-2024	(VU), Apollo/Conbraco W432100 1/2"
Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Apr-2001 Renewed: 10-Apr-2022 Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Manufacturer: Apollo/Conbraco Model: 3DCDA6 Size: 3 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (WU), Apollo/Conbraco 1/2DC 1/2" Approved: 10-Apr-2001 Renewed: 10-Apr-2022 (VU), Apollo/Conbraco 1/2DC 1/2" Shutoffs: (mm)[#1SOV],(nnn)[#2SOV] Renewed: 10-Apr-2022 (VU), Apollo/Conbraco W432100 1/2" Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Manual: 9 0.25% Pb: No Spare Parts Only: Yes Manual: 9 0.25% Pb: No Spare Parts Only: Yes Manual: 9 0.25% Pb: No Spare Parts Only: Yes Maproved: 29-Sep-2004 Renewed: 29-Sep-2022 Bypass: Apollo/Conbraco W432100 1/2" Type: DCDA Manufacturer: Apollo/Conbraco Model: 3DCDA7 Size: 3 <			
Manual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV].(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2022(VU), Apollo/Conbraco 1/2DC 1/2" (VU)Shutoffs: (mm)[#1SOV].(nnn)[#2SOV]Renewed: 10-Apr-2022Model: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (VU)	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA6
Approved: 10-Apr-2001Renewed: 10-Apr-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco W432100 1/2" (VU)Renewed: 10-Apr-2022(VU), Apollo/Conbraco W432100 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesSypass: Apollo/Conbraco UV32100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesBypass: 3 pollo/Conbraco 1/2DC 1/2"YesManual: 90.25% Pb: NoSpare Parts Only: YesBypass: 3 pollo/Conbraco 1/2DC 1/2"	Size: 3	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Approved: 10-Apr-2001Renewed: 10-Apr-2022(H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV].(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2022(VU), Apollo/Conbraco W432100 1/2" (VU)Shutoffs: (mm)[#1SOV].(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TShutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesSypass: Apollo/Conbraco 1/2DC 1/2"Kutoriention: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesSypass: Apollo/Conbraco 1/2DC 1/2"KUU, Apollo/Conbraco 1/2DC 1/2"Manual: 90.25%	Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA6Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2022(VU), Apollo/Conbraco 1/2DC 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesSpare Parts Only: YesSpare Parts Only: YesBypass: Apollo/Conbraco W432100 1/2" (H)Spare Parts Only: YesSpare Parts Only: YesSpare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2"Spare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2"Spare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2"KU, Apollo/Conbraco W432100 1/2"Yup: DCDARenewed: 29-Sep-2022(VU), Apollo/Conbraco W432100 1/2"Manual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco W432100 1/2"(VU)(VU)Apollo/Conbr	Approved: 10-Apr-2001	Renewed: 10-Apr-2022	
Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2022(VU), Apollo/Conbraco 1/2DC 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoBypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Model: 3DCDA7Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesSypass: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesBypass: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2"Bypass: Apollo/Conbraco 1/2DC 1/2"Approved: 29-Sep-2004Renewed: 29-Sep-2022(VU), Apollo/Conbraco W432100 1/2"(VU)YesSpare Parts Only: YesBypass: Apollo/Conbraco W432100 1/2" (VU)Spare Parts Only: Yes	Shutoffs: (mm)[#1SOV],(nnn)[#2SOV	/]	
Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 10-Apr-2001Renewed: 10-Apr-2022(VU), Apollo/Conbraco 1/2DC 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoBypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Model: 3DCDA7Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesSypass: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesBypass: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesBypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2"Bypass: Apollo/Conbraco 1/2DC 1/2"Approved: 29-Sep-2004Renewed: 29-Sep-2022(VU), Apollo/Conbraco W432100 1/2"(VU)YesSpare Parts Only: YesBypass: Apollo/Conbraco W432100 1/2" (VU)Spare Parts Only: Yes	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA6
Manual: 90.25% Pb: NoSpare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)Approved: 10-Apr-2001Renewed: 10-Apr-2022(VU), Apollo/Conbraco W432100 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/Conbraco Size: 3 Orientation: VU Manual: 9Manufacturer: Apollo/Conbraco Model: 3DCDA7 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manual: 9Type: DCDA Size: 3 Manual: 9Manufacturer: Apollo/Conbraco Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manual: 9Manufacturer: Apollo/Conbraco Model: 3DCDA7 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manual: 9Approved: 29-Sep-2004Renewed: 29-Sep-2022 (VU), Apollo/Conbraco 1/2DC 1/2" (VU)Approved: 29-Sep-2004Renewed: 29-Sep-2022 (VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU)			
Approved: 10-Apr-2001Renewed: 10-Apr-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco 1/2DC 1/2" (VU)	Manual: 9	0.25% Pb: No	
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Wodel: 3DCDA7Approved: 29-Sep-2004Renewed: 29-Sep-2022VU			Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2"
Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022(VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)	Shutoffs: (mm)[#1SOV],(nnn)[#2SO\	/]	((()))
Size: 3Orientation: HMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022(VU), Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)	Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA7
Approved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022(VU), Apollo/Conbraco W432100 1/2" (VU)			Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Approved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]Manufacturer: Apollo/ConbracoModel: 3DCDA7Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022(VU), Apollo/Conbraco W432100 1/2" (VU)	Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Type: DCDAManufacturer: Apollo/ConbracoModel: 3DCDA7Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022(VU), Apollo/Conbraco W432100 1/2" (VU)		Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2"
Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)	Shutoffs: (mm)[#1SOV], (qqq)[#2SO	V]	
Size: 3Orientation: VUMeters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 90.25% Pb: NoSpare Parts Only: YesApproved: 29-Sep-2004Renewed: 29-Sep-2022Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)		Manufacturer: Apollo/Conbraco	
Manual: 9 0.25% Pb: No Spare Parts Only: Yes Approved: 29-Sep-2004 Renewed: 29-Sep-2022 Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)		·	
Approved: 29-Sep-2004 Renewed: 29-Sep-2022 Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)			
Approved: 29-Sep-2004 Renewed: 29-Sep-2022 (VU), Apollo/Conbraco W432100 1/2" (VU) (VU) (VU)		0.2070 I M. INO	
	Approved: 29-Sep-2004	Renewed: 29-Sep-2022	(VU), Apollo/Conbraco W432100 1/2"
	Shutoffs: (mm)[#1SO\/] (aga)[#2SO	VI	· -/

Type: DCDA Size: 3 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Model: 3DCDA8 Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDA8
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 3DCDAU
Size: 3	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 40600000
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1996	Renewed: 20-Aug-2023	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060003		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	red to 40600000	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	red to 40600C3	

Notes: model designation changed to 40600C3

Type: DCDA Size: 3 Manual: 8 Approved: 20-Aug-1996 Shutoffs: uu,cc,mm Notes: formerly 4060003	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 20-Aug-2023	Model: 40600C3 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Apollo/Conbraco 4010402 3/4" (H)
Notes. 10111111 4000003		
Type: DCDA Size: 4 Manual: Approved: Notes: model designation chang	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: red to 4060AC3	Model: 4060A03 Meters: Spare Parts Only: No Bypass:
Type: DCDA Size: 4 Manual: Approved: Notes: model designation chang	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: red to 4060AE3	Model: 4060A03 Meters: Spare Parts Only: No Bypass:
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AC3
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8 Approved: 13-Apr-1993	0.25% Pb: No Renewed: 13-Apr-2023	Spare Parts Only: Yes Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060A03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AC6
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2S	OV]	

Type: DCDA Size: 4 Manual: 8 Approved: 13-Apr-1993 Shutoffs: uu,cc,mm	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2023	Model: 4060AE3 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Apollo/Conbraco 4010402 3/4" (H)
Notes: formerly 4060A03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060AE6
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2S	SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060C03
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved: Notes: model designation change	Renewed: ged to 4060CC3	Bypass:
	Manufacturer, Apollo/Conbross	Madal: 400002
Type: DCDA Size: 6	Manufacturer: Apollo/Conbraco Orientation:	Model: 4060C03 Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CC3
Size : 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Jun-1993	Renewed: 02-Jun-2023	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060C03		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CC6
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CE3
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Jun-1993	Renewed: 02-Jun-2023	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm		
Notes: formerly 4060C03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060CE6
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	4060EC3	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	4060EE3	

Type: DCDA Size: 8 Manual: 8 Approved: 13-Apr-1993 Shutoffs: uu,cc,mm Notes: formerly 4060E03	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2023	Model: 4060EC3 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Apollo/Conbraco 4010402 3/4" (H)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EC6
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EE3
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2023	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060E03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060EE6
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to	4060GC3	

Type: DCDA Size: 10 Manual: Approved: Notes: model designation changed to a Type: DCDA	Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: 4060GE3 Manufacturer: Apollo/Conbraco	Model: 4060G03 Meters: Spare Parts Only: No Bypass: Model: 4060GC3
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-1993	Renewed: 13-Apr-2023	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060G03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GC6
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GE3
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Apr-1993	Renewed: 12-Apr-2023	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: uu,cc,mm Notes: formerly 4060G03		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4060GE6
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-2000	Renewed: 01-Feb-2024	Bypass: Apollo/Conbraco 4010402 3/4" (H)
Shutoffs: mm[#1SOV], nnn[#2SOV]		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA6
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2S	OV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA6
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2S	OV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA7
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2S	SOV]	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA7
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes
		Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV]		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA8
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDA8
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2"
Shutoffs: (ppp),qqq		(VU)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4DCDAU
Size: 4	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to E	DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation changed to E	DCDA4SGN	

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG 600U
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SGN	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Type: DCDA	Manufacturer: Apollo/Conbraco Orientation:	Model: 4SG-600 Meters:
Type: DCDA Size: 3	Orientation:	Meters:
Type: DCDA Size: 3 Manual:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Type: DCDA Size: 3 Manual: Approved:	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Type: DCDA Size: 3 Manual: Approved: Notes: model designation c	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG	Meters: Spare Parts Only: No Bypass:
Type: DCDA Size: 3 Manual: Approved: Notes: model designation c Type: DCDA	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4SG-600

Notes: model designation changed to DCDA4SG

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cl	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cl	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation cl	hanged to DCDA4SG	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 4SG-600
	Manufacturer: Apollo/Conbraco Orientation:	Model: 4SG-600 Meters:
Size: 6	•	
Size: 6 Manual:	Orientation:	Meters:
Type: DCDA Size: 6 Manual: Approved: Notes: model designation cl	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 6 Manual: Approved: Notes: model designation cl	Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No
Size: 6 Manual: Approved: Notes: model designation cl	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG	Meters: Spare Parts Only: No Bypass:
Size: 6 Manual: Approved: Notes: model designation cl Type: DCDA Size: 8	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4SG-600
Size: 6 Manual: Approved: Notes: model designation cl Type: DCDA Size: 8 Manual:	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation:	Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters:
Size: 6 Manual: Approved:	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Size: 6 Manual: Approved: Notes: model designation cl Type: DCDA Size: 8 Manual: Approved: Notes: model designation cl	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No
Size: 6 Manual: Approved: Notes: model designation cl Type: DCDA Size: 8 Manual: Approved: Notes: model designation cl	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG	Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass:
Size: 6 Manual: Approved: Notes: model designation cl Type: DCDA Size: 8 Manual: Approved:	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600
Size: 6 Manual: Approved: Notes: model designation cl Type: DCDA Size: 8 Manual: Approved: Notes: model designation cl Type: DCDA Size: 8	Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to DCDA4SG Manufacturer: Apollo/Conbraco Orientation:	Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters: Spare Parts Only: No Bypass: Model: 4SG-600 Meters:

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA6
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA6
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV],(nnn)[#2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA7
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2SOV	/]	

Type: DCDA	Manufacturer: Apollo/Conbraco Orientation: VU	
Size: 6 Manual: 9	0.25% Pb: No	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Mallual. 9	0.23% FD. NO	Spare Parts Only: Yes Bypass: Apollo/Conbraco 1/2DC 1/2"
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	(VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA8
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDA8
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2"
Shutoffs: (ppp),qqq		(VU)
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 6DCDAU
Size: 6	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Apr-2001	Renewed: 10-Apr-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (II),mm		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA
Size: 8	Orientation: H	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2024	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm),ll		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA
Size: 8	Orientation: VU	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Jan-2003	Renewed: 16-Jan-2024	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm),ll		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA7
Size: 8	Orientation: H	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA7
Size: 8	Orientation: VU	Meters: (M),F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (mm)[#1SOV], (qqq)[#2	2SOV]	()
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA8
Size: 8	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (ppp),qqq		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: 8DCDA8
Size: 8	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)
Shutoffs: (ppp),qqq		

Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4S Size: 10 Orientation: H Meters: (M),F,G,H,I,J,K,L,N,O,P,Q,T 0.25% Pb: No Spare Parts Only: No Manual: 9 Bypass: Apollo/Conbraco 1/2DC 1/2" Approved: 16-Jan-2003 Renewed: 16-Jan-2024 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (mm),II, xxxxx, zzzzz, bbbbbb, cccccc Notes: formerly 10DCDA Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4S Size: 10 Orientation: VU Meters: (M),F,G,H,I,J,K,L,N,O,P,Q,T 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 1/2DC 1/2" Renewed: 16-Jan-2024 (VU), Apollo/Conbraco W432100 1/2" Approved: 16-Jan-2003 (VU)Shutoffs: (mm), II, xxxxx, zzzzz, bbbbbb, cccccc Notes: formerly 10DCDA Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 2 1/2 **Orientation: H** Meters: (M), E, F, G, H, I, J, K, L, N, O, P, Q, T Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2022 (H), Apollo/Conbraco W432100 1/2" (H) **Shutoffs:** (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa, xxxxxx Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 2 1/2 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2022 (V) **Shutoffs:** (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaa, xxxxxx Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 3 Orientation: H Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2022 (H), Apollo/Conbraco W432100 1/2" (H)

Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaa, xxxxxx **Notes:** formerly 4SG-600

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 3	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb : No	Spare Parts Only: No
		Bypass: Apollo/Conbraco 4S103 1/2"
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	(VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxx	x,yyyyy,zzzz,aaaaaa, xxxxxx	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 4	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt,xxxx	x,yyyyy,zzzzz,aaaaaa, xxxxxx	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 4	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass: Apollo/Conbraco 4S103 1/2" (VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (yyy)ppp,qqq,ttt,xxxx Notes: formerly 4SG-600	x,yyyyy,zzzz,aaaaaa, xxxxxx	
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 6	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt,xxxx	(,yyyyy,zzzz,aaaaaa, xxxxxx	
Notes: formerly 4SG-600		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SG
Size: 6	Orientation: VU	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb : No	Spare Parts Only: No
		Bypass: Apollo/Conbraco 4S103 1/2"
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	(VU), Apollo/Conbraco W432100 1/2" (V)
Shutoffs: (vvv)ppp aga ttt xxxx		

Shutoffs: (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa, xxxxxx **Notes:** formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 8 Orientation: H Meters: (M), E, F, G, H, I, J, K, L, N, O, P, Q, T 0.25% Pb: No Spare Parts Only: No Manual: 9 Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2022 (H), Apollo/Conbraco W432100 1/2" (H) **Shutoffs:** (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaa, xxxxxx Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SG Size: 8 Orientation: VU Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Apollo/Conbraco 4S103 1/2" Renewed: 18-Oct-2022 (VU), Apollo/Conbraco W432100 1/2" Approved: 18-Oct-2007 (V) **Shutoffs:** (yyy)ppp,qqq,ttt,xxxxx,yyyyy,zzzzz,aaaaaaa, xxxxxx Notes: formerly 4SG-600 Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN Size: 2 1/2 Orientation: VUVD Meters: (M), E, F, G, H, I, J, K, L, N, O, P, Q, T Manual: 9 0.25% Pb: No Spare Parts Only: Yes Bypass: Apollo/Conbraco 4S103 1/2" Renewed: 18-Oct-2022 Approved: 18-Oct-2007 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN Size: 3 Orientation: VUVD Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2022 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDA4SGN Size: 4 **Orientation: VUVD** Meters: (M), E, F, G, H, I, J, K, L, N, O, P, Q, T 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Bypass: Apollo/Conbraco 4S103 1/2" Approved: 18-Oct-2007 Renewed: 18-Oct-2022 (H), Apollo/Conbraco W432100 1/2" (H) Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U

Type: DCDA Size: 6 Manual: 9	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No	Model: DCDA4SGN Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U		(), ()
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDA4SGN
Size: 8	Orientation: VUVD	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Oct-2007	Renewed: 18-Oct-2022	Bypass: Apollo/Conbraco 4S103 1/2" (H), Apollo/Conbraco W432100 1/2" (H)
Shutoffs: (yyy)ppp,qqq,ttt Notes: formerly 4SG 600U		
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 2 1/2	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2013	Renewed: 30-Oct-2022	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	xxx
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 2 1/2	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2013	Renewed: 30-Oct-2022	Bypass: Apollo DCLF4A 1/2" (VU)
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	xxx
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 3	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2013	Renewed: 30-Oct-2022	Bypass: Apollo DCLF4A 1/2" (H)
	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	xxx
Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 3	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2013	Renewed: 30-Oct-2022	Bypass: Apollo DCLF4A 1/2" (VU)
	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	

Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDALF4A Size: 4 Orientation: H Meters: (P),G,H,I,J,K,L,M,N,O,Q,T 0.25% Pb: Yes Spare Parts Only: No **Manual:** 10 Approved: 24-Jun-2013 Renewed: 24-Jun-2022 Bypass: Apollo DCLF4A 1/2" (H) Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa, xxxxxx

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 4	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Apollo DCLF4A 1/2" (VU)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A	
Size: 6	Orientation: H	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Apollo DCLF4A 1/2" (H)	
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx			

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A
Size: 6	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Apollo DCLF4A 1/2" (VU)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: DCDA Manufacturer: Apollo/Conbraco Size: 8 Orientation: H 0.25% Pb: Yes **Manual:** 10 Renewed: 15-May-2023 Approved: 15-May-2014

Model: DCDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q,T Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H)

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa, xxxxxx

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4A	
Size: 8	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 15-May-2014	Renewed: 15-May-2023	Bypass: Apollo DCLF4A 1/2" (VU)	
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx			

Type: DCDA Size: 2 1/2 **Manual:** 10 Approved: 10-Jun-2014 Manufacturer: Apollo/Conbraco **Orientation: VUVD** 0.25% Pb: Yes Renewed: 10-Jun-2023

Model: DCDALF4AN Meters: (P),G,H,I,J,K,L,M,N,O,Q,T Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H)

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx

Type: DCDA Manufacturer: Apollo/Conbraco Model: DCDALF4AN Orientation: VUVD Size: 3 Meters: (P),G,H,I,J,K,L,M,N,O,Q,T **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H) Approved: 08-Apr-2014 Renewed: 08-Apr-2023 Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa, xxxxxx

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 4	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed: 23-Jan-2023	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 6	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed: 10-Jun-2023	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AN
Size: 8	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Mar-2014	Renewed: 14-Mar-2023	Bypass: Apollo DCLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: DCDA Manufacturer: Apollo/Conbraco Size: 8 Orientation: H **Manual:** 10 0.25% Pb: Yes Approved: 30-Oct-2019 Renewed: 30-Oct-2022

Model: DCDALF4AP Meters: (P),G,H,I,J,K,L,M,N,O,Q,T Spare Parts Only: No Bypass: Apollo DCLF4A 1/2" (H)

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa, xxxxxx

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AP
Size: 8	Orientation: VU	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 30-Oct-2019	Renewed: 30-Oct-2022	Bypass: Apollo DCLF4A 1/2" (VU)

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 09-Nov-2015	Renewed: 09-Nov-2024	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34" and max. 47 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 2 1/2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 09-Nov-2015	Renewed: 09-Nov-2024	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 34" and max. 47 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 09-Nov-2015	Renewed: 09-Nov-2024	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 3	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 09-Nov-2015	Renewed: 09-Nov-2024	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Sep-2015	Renewed: 21-Sep-2024	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 4	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Sep-2015	Renewed: 21-Sep-2024	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 6	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Sep-2015	Renewed: 21-Sep-2024	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 6	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Sep-2015	Renewed: 21-Sep-2024	Bypass: Apollo/Conbraco DCLF4A 1 (VU)

1/2"

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 8	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass: Apollo/Conbraco DCLF4A 1/2" (H)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA	Manufacturer: Apollo/Conbraco	Model: DCDALF4AR
Size: 8	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass: Apollo/Conbraco DCLF4A 1/2" (VU)

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbra	со	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 806YD	

Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806 Type YD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 806YD	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 3	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Sep-1988	Renewed: 26-Sep-2024	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz, Notes: formerly 806 Type YD	ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 4	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2023	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz, Notes: formerly 806 Type YD	ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 6	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2023	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz, Notes: formerly 806 Type YD	ffff,gggg	

Type: DCDA	Manufacturer: Febco	Model: 806YD
Size: 8	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2023	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,fi Notes: formerly 806 Type YD	fff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 806YD
Size : 10	Orientation: H	Meters: (F),A,B,C,D,E,G,H,I,J,K,L,M,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Jul-1987	Renewed: 10-Jul-2023	Bypass: Febco 805Y 3/4" (H), Febco 805YB 3/4"(H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,fi Notes: formerly 806 Type YD	fff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 856
Size: 2 1/2	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2024	Bypass: Febco 805YB 3/4" (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,c	ccc,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 856
Size: 2 1/2	Orientation: VU	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jan-2000	Renewed: 05-Jan-2023	Bypass: Febco 805YB 3/4" (VU)
Shutoffs: (ff),mm,oo,pp,uu,zzz,c	ccc,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 856
Size: 3	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Mar-1997	Renewed: 19-Mar-2024	Bypass: Febco 805YB 3/4" (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,c	ccc,ffff,gggg	

Size: 3

Manual: 8 Approved: 05-Jan-2000

Shutoffs: (ff),mm,oo,pp,uu,zzz,cccc,ffff,gggg

Type: DCDA

Size: 4

Manual: 80.25% PlApproved: 04-May-1994RenewedShutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Manufacturer: Febco

Manufacturer: Febco

Renewed: 05-Jan-2023

Orientation: VU

0.25% Pb: No

Orientation: H

0.25% Pb: No Renewed: 04-May-2024 Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDAManufacturer: FebcoModel: 856Size: 4Orientation: VUMeters:
(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,TManual: 80.25% Pb: NoSpare Parts Only: YesApproved: 16-Apr-1996Renewed: 16-Apr-2023Bypass: Febco 805YB 3/4" (VU)Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Type: DCDAManufacturer: FebcoModel: 856Size: 6Orientation: HMeters:
(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T)Manual: 80.25% Pb: NoSpare Parts Only: YesApproved: 04-May-1994Renewed: 04-May-2024Bypass: Febco 805YB 3/4" (H)Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,ctff,ggggState State State

Type: DCDA	Manufacturer: Febco	
Size: 6	Orientation: VU	
Manual: 8	0.25% Pb: No	
Approved: 16-Apr-1996 Renewed: 16-Apr-2023 Control of the second		
Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg		

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Type: DCDAManufacSize: 8OrientatManual: 80.25% PlApproved: 04-Oct-1995RenewedShutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

Manufacturer: Febco Orientation: H

0.25% Pb: No Renewed: 04-Oct-2022 Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Size: 8 Manual: 8

Approved: 05-Jan-2000Renewed: 05-Jan-2023Shutoffs: (ff),mm,oo,pp,uu,nnn,zzz,cccc,ffff,gggg

 Type: DCDA
 Manufacturer: Febco

 Size: 2 1/2
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2024

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Manufacturer: Febco

Orientation: VU

0.25% Pb: No

 Type: DCDA
 Manufacturer: Febco

 Size: 2 1/2
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2024

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 3
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2024

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 3
 Orientation: VU

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2024

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA
 Manufacturer: Febco

 Size: 4
 Orientation: H

 Manual: 9
 0.25% Pb: No

 Approved: 22-May-2012
 Renewed: 22-May-2024

 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Model: 856 Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (VU)

Model: 856ST Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (VU)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (VU)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H) Type: DCDA Manufacturer: Febco Size: 4 Orientation: VU 0.25% Pb: No Manual: 9 Renewed: 22-May-2024 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 6 Orientation: H 0.25% Pb: No Manual: 9 Renewed: 22-May-2024 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 6 Orientation: VU Manual: 9 0.25% Pb: No Approved: 09-Aug-2012 Renewed: 09-Aug-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 8 Orientation: H Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 8 Orientation: VU 0.25% Pb: No Manual: 9 Approved: 09-Aug-2012 Renewed: 09-Aug-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 10 Orientation: H Manual: 9 0.25% Pb: No Renewed: 03-Sep-2022 Approved: 03-Sep-2013 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Size: 10 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Manufacturer: Febco Orientation: VU 0.25% Pb: No Renewed: 03-Sep-2022 Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (VU)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Model: 856ST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: No Bypass: Watts 719QT 3/4" (H)

Type: DCDA	Manufacturer: Febco	Model: 858
Size: 2	Orientation: H	
Manual: 9	0.25% Pb: No	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q, Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass: Watts 007QT 1/2" (H)
Shutoffs: bbb,jjjj	Nenewed. 61 Aug 2024	
Type: DCDA	Manufacturer: Febco	Model: 858
Size: 2	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q, [*]
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass: Watts 007QT 1/2" (VU)
Shutoffs: bbb,jjjj		
Type: DCDA	Manufacturer: Febco	Model: 858
Size: 2 1/2	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)
Shutoffs: (pp), gg, hh,ll, mm, oc	o, tt, uu, zz, fff	
Type: DCDA	Manufacturer: Febco	Model: 858
Size: 2 1/2	Orientation: VU	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass: Watts 007M2QT 3/4" (VU)
Shutoffs: (pp), gg, hh,ll, mm, oc	o, tt, uu, zz, fff	
Type: DCDA	Manufacturer: Febco	Model: 858
Size: 3	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q,T
	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8		
Manual: 8 Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)

Type: DCDA	Manufacturer: Febco	Model: 876
Size: 2 1/2	Orientation: VUVD	Meters:
	Chemation. VOVD	(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2025	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,zz	z,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size: 3	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2025	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,zz:	z,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
		Meters:
Size: 4	Orientation: VUVD	(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2024	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,zz	z,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size : 6	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-May-1994	Renewed: 04-May-2024	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,zz:	z,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
Size : 8	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2022	Bypass: Febco 805YB 3/4" (H)
Shutoffs: ff,mm,oo,pp,uu,cccc,zz:	z,ffff,gggg	
Type: DCDA	Manufacturer: Febco	Model: 876
	Orientation: VUVD	Meters:
Size : 10		(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Size: 10 Manual: 8	0.25% Pb : No	(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes

Size: 2 1/2

Manual: 8 0.25% Pb: No Approved: 08-Mar-1996 Renewed: 08-Mar-2023 Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA

Size: 2 1/2

Type: DCDA

Size: 3

Manual: 8

Approved: 08-Mar-1996

Manual: 8 Approved: 08-Mar-1996 **Shutoffs:** (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVU**

Manufacturer: Febco

Orientation: VUVD

0.25% Pb: No Renewed: 08-Mar-2023 Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q, T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Manufacturer: Febco Model: 876V Meters: **Orientation: VUVD** (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q, T 0.25% Pb: No Spare Parts Only: Yes Renewed: 08-Mar-2023 Bypass: Febco 805YB 3/4" (H) Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Size: 3 Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ff),ee,II,mm,oo,pp,tt,uu,zzz,ffff,gggg Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDA Size: 4 Manual: 8 Approved: 08-Mar-1996

Approved: 08-Mar-1996

Manufacturer: Febco

Renewed: 08-Mar-2023

Manufacturer: Febco

Orientation: VUVD

0.25% Pb: No

Orientation: VUVU 0.25% Pb: No Renewed: 08-Mar-2023 Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVU** 0.25% Pb: No

Renewed: 08-Mar-2023

Type: DCDA

Size: 4

Manual: 8

Size: 6 Manual: 8 Approved: 08-Mar-1996

Shutoffs: (ff),ee,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA

Type: DCDA

Size: 8

Manual: 8

Size: 6

Manual: 8 Approved: 08-Mar-1996 Shutoffs: (ff),ee,II,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco

Manufacturer: Febco

Renewed: 08-Mar-2023

Orientation: VUVD

0.25% Pb: No

Orientation: VUVU 0.25% Pb: No Renewed: 08-Mar-2023 Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Model: 876V Meters: (M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q, T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

(M), B, C, D, E, F, G, H, I, J, K, L, N, O, P, Q, T

Bypass: Febco 805YB 3/4" (H)

Model: 876V

Model: 876V Meters:

Spare Parts Only: Yes

Meters:

Manufacturer: Febco **Orientation: VUVD** 0.25% Pb: No Approved: 06-Jan-1997 Renewed: 06-Jan-2023

Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg

Type: DCDA Size: 8 Manual: 8 Approved: 06-Jan-1997 Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff,gggg

Manufacturer: Febco **Orientation: VUVU** 0.25% Pb: No Renewed: 06-Jan-2023

Type: DCDA Size: 10 Manual: 8 Approved: 11-Jul-1997 **Shutoffs:** (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manufacturer: Febco

Orientation: VUVD

0.25% Pb: No Renewed: 11-Jul-2024 Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H) Model: 876V

(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T

Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Type: DCDA Size: 10 Manual: 8

Approved: 11-Jul-1997

Manufacturer: Febco

Orientation: VUVU 0.25% Pb: No Renewed: 11-Jul-2024 Model: 876V Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Febco 805YB 3/4" (H)

Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: DCDA Manufacturer: Febco Size: 2 1/2 Orientation: VUVD 0.25% Pb: No Manual: 9 Renewed: 22-May-2024 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 2 1/2 **Orientation: VUVU** 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco **Size:** 3 Orientation: VUVD Manual: 9 0.25% Pb: No Approved: 22-May-2012 Renewed: 22-May-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 3 Orientation: VUVU Manual: 9 0.25% Pb: No Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 4 Orientation: VUVD Manual: 9 0.25% Pb: No Approved: 22-May-2012 **Renewed:** 22-May-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 4 Orientation: VUVU 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Size: 6 Manual: 9 Approved: 22-May-2012 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 22-May-2024 Model: 876VST Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Renewed: 22-May-2024

Type: DCDA Manufacturer: Febco Size: 6 **Orientation: VUVU** 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 8 **Orientation: VUVD** 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA Manufacturer: Febco Size: 8 **Orientation: VUVU** 0.25% Pb: No Manual: 9 Approved: 22-May-2012 Renewed: 22-May-2024 Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA

Size: 2

Manual: 9 Approved: 16-Jun-1997 Shutoffs: (bbb),jjjj,rrrrr Notes: Previously Approved 8th Ed. (19 Apr 1996)

Type: DCDA

Manufacturer: Watts

Size: 2

Manual: 9

Orientation: VU

0.25% Pb: No Renewed: 16-Jun-2024 Model: 007DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T, U Spare Parts Only: Yes Bypass: Watts 007QT 1/2" (VU)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Model: 007DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T, U Spare Parts Only: Yes Bypass: Watts 007QT 1/2" (H)

Model: 876VST Meters: (O),H,I,J,K,L,M,N,P,Q Spare Parts Only: Yes Bypass: Watts 719QT 3/4" (H)

Manufacturer: Watts

Orientation: H

0.25% Pb: No Renewed: 16-Jun-2024

Approved: 16-Jun-1997

Shutoffs: (bbb),jjjj,rrrrr

Notes: Previously Approved 8th Ed. (10 Sept 1996)

Type: DCDA	Manufacturer: Watts	Model: 007DCDA
Size: 2 1/2	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q,T,U
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 11 Oct 1002	Renewed: 11-Oct-2023	Bypass: Watts 007M2QT 3/4" (H),
Approved: 11-Oct-1993	Renewed. 11-001-2023	Watts 007M1QT 3/4" (H)
Shutoffs: (pp),gg,hh,ll,mm,oo,tt,u	Ju,zz,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 007DCDA
Size: 2 1/2	Orientation: VU	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q,T,U
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2023	Bypass: Watts 007M2QT 3/4" (VU)
Shutoffs: (pp),gg,hh,ll,mm,oo,tt,u	uu,zz,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 007DCDA
Size: 3	Orientation: H	Meters:
Size. 5	Chemation. IT	(H),D,E,F,G,I,J,K,L,M,N,O,P,Q,T,U
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Sep-1992	Renewed: 19-Sep-2022	Bypass: Watts 007M2QT 3/4" (H), Watts 007M1QT 3/4" (H)
Shutoffs: (pp),hh,mm,uu,zz,ffff,g	<u>aaa</u>	
Type: DCDA	Manufacturer: Watts	Model: 007DCDA-FP
		Meters:
Size : 2	Orientation: H	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T, U
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)
Shutoffs: (eeeee)		
Type: DCDA	Manufacturer: Watts	Model: 007M1DCDA
		Meters:
Size: 2	Orientation: H	(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T, U
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2015 Shutoffs: (eeeee), bbb, jjjj,rrrrr	Renewed: 19-Jun-2024	Bypass: Watts 007QT 1/2" (H)

Type: DCDA	Manufacturer: Watts	Model: 007M1DCDA
Size: 2	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T, U
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Jun-2015	Renewed: 19-Jun-2024	Bypass: Watts 007QT 1/2" (VU)
Shutoffs: (eeeee), bbb, jjjj,rrrrr		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 3	Orientation: H	Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T,U
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Apr-1987	Renewed: 19-Apr-2023	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg	,aaaaaaa	
Notes: formerly 709DDC		
Type: DCDA	Manufacturer: Watts	Model: 709DCDA Meters:
Size: 4	Orientation: H	(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T, U
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-1987	Renewed: 27-Jul-2023	Bypass: Watts 007QT 1/2" (H), Watts 007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg Notes: formerly 709DDC	1,aaaaaaa	
Type: DCDA	Manufacturer: Watts	Model: 709DCDA Meters:
Size: 4	Orientation: VU	(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T, U
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Aug-1996	Renewed: 27-Aug-2023	Bypass: Watts 007QT 1/2" (VU), Watts 007M2QT 3/4" (VU)
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg	,aaaaaaa	
Notes: formerly 709DDC		

Type: DCDA	Manufacturer: Watts	Model: 709DCDA	
		Meters:	
Size: 6	Orientation: H	(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T,	
		U	
Manual: 6	0.25% Pb: No	Spare Parts Only: No	
		Bypass: Watts 007QT 1/2" (H), Watts	
Approved: 27-Jul-1987	Renewed: 27-Jul-2023	007M1QT 3/4" (H), Watts 709QT 3/4"	
		(H)	
Shutoffs: (pp),hh,uu,zz,eee,ffff,gggg,aaaaaaa			
Notes: formerly 709DDC			

Type: DCDA	Manufacturer: Watts	Model: 709DCDA
Size: 6	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T, U
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass: Watts 007QT 1/2" (VU)
Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg,aaaaaaa		

Type: DCDA	Manufacturer: Watts	Model: 709DCDA
		Meters:
Size: 8	Orientation: H	(N),A,B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T, U
Manual: 6	0.25% Pb: No	Spare Parts Only: No
		Bypass: Watts 007QT 1/2" (H), Watts
Approved: 19-Apr-1987	Renewed: 19-Apr-2023	007M1QT 3/4" (H), Watts 709QT 3/4" (H)
Shutoffs: (pp),hh,mm,uu,zz,eee,ff	ff,gggg,aaaaaaa	

 Notes: formerly 709DDC

 Type: DCDA
 Manufacturer: Watts

Size: 8

Orientation: VU

 Manual: 8
 0.25% Pb: No

 Approved: 05-Dec-1996
 Renewed: 05-Dec-2023

Model: 709DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T, U Spare Parts Only: No Bypass: Watts 007QT 1/2" (VU)

Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg,aaaaaaa

Manufacturer: Watts Type: DCDA Model: 709DCDA Meters: Size: 10 **Orientation:** H (N), E, F, G, H, I, J, K, L, M, O, P, Q, T, U 0.25% Pb: No Manual: 6 Spare Parts Only: No Bypass: Watts 007QT 1/2" (H), Watts **Approved:** 27-Jul-1987 Renewed: 27-Jul-2023 007M1QT 3/4" (H), Watts 709QT 3/4" (H) Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg Notes: formerly 709DDC Manufacturer: Watts Type: DCDA Model: 709DCDA Meters: Size: 10 Orientation: VU (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T, U Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 05-Dec-1996 Renewed: 05-Dec-2023 Bypass: Watts 007QT 1/2" (VU) Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg Model: 709DDC Type: DCDA Manufacturer: Watts Size: 3 Orientation: Meters: Manual: 0.25% Pb: No Spare Parts Only: No Approved: **Renewed:** Bypass: Notes: model designation changed to 709DCDA Type: DCDA Manufacturer: Watts Model: 709DDC Size: 4 **Orientation:** Meters: 0.25% Pb: No Manual: Spare Parts Only: No Approved: **Renewed: Bypass:** Notes: model designation changed to 709DCDA Type: DCDA Manufacturer: Watts Model: 709DDC Size: 4 **Orientation:** Meters: 0.25% Pb: No Manual: Spare Parts Only: No Approved: **Renewed: Bypass:** Notes: model designation changed to 709DCDA Model: 709DDC Type: DCDA Manufacturer: Watts Size: 6 **Orientation:** Meters:

Approved: Renewed: Notes: model designation changed to 709DCDA

Manual:

0.25% Pb: No

Spare Parts Only: No Bypass: Type: DCDAManufacturer: WattsSize: 8Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDAManufacturer: WattsSize: 10Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 709DCDA

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No

Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024 Model: 709DDC Meters: Spare Parts Only: No Bypass:

Model: 709DDC Meters: Spare Parts Only: No Bypass:

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Nov-2004 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz) Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 03-Nov-2022

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024 Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4 (H)

Model: 757aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

- Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)
- Type: DCDA Size: 6 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)
- Type: DCDA Size: 6 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023 Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 757aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy) Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 23-Mar-2025

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2025

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2025 Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Size: 10

Manual: 9

Approved: 17-Sep-2009

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 17-Sep-2009

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No

Renewed: 17-Sep-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 17-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023 Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V) Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 23-Mar-2025

0.25% Pb: No Renewed: 23-Mar-2025

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2025

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Manufacturer: Watts Orientation: VU

Size: 10

Manual: 9

Approved: 17-Sep-2009

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9

Approved: 17-Sep-2009

Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy) Manufacturer: Watts Orientation: H 0.25% Pb: No

Renewed: 17-Sep-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 17-Sep-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024 Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2025

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2022

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024 Model: 757NDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 8 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (yyy) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2025

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 28-May-2022

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024 Model: 757NDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 757NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 06-Nov-2003 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 06-Nov-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 06-Nov-2024 Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy) Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 18-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 23-Mar-2025

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2025 Model: 767aDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU) Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)

- Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)
- Type: DCDA Size: 8 Manual: 9

Approved: 17-Sep-2009

Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9 Approved: 17-Sep-2009

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 17-Sep-2009

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 17-Sep-2009

Shutoffs: (yyy)

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 17-Sep-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No

Renewed: 17-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No

Renewed: 17-Sep-2024

Manufacturer: Watts

Renewed: 17-Sep-2024

Orientation: VU

0.25% Pb: No

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: 767DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V) Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz) Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 23-Mar-2025

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2025

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU) Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9

Approved: 17-Sep-2009

Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9

Approved: 17-Sep-2009

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 17-Sep-2009

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9 Approved: 17-Sep-2009

Shutoffs: (zzz)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2025

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 17-Sep-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 17-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 17-Sep-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 17-Sep-2024

Manufacturer: Watts **Orientation: VUVD** 0.25% Pb: No Renewed: 07-Apr-2024 Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Model: 767DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)

Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (yyy)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (yyy)

Type: DCDA Size: 8 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (yyy)

Type: DCDA Size: 2 1/2 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2025

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2022

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2022

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024 Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDABF Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H) Type: DCDA Size: 3 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 4 Manual: 9 Approved: 07-Apr-2009 Shutoffs: (zzz)

Type: DCDA Size: 6 Manual: 9 Approved: 03-Jan-2013 Shutoffs: (zzz)

Type: DCDA Size: 8 Manual: 9 Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA Size: 10 Manual: 9

Approved: 28-May-2013

Shutoffs: (zzz)

Type: DCDA

Size: 4

Manual: 8 Approved: 20-May-1992 Shutoffs: pp,hh,mm,uu,zz Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 07-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 03-Jan-2025

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2022

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No

Renewed: 28-May-2022

Manufacturer: Watts

Renewed: 20-May-2022

Orientation: H

0.25% Pb: No

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)

Model: 767NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 767NDCDAGV Meters: (N), H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000BM3 3/4" (H)

Model: 770DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H) Type: DCDA

Size: 8 Manual: 8 Approved: 13-Jan-1993 Shutoffs: oo,gg,hh,ll,mm,pp,tt,uu

Type: DCDA

Size: 4

Manual: 8 Approved: 01-Aug-1992 Shutoffs: oo

Type: DCDA

Size: 10

Manual: 8 Approved: 13-Jan-1993 Shutoffs: oo

Type: DCDA

Size: 2 1/2

Manual: 8

Approved: 24-May-1995

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Orientation: H 0.25% Pb: No Renewed: 13-Jan-2023

Manufacturer: Watts

Manufacturer: Watts

Renewed: 01-Aug-2022

Manufacturer: Watts

Renewed: 13-Jan-2023

Manufacturer: Watts

Renewed: 16-Jan-2023

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Model: 770DCDA Meters: (N),D,E,F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Model: 772DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Model: 772DCDA Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H)

Model: 774DCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)

Type: DCDAManufacturer: WattsModel: 774DCDASize: 3Orientation: HMeters:
(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T)Manual: 80.25% Pb: NoSpare Parts Only: NoApproved: 24-May-1995Renewed: 16-Jan-2023Bypass: Watts 007M2QT 3/4: (H),
Ames 2000B 3/4" (H)

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q, ⁻ Spare Parts Only: No
	0.20701 0.110	Bypass: Watts 007M2QT 3/4: (H),
Approved: 24-May-1995	Renewed: 16-Jan-2023	Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	po,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q, ⁻
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-1992	Renewed: 09-Sep-2022	Bypass: Watts 007M1QT 3/4" (H)), Watts 007M3QT 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q, ⁻
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Sep-1996	Renewed: 16-Sep-2023	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (mm),ee,ff,gg,hh,ll,oo,	pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 10	Orientation: H	Meters:
		(J),C,E,F,G,H,I,K,L,M,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Feb-2001	Renewed: 16-Feb-2025	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (II),mm,ffff,gggg		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA
Size: 12	Orientation: H	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2025	Bypass: Ames 2000BM3 3/4" (H); Watts 007M3QT 3/4" (H)
Shutoffs: (mm), ll		

	Menuse et une v. Mette	
Type: DCDA Size: 12	Manufacturer: Watts Orientation: VU	Model: 774DCDA
Manual: 9	0.25% Pb: No	Meters: (N),H,I,J,K,L,M,O,P,Q Spare Parts Only: No
Manual. 9	0.23% FD. NO	Bypass: Ames 2000BM3 3/4" (H);
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Watts 007M3QT 3/4" (H)
Shutoffs: (mm), II		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA-1
Size: 12	Orientation: H	Meters: (N),H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2025	Bypass: Ames 200B 3/4" (H); Watts 719QT 3/4" (H)
Shutoffs: (mm), II		
Type: DCDA	Manufacturer: Watts	Model: 774DCDA-1
Size: 12	Orientation: VU	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Bypass: Ames 200B 3/4" (VU); Watts 719QT 3/4" (VU)
Shutoffs: (mm), II		
Type: DCDA	Manufacturer: Watts	Model: 774XDCDA
Size: 2 1/2	Orientation: H	Meters: (M),N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Sep-1996	Renewed: 10-Sep-2023	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (mm),ee,ff,gg,hh,ll,oo,	pp,tt,uu,ccc,ddd,ffff,gggg	
Type: DCDA	Manufacturer: Watts	Model: 774XDCDA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2022	Bypass: Watts 007M2QT 3/4: (H), Ames 2000B 3/4" (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,	oo,pp,tt,uu,ccc,ddd,ffff,gggg	

Type: DCDAManufacturer: WattsSize: 8Orientation: HManual: 80.25% Pb: NoApproved: 09-Sep-1992Renewed: 09-Sep-2022Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Model: 774XDCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 007M1QT 3/4" (H) Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 2 1/2 Orientation: H Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 2 1/2 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 3 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Orientation: VU Size: 3 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 4 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 4

Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2023 Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 6 Orientation: H Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 6 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 8 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Orientation: VU Size: 8 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (VU) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 10 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDABF Size: 10 Orientation: VU

Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy)

0.25% Pb: Yes **Renewed:** 08-Jan-2023

Notes: Lead free compliant version identified with NSF61 mark on meter

Model: LF757DCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Size: 2 1/2 Orientation: H Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Size: 2 1/2 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Size: 3 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Orientation: VU Size: 3 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (VU) Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Size: 4 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV

Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2023

Notes: Lead free compliant version identified with NSF61 mark on meter

Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU) Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Size: 6 Orientation: H Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Size: 6 Orientation: VU Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (VU) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Size: 8 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Orientation: VU Size: 8 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (VU) Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV Size: 10 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757DCDAGV

Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 08-Jan-2023 Model: LF757DCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (VU)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Manufacturer: Watts Model: LF757NDCDABF Size: 2 1/2 Orientation: VUVD Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757NDCDABF Size: 3 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757NDCDABF Size: 4 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757NDCDABF Orientation: VUVD Size: 6 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Manufacturer: Watts Model: LF757NDCDABF Type: DCDA Size: 8 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (yyy) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA

Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (yyy) Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023

Notes: Lead free compliant version identified with NSF61 mark on meter

Model: LF757NDCDABF Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H) Type: DCDA Manufacturer: Watts Model: LF757NDCDAGV Size: 2 1/2 Orientation: VUVD Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757NDCDAGV Size: 3 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757NDCDAGV Size: 4 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757NDCDAGV Orientation: VUVD Size: 6 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Watts Model: LF757NDCDAGV Size: 8 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF007M3QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Size: 10 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023

Notes: Lead free compliant version identified with NSF61 mark on meter

Model: LF757NDCDAGV Meters: (O) Spare Parts Only: No Bypass: Watts LF007M3QT 3/4" (H)

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,v	vvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr	nmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx,y	yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant versio	n: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
with NSF61 mark on meter		
with NSF61 mark on meter Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA Meters:
Type: DCDA Size: 2 1/2	Manufacturer: Wilkins Orientation: VU	Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Type: DCDA Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Type: DCDA Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2023	Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Type: DCDA Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (qqq),ttt,yyy,zzz,uuuu,v	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2023 vvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr	Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Type: DCDA Size: 2 1/2 Manual: 9 Approved: 22-Jun-2005 Shutoffs: (qqq),ttt,yyy,zzz,uuuu,v Type: DCDA	Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 22-Jun-2023 vvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr Manufacturer: Wilkins	Model: 350ADA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) mmmm

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,vvvv,	xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm	1

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2005	Renewed: 22-Jun-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmi	nmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2025	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz	,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,j	jjjjjj,IIIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Mar-2004	Renewed: 16-Mar-2025	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,ee	eee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,	jjjjjj,IIIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 4	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx,y	yyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant version with NSF61 mark on meter	n: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

0.25% Pb: No

Renewed: 25-Nov-2024

Manual: 9

Approved: 25-Nov-2003

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,IIIII,IIIII,mmmmmm		

Spare Parts Only: No

Bypass: Wilkins 950XLD 3/4" (H)

Notes: Lead free compliant version: Starting Serial # V39030; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2024	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffer (aga) ttt waraw vang 777		

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx	x,yyyy,kkkkk,lllll,llllll,mmmmmm	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Feb-2004	Renewed: 12-Feb-2025	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,j	jjjjj,IIIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter	x,yyyy,kkkkk,lllll,llllll,mmmmmm	ssembly Starting Serial # 3863325 and identified
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter	a,yyyy,kkkkk,IIIII,IIIII,mmmmmmm Ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm on: Starting Serial # V39030; By-pass A Manufacturer: Wilkins	ssembly Starting Serial # 3863325 and identified Model: 350ADA
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm on: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2025	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (qqq),ttt,www,yyy,zzz,	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2025 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,j	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ijjjj,IIIIII,mmmmm
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: DCDA	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm on: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2025 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,j Manufacturer: Wilkins	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ijjjj,IIIIII,mmmmm Model: 350ADA
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: DCDA Size: 8	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2025 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiiii,j Manufacturer: Wilkins Orientation: VU	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ijjjj,IIIIII,mmmmm Model: 350ADA Meters: (O), M
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: DCDA Size: 8 Manual: 9	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2025 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiiii,j Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2023	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ijjjj,IIIIII,mmmmm Model: 350ADA Meters: (O), M Spare Parts Only: No
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: DCDA Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2025 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiiii,j Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2023 x,yyyy,kkkkk,IIIII,IIIII,mmmmm	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ijjjj,IIIIII,mmmmm Model: 350ADA Meters: (O), M Spare Parts Only: No
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: DCDA Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2025 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiiii,j Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2023 x,yyyy,kkkkk,IIIII,IIIII,mmmmm	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) jjjjj,IIIIII,mmmmm Model: 350ADA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: DCDA Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter	x,yyyy,kkkkk,IIIII,IIIII,mmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2025 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiiii,j Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2023 x,yyyy,kkkkk,IIIII,IIIII,mmmmm ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) jjjjj,IIIIII,mmmmm Model: 350ADA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ssembly Starting Serial # 3863325 and identified
Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA Size: 8 Manual: 9 Approved: 12-Feb-2004 Shutoffs: (qqq),ttt,www,yyy,zzz, Type: DCDA Size: 8 Manual: 9 Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant versi with NSF61 mark on meter Type: DCDA	x,yyyy,kkkkk,IIIII,IIIII,mmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Feb-2025 eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiiii,j Manufacturer: Wilkins Orientation: VU 0.25% Pb: Yes Renewed: 18-Feb-2023 x,yyyy,kkkkk,IIIII,IIIII,mmmmm ion: Starting Serial # V39030; By-pass A Manufacturer: Wilkins	ssembly Starting Serial # 3863325 and identified Model: 350ADA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) jjjjj,IIIIII,mmmmm Model: 350ADA Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) ssembly Starting Serial # 3863325 and identified Model: 350ADA

Shutoffs: (qqq),ttt,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
with NSF61 mark on meter		
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2006	Renewed: 06-Apr-2024	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,uuuu,vvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmi	nm
Type: DCDA	Manufacturer: Wilkins	Model: 350ADA
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
•	ion: Starting Serial # V39030; By-pass A	ssembly Starting Serial # 3863325 and identified
with NSF61 mark on meter		
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2022	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu	,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mm	mmmm
Notes Integral graphed apool b	etween the #2 ck and #2 SOV - assembl	1/100 of $1/100$ or $1/100$

Type: DCDA	Manufacturer: Wilkins
Size: 2 1/2	Orientation: H
Manual: 9	0.25% Pb: Yes
Approved: 18-Feb-2014	Renewed: 18-Feb-2023

Model: 350ADAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2022	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr	nmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 34 1/4" and max. 47 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	،,yyyy,kkkkk,lllll,lllll,mmmmmm	
	•	y length: min. 34 1/4" and max. 47 1/8" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2022	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,yyy,zzz,uuuu,	vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmr	mmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 34 3/4" and max. 48 1/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
•••		y length: min. 34 3/4" and max. 48 1/8" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Approved: 16-Jun-2010 Renewed: 16-Jun-2022 Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,yyy,zzz,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 3	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 3/4" and max. 48 1/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmmmm		
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4"		

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm		
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4"		

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 4	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Chutoffor (aga) the usual same soon		

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 35 3/4" and max. 62 1/4" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIIII,mmmmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 42 1/2" and max. 71 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
	•	y length: min. 42 1/2" and max. 71 1/4" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIIII,mmmmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembly	y length: min. 42 1/2" and max. 71 1/4"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
• • •		y length: min. 42 1/2" and max. 71 1/4" and Lead ting Serial # 3863325 and identified with NSF61
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86"

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: VU	Meters:
	Chemation. VO	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmmmm		
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86"		

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 8	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm		
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8"		

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (aga) ttt www.vvv.xxx	vvvv kkkkk IIII IIIII mmmmmm	

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # E00687; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,	jjjjjj,IIIIII,mmmmmm
Notes: Integral grooved spool be	etween the #2 ck and #2 SOV - assembl	y length: min. 61 3/8" and max. 100 5/8"
Type: DCDA	Manufacturer: Wilkins	Model: 350ADAR
Size: 10	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx>	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
•••		y length: min. 61 3/8" and max. 100 5/8" and y Starting Serial # 3863325 and identified with
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 2 1/2	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2022	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjj,llllll,mr	nmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # 1458B; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA
Size: 2 1/2	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Apr-2013	Renewed: 18-Apr-2022	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiiii,jjjjjj,llllll,mr	nmmmm

Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 2 1/2 Orientation: VU Meters: (O), M 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Renewed: 18-Feb-2023 Approved: 18-Feb-2014 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Lead free compliant version: Starting Serial # 1458B; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 3 Orientation: H Meters: (N),G,H,I,J,K,L,M,O,P,Q,T 0.25% Pb: No **Manual:** 10 Spare Parts Only: No Approved: 18-Apr-2013 Renewed: 18-Apr-2022 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjj,llllll,mmmmmm Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 3 Orientation: H Meters: (O), M 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2023 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Lead free compliant version: Starting Serial # 1458B; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 3 Orientation: VU Meters: (N),G,H,I,J,K,L,M,O,P,Q,T 0.25% Pb: No **Manual:** 10 Spare Parts Only: No Approved: 18-Apr-2013 Renewed: 18-Apr-2022 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiiii,jjjjj,llllll,mmmmmm Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Orientation: VU Size: 3 Meters: (O), M 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Renewed: 18-Feb-2023 Approved: 18-Feb-2014 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Lead free compliant version: Starting Serial # 1458B; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 4 Orientation: H Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T 0.25% Pb: No **Manual:** 10 Spare Parts Only: No Approved: 18-Apr-2013 Renewed: 18-Apr-2022 Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 4 Orientation: H Meters: (O), M 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Renewed: 18-Feb-2023 Approved: 18-Feb-2014 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Lead free compliant version: Starting Serial # 1458B; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 4 Orientation: VU Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Manual: 10 0.25% Pb: No Spare Parts Only: No Approved: 18-Apr-2013 Renewed: 18-Apr-2022 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjj,llllll,mmmmmm Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 4 Orientation: VU Meters: (O), M 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2023 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Lead free compliant version: Starting Serial # 1458B; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 6 Orientation: H Meters: (N),G,H,I,J,K,L,M,O,P,Q,T 0.25% Pb: No **Manual:** 10 Spare Parts Only: No Approved: 03-Jul-2013 Renewed: 03-Jul-2022 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiiii,jjjjj,llllll,mmmmmm Type: DCDA Manufacturer: Wilkins Model: 350ASTDA Size: 6 **Orientation:** H Meters: (O), M 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Renewed: 18-Feb-2023 Approved: 18-Feb-2014 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Lead free compliant version: Starting Serial # 1458B; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350ASTDA **Size:** 6 Orientation: VU Meters: (N),G,H,I,J,K,L,M,O,P,Q,T 0.25% Pb: No **Manual:** 10 Spare Parts Only: No Approved: 03-Jul-2013 Renewed: 03-Jul-2022 Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 6	Orientation: VU	Meters: (O), M	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mm		
Notes: Lead free compliant versi with NSF61 mark on meter	ion: Starting Serial # 1458B; By-pass Ass	sembly Starting Serial # 3863325 and identified	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 8	Orientation: H	Meters: (O), M	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mn	nmmmm	
Notes: Lead free compliant versi meter	ion: By-pass Assembly Starting Serial # 3	3863325 and identified with NSF61 mark on	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 8	Orientation: VU	Meters: (O), M	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mn	nmmmm	
Notes: Lead free compliant versi meter	ion: By-pass Assembly Starting Serial # 3	3863325 and identified with NSF61 mark on	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 10	Orientation: H	Meters: (O), M	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)	
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjj,llllll,mm	nmmmm	
Notes: Lead free compliant versimeter	ion: By-pass Assembly Starting Serial # 3	3863325 and identified with NSF61 mark on	
Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDA	
Size: 10	Orientation: VU	Meters: (O), M	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)	
Shutoffs: (qqq),ttt,www,yyy.uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjj,llllll,mn	nmmm	
		2962225 and identified with NSE61 mark on	

Notes: Lead free compliant version: By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA Manufacturer: Wilkins Model: 350ASTDAR Size: 2 1/2 Orientation: H Meters: (O), M 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Renewed: 09-Oct-2023 Approved: 09-Oct-2014 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31" and max. 47 1/8" Type: DCDA Manufacturer: Wilkins Model: 350ASTDAR Size: 2 1/2 Orientation: VU Meters: (O), M **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Oct-2014 Renewed: 09-Oct-2023 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjj,llllll,mmmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31" and max. 47 1/8" Type: DCDA Manufacturer: Wilkins Model: 350ASTDAR Size: 3 Orientation: H Meters: (O), M 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 09-Oct-2014 Renewed: 09-Oct-2023 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjj,llllll,mmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31 1/2" and max. 48 1/8" Type: DCDA Manufacturer: Wilkins Model: 350ASTDAR Orientation: VU Size: 3 Meters: (O), M 0.25% Pb: Yes Manual: 10 Spare Parts Only: No Renewed: 09-Oct-2023 Approved: 09-Oct-2014 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiiii,jjjjjj,llllll,mmmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31 1/2" and max. 48 1/8" Manufacturer: Wilkins Type: DCDA Model: 350ASTDAR Size: 4 Orientation: H Meters: (O), M **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 09-Oct-2014 Renewed: 09-Oct-2023 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 32 5/8" and max. 62 1/4" Type: DCDA Manufacturer: Wilkins Model: 350ASTDAR Orientation: VU Size: 4 Meters: (O), M **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Renewed: 09-Oct-2023 Bypass: Wilkins 950XLD 3/4" (VU) Approved: 09-Oct-2014

Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 32 5/8" and max. 62 1/4"

Type: DCDA Manufacturer: Wilkins Model: 350ASTDAR Size: 6 Orientation: H Meters: (O), M 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 18-Sep-2014 Renewed: 18-Sep-2023 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 39" and max. 71 1/4" Type: DCDA Manufacturer: Wilkins Model: 350ASTDAR Size: 6 Orientation: VU Meters: (O), M **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Sep-2014 Renewed: 18-Sep-2023 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjj,llllll,mmmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 39" and max. 71 1/4" Type: DCDA Manufacturer: Wilkins Model: 350ASTDAR Size: 8 Orientation: H Meters: (O), M **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Sep-2014 Renewed: 18-Sep-2023 Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 48 3/4" and max. 86"

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 8	Orientation: VU	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed: 18-Sep-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm		
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 48 3/4" and max. 86"		

Type: DCDA	Manufacturer: Wilkins	Model: 350ASTDAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed: 18-Sep-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,lllll,mmmmmm		

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 52 5/8" and max. 100 5/8"

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 52 5/8" and max. 100 5/8"

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	Immm,nnnnnn
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	immm,nnnnnn
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 2 1/2	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	immm,nnnnn
Notes: Up to Serial # N4230		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Cinc. 0	Origentations	Meters:
Size: 3	Orientation: H	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Apr-2002	Renewed: 03-Apr-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv	,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmn	nmmm,nnnnnn
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	/y,zzz,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv	,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmn	nmmm,nnnnnn
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv	,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	ոտատ,որորոր
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 3	Orientation: VU	Meters: (O), M

Approved: 18-Feb-2014

Manual: 9

Meters: (O), M Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz,mmmmm,nnnnn

Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

0.25% Pb: Yes

Renewed: 18-Feb-2023

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	r,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Sep-1999	Renewed: 15-Sep-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn
Notes: Starting Serial # N4231; I with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2024	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2024	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Starting Serial # N4231	Ry-pass Assembly Starting Serial # 3863	325 and Lead free compliant version identified

Notes: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified with NSF61 mark on meter

Type: DCDA Size: 4	Manufacturer: Wilkins Orientation: VU	Model: 350DA Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	•	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v Notes: Up to Serial # N4230	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size : 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Oct-1999	Renewed: 18-Oct-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Up to Serial # N4230		

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Jan-2000	Renewed: 05-Jan-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,qqq,	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Starting Serial # N4231; with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	3325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 6	Orientation: VU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (VU)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2002	Renewed: 03-Jul-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,	vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Up to Serial # N4230		
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2002	Renewed: 03-Jul-2023	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjjj,kkkkkk,mmmmmm,nnnnn **Notes:** Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified with NSF61 mark on meter

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz,mmmmmm,nnnnn

Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: DCDA Manufacturer: Wilkins Model: 350DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Size: 8 Orientation: VU 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 16-Jan-2003 Renewed: 16-Jan-2024 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn Notes: Up to Serial # N4230 Type: DCDA Manufacturer: Wilkins Model: 350DA Size: 8 Orientation: VU Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: No Manual: 9 0.25% Pb: Yes Approved: 16-Jan-2003 Renewed: 16-Jan-2024 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn Notes: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350DA Size: 8 Orientation: VU Meters: (O), M Manual: 9 0.25% Pb: Yes Spare Parts Only: No Bypass: Wilkins 950XLD 3/4" (VU) Approved: 18-Feb-2014 Renewed: 18-Feb-2023 **Shutoffs:** (hh),qqq,vvv,www,yyyy,zzzz,mmmmmm,nnnnn Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350DA Size: 10 Orientation: H Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 28-Aug-2023 Bypass: Wilkins 950XLD 3/4" (H) Approved: 28-Aug-2002 Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn Notes: Up to Serial # N4230 Type: DCDA Manufacturer: Wilkins Model: 350DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Size: 10 **Orientation:** H 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 28-Aug-2002 Renewed: 28-Aug-2023 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn Notes: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified

with NSF61 mark on meter

Type: DCDA Manufacturer: Wilkins Model: 350DA Size: 10 Orientation: H Meters: (O), M Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2023 Bypass: Wilkins 950XLD 3/4" (H) **Shutoffs:** (hh),qqq,vvv,www,yyyy,zzzz,mmmmmm,nnnnn Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350DA Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Size: 10 Orientation: VU Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 14-Mar-2003 Renewed: 14-Mar-2024 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn Notes: Up to Serial # N4230 Type: DCDA Manufacturer: Wilkins Model: 350DA Size: 10 Orientation: VU Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 14-Mar-2003 **Renewed:** 14-Mar-2024 Bypass: Wilkins 950XLD 3/4" (VU) Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www,zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn Notes: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and Lead free compliant version identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350DA Size: 10 Orientation: VU Meters: (O), M 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2023 Bypass: Wilkins 950XLD 3/4" (VU) **Shutoffs:** (hh),qqq,vvv,www,yyyy,zzzz,mmmmmm,nnnnn Notes: Lead free compliant version: Starting Serial # N4231; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter Type: DCDA Manufacturer: Wilkins Model: 350DA Size: 12 Orientation: H Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Wilkins 950XLD 3/4" (H) Shutoffs: (hh),vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnn

Notes: Up to Serial # N4230

Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2024	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),ssss,tttt,vvvv,wwv	vw,yyyy,zzzz,jjjjjj,kkkkkk,mmmmmm,nnn	nnn
Notes: Starting Serial # N4231; I with NSF61 mark on meter	By-pass Assembly Starting Serial # 3863	325 and Lead free compliant version identified
Type: DCDA	Manufacturer: Wilkins	Model: 350DA
Size: 12	Orientation: H	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),vvvv,wwww,yyyy,	zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnr	าท
Notes: Lead free compliant versi with NSF61 mark on meter	on: Starting Serial # N4231; By-pass As	sembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 4	Orientation: VUVD	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Apr-2000	Renewed: 12-Apr-2024	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,j	jjjjj,IIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 4	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant version with NSF61 mark on meter	on: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 6	Orientation: VUVD	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-May-2000	Renewed: 24-May-2024	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIIII,mmmmmm

Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 6	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,mmmmmm,nnnnnn	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 8	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Aug-2004	Renewed: 03-Aug-2022	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIIII,mmmmmm
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 8	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 10	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 03-Aug-2004	Renewed: 03-Aug-2022	Bypass: Wilkins 950XLD 3/4" (H)
	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII	
Type: DCDA	Manufacturer: Wilkins	Model: 450DA
Size: 10	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,mmmmmm,nnnnnn	
Notes: Lead free compliant version with NSF61 mark on meter	ion: Starting Serial # P07372; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: DCDA	Manufacturer: Wilkins	Model: 450STDA
Size: 4	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 950XLDTCU 3/4" (H)

Type: DCDA	Manufacturer: Wilkins	Model: 450STDA
Size: 6	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 950XLDTCU 3/4" (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DCDA	Manufacturer: Wilkins	Model: 450STDA
Size: 8	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 950XLDTCU 3/4" (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DCDA	Manufacturer: Wilkins	Model: 450STDA
Size: 10	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 950XLDTCU 3/4" (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DCDA	Manufacturer: Wilkins	Model: 450STDAR
Size: 4	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DCDA	Manufacturer: Wilkins	Model: 450STDAR
Size: 6	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DCDA	Manufacturer: Wilkins	Model: 450STDAR
Size: 8	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 950XLD 3/4" (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: DCDA	Manufacturer: Wilkins	Model: 450STDAR
Size: 10	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 950XLD 3/4" (H)

Shutoffs: (kkkkk),yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmm,oooooo

Orientation: H	Meters:
0.25% Pb: No	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes
Renewed: 02-Jan-2023	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
www,yyyy,zzz	
Manufacturer: Wilkins	Model: 950DA
Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q,T
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 12-Dec-2023	Bypass: Wilkins 950XL 3/4" (VU)
www,yyyy,zzzz	
Manufacturer: Wilkins	Model: 950DA
Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 02-Jan-2023	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
www,yyyy,zzzz	
Manufacturer: Wilkins	Model: 950DA
Orientation: VU	Meters:
	(M),D,E,F,G,H,I,J,K,L,N,O,P,Q,T
	Spare Parts Only: Yes
	Bypass: Wilkins 950XL 3/4" (VU)
Manufacturer: Wilkins	Model: 950DA
	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 09-Jun-2023	Bypass: Wilkins 950XL 3/4" (H), Wilkins
	0.25% Pb: No Renewed: 02-Jan-2023 WWWW,YYYY,ZZZZ Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2023 WWWW,YYYY,ZZZZ Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Jan-2023 WWWW,YYYY,ZZZZ Manufacturer: Wilkins Orientation: VU 0.25% Pb: No Renewed: 12-Dec-2023 WWWW,YYYY,ZZZZ

Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 4	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Dec-1996	Renewed: 12-Dec-2023	Bypass: Wilkins 950XL 3/4" (VU)
Shutoffs: hh,ff,mm,uu,zz,vvvv,w	www,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jun-1993	Renewed: 09-Jun-2023	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: hh,ff,mm,uu,zz,vvvv,w	www,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 6	Orientation: VU	Meters: (M),D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Dec-1996	Renewed: 12-Dec-2023	Bypass: Wilkins 950XL 3/4" (VU)
Shutoffs: hh,ff,mm,uu,zz,vvvv,w	www,yyyy,zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 8	Orientation: H	Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Jun-1993	Renewed: 09-Jun-2023	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy.zzzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size: 8	Orientation: VU	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Dec-1996	Renewed: 12-Dec-2023	Bypass: Wilkins 950XL 3/4" (VU)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	wwww,yyyy.zzzz	

Type: DCDA	Manufacturer: Wilkins	Model: 950DA
Size : 10	Orientation: H	Meters:
		(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Jun-1994	Renewed: 23-Jun-2024	Bypass: Wilkins 950XL 3/4" (H), Wilkins 950 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,	www,yyyy.zzz	
Type: DCDA	Manufacturer: Wilkins	Model: 950XLTDA
Size: 2	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-May-2009 Shutoffs: (bbb)	Renewed: 19-May-2024	Bypass: Wilkins 350D 3/4" (H)
Type: DCDA	Manufacturer: Wilkins	Model: 950XLTDA
Size: 2	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2009	Renewed: 22-Jun-2024	Bypass: Wilkins 350D 3/4" (VU)
Shutoffs: (bbb)		
Type: DCDA	Manufacturer: Wilkins	Model: 950XLTDABF
Size: 2	Orientation: H	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-May-2009 Shutoffs: (bbbbb), ccccc,ppppp	Renewed: 19-May-2024	Bypass: Wilkins 350D 3/4" (H)
Type: DCDA	Manufacturer: Wilkins	Model: 950XLTDABF
Size: 2	Orientation: VU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-2009	Renewed: 22-Jun-2024	Bypass: Wilkins 350D 3/4" (VU)
Shutoffs: (bbbbb), ccccc,ppppp)	
Type: DCDA	Manufacturer: Wilkins	Model: DCDA
Size: 2 1/2	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Mar-1987	Renewed: 05-Mar-2023	Bypass: Wilkins 550A 3/4" (H)

Shutoffs: hh,ff,mm,uu,zz

Type: DCDA

Size: 3

Manual: 7 Approved: 05-Mar-1987 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA

Size: 4

Manual: 7 Approved: 18-May-1988 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA

Size: 6

Manual: 7 Approved: 02-Jun-1988 Shutoffs: hh,ff,mm,uu,zz

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int) Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 05-Mar-2023

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No Renewed: 18-May-2024

Manufacturer: Wilkins
Orientation: H

0.25% Pb: No Renewed: 01-Jun-2024

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: DCDA Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: DCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: DCDA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Wilkins 550A 3/4" (H)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD) Type: DCDA-II Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int) Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH) Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD) Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH) Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: DCDA-II Size: 1 1/2 Manual: 10

Approved: 31-Oct-2016

Shutoffs: (ddddd)

Type: DCDA-II Size: 1 1/2 Manual: 10

Approved: 31-Oct-2016

Shutoffs: (ddddd)

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: VU 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No

Renewed: 31-Oct-2022

Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: No Renewed: 31-Oct-2022 Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: DCDA24A Meters: (M),G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Apollo 1/2" Model CVA4A (HVD)

Model: DCDA24A Meters: (M),G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Apollo 1/2" Model CVA4A (VUH)

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA24A
Size: 2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed: 31-Oct-2022	Bypass: Apollo 1/2" Model CVA4A (HVD)
Shutoffs: (dddddd)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA24A
Size: 2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed: 31-Oct-2022	Bypass: Apollo 1/2" Model CVA4A (VUH)
Shutoffs: (dddddd)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 1 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed: 31-Oct-2022	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (eeeeee)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 1 1/2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed: 31-Oct-2022	Bypass: Apollo 1/2" Model CVALF4A (VUH)
Shutoffs: (eeeeee)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed: 31-Oct-2022	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (eeeeee)		
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 31-Oct-2016	Renewed: 31-Oct-2022	Bypass: Apollo 1/2" Model CVALF4A (VUH)
Shutoffs: (eeeeee)		

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzzz	zz,aaaaaa,xxxxxx	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 2 1/2	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (VUH)
Shutoffs: (xxxxx),yyy,yyyyy,zzz	zz,aaaaaa,xxxxxx	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzz	zz,aaaaaa,xxxxxx	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 3	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (VUH)
Shutoffs: (xxxxx),yyy,yyyyy,zzz;	zz,aaaaaa,xxxxxx	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzzz	zz,aaaaaa,xxxxxx	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 4	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (H)
		(17)

Shutoffs: (xxxxx),yyy,yyyyy,zzzz,aaaaaa,xxxxxx

Size: 6 Manual: 10 Approved: 15-Dec-2017	Orientation: H 0.25% Pb: Yes	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No
	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017		· ·
	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzzzz	z,aaaaaa,xxxxxx	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 6	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (H)
Shutoffs: (xxxxx),yyy,yyyyy,zzzzz	z,aaaaaa,xxxxxx	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 8	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzzzz	z,aaaaaa,xxxxxx	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 8	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (H)
Shutoffs: (xxxxx),yyy,yyyyy,zzzzz	z,aaaaaa,xxxxxx	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 10	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (zzzzz), zzz,cccc,dddd,	kkkk,IIII,mmmm,nnnn,xxxxx, yyyyy,aaaaaa	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4A
Size: 12	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
		Bypass: Apollo 1/2" Model CVALF4A

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AN	
Size: 10	Orientation: VUVD	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 12-Apr-2022	Renewed:	Bypass: Apollo 1/2" Model CVALF4A (HVD)	
Shutoffs: (77777) ANA 777 COCC dddd kkkk IIII mmmm ANNA YWYY AAAAA 222222			

Shutoffs: (zzzzz), yyy,zzz,cccc,dddd,kkkk,IIII,mmmm,nnnn,xxxxx, yyyyy,aaaaaaa

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AN
Size: 12	Orientation: VUVD	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2022	Renewed:	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (bbbbbb), II,mm,cccccc	;	
Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx) 777 cccc dddd l	kkkk,IIII,mmmm,nnnn,yyyyy,zzzz,aaaaaa	
· · ·		/
Notes: Integral Stainless Steel gr 1/8"	rooved spool between the #2 ck and #2 SO∖	
Notes: Integral Stainless Steel gr 1/8" Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Notes: Integral Stainless Steel gr 1/8" Type: DCDA-II Size: 2 1/2	Manufacturer: Apollo/Conbraco Orientation: VU	Model: DCDA2LF4AR Meters: (M),G,H,I,J,K,L,N,O,Q,T
Notes: Integral Stainless Steel gr 1/8" Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR Meters: (M),G,H,I,J,K,L,N,O,Q,T Spare Parts Only: Yes Bypass: Apollo 1/2" Model CVALF4A
Notes: Integral Stainless Steel gr 1/8" Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 27-Mar-2018	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 27-Mar-2024	Model: DCDA2LF4AR Meters: (M),G,H,I,J,K,L,N,O,Q,T Spare Parts Only: Yes
Notes: Integral Stainless Steel gr 1/8" Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 27-Mar-2018 Shutoffs: (xxxxx),zzz,cccc,dddd,I	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes	Model: DCDA2LF4AR Meters: (M),G,H,I,J,K,L,N,O,Q,T Spare Parts Only: Yes Bypass: Apollo 1/2" Model CVALF4A (VUH)
Notes: Integral Stainless Steel gr 1/8" Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 27-Mar-2018 Shutoffs: (xxxxx),zzz,cccc,dddd,I Notes: Integral Stainless Steel gr	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 27-Mar-2024 kkkkk,IIII,mmmm,nnnn,yyyyy,zzzzz,aaaaaa	Model: DCDA2LF4AR Meters: (M),G,H,I,J,K,L,N,O,Q,T Spare Parts Only: Yes Bypass: Apollo 1/2" Model CVALF4A (VUH)
Notes: Integral Stainless Steel gr 1/8" Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 27-Mar-2018 Shutoffs: (xxxxx),zzz,cccc,dddd,I Notes: Integral Stainless Steel gr 1/8"	Manufacturer: Apollo/Conbraco Orientation: VU 0.25% Pb: Yes Renewed: 27-Mar-2024 kkkkk,IIII,mmmm,nnnn,yyyyy,zzzz,aaaaaa rooved spool between the #2 ck and #2 SOV	Model: DCDA2LF4AR Meters: (M),G,H,I,J,K,L,N,O,Q,T Spare Parts Only: Yes Bypass: Apollo 1/2" Model CVALF4A (VUH) / - assembly length: min. 34" and max. 47

 Approved: 27-Mar-2018
 Renewed: 27-Mar-2024

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzzz,aaaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Bypass: Apollo 1/2" Model CVALF4A

(HVD)

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Size: 3	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (VUH)

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Size: 4	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (H)

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Size: 6	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffe: (xxxxx) 777 cocc dddd kkk		

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzzz,aaaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Size: 6	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (H)

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,IIII,mmmm,nnnn,yyyyy,zzzz,aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Size: 8	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Size: 8	Orientation: VU	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (H)

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: DCDA-II	Manufacturer: Apollo/Conbraco	Model: DCDA2LF4AR
Size: 10	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffer (77777) 777 0000 dddd kkkk		

Shutoffs: (zzzzz), zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,xxxxx, yyyyy,aaaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 65 3/4" and max. 100 5/8"

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 21-Dec-2024 Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD) Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 3 Manual: 10 Approved: 21-Dec-2015 Shutoffs: (int)

Type: DCDA-II Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int)

Type: DCDA-II Size: 4 Manual: 10 Approved: 30-Sep-2015 Shutoffs: (int)

Type: DCDA-II Size: 6 Manual: 10 Approved: 30-Oct-2019 Shutoffs: (int)

Type: DCDA-II Size: 6 Manual: 10 Approved: 30-Oct-2019 Shutoffs: (int) Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 21-Dec-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 21-Dec-2024

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 21-Dec-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 30-Sep-2024

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 30-Sep-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 30-Oct-2022

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2022 Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH) Type: DCDA-II Size: 8 Manual: 10 Approved: 23-Dec-2016 Shutoffs: (int)

Type: DCDA-II Size: 8 Manual: 10 Approved: 23-Dec-2016 Shutoffs: (int)

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 07-Dec-2018 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 2 1/2 Manual: 10 Approved: 07-Dec-2018 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 3 Manual: 10 Approved: 07-Dec-2018 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 3 Manual: 10 Approved: 07-Dec-2018 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 4 Manual: 10 Approved: 07-Dec-2018 Shutoffs: (ssssss), tttttt Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 23-Dec-2022

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 23-Dec-2022

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 07-Dec-2024

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 07-Dec-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 07-Dec-2024

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 07-Dec-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 07-Dec-2024 Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD) Type: DCDA-II Size: 4 Manual: 10 Approved: 07-Dec-2018 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 6 Manual: 10 Approved: 16-Jan-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 6 Manual: 10 Approved: 16-Jan-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 8 Manual: 10 Approved: 31-Jul-2018 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 8 Manual: 10 Approved: 31-Jul-2018 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 4 Manual: 10 Approved: 16-Jan-2020 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 4 Manual: 10 Approved: 16-Jan-2020 Shutoffs: (ssssss), tttttt Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 07-Dec-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 16-Jan-2023

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2023

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 31-Jul-2024

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 31-Jul-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 16-Jan-2023

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 16-Jan-2023 Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH) Type: DCDA-II Size: 6 **Manual:** 10 Approved: 31-Jul-2018 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 6 **Manual:** 10 Approved: 31-Jul-2018 Shutoffs: (ssssss), tttttt

Type: DCDA-II Size: 4 **Manual:** 10 Approved: 30-Oct-2019 Shutoffs: (int)

Type: DCDA-II Size: 4 **Manual:** 10 Approved: 30-Oct-2019 Shutoffs: (int)

Type: DCDA-II Size: 6 **Manual:** 10 Approved: 23-Dec-2016 Shutoffs: (int)

Type: DCDA-II Size: 6 **Manual:** 10 Approved: 23-Dec-2016 Shutoffs: (int)

Type: DCDA-II Size: 2 1/2 **Manual:** 10 Approved: 20-Mar-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 31-Jul-2024

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 31-Jul-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 30-Oct-2022

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 30-Oct-2022

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 23-Dec-2022

Manufacturer: Backflow Direct Orientation: VU 0.25% Pb: Yes Renewed: 23-Dec-2022

Manufacturer: Febco

Renewed: 20-Mar-2024

Orientation: H

0.25% Pb: Yes

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: Deringer 30GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH)

Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 30X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(VUH) Type: DCDA-II Manufacturer: Febco Size: 2 1/2 Orientation: VU 0.25% Pb: Yes **Manual:** 10 Renewed: 20-Mar-2024 Approved: 20-Mar-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Type: DCDA-II Manufacturer: Febco Model: LF856 Size: 3 Orientation: H Meters: (O),G,H,I,J,K,L,M,N,P,Q,T 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Renewed: 20-Mar-2024 Approved: 20-Mar-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco **Size:** 3 Orientation: VU **Manual:** 10 0.25% Pb: Yes Approved: 20-Mar-2015 Renewed: 20-Mar-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 4 Orientation: H **Manual:** 10 0.25% Pb: Yes Approved: 26-Jan-2015 Renewed: 26-Jan-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 4 Orientation: VU 0.25% Pb: Yes **Manual:** 10 Renewed: 26-Jan-2024 Approved: 26-Jan-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 6 Orientation: H 0.25% Pb: Yes Manual: 10 Approved: 13-Mar-2015 Renewed: 13-Mar-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Size: 6 **Manual:** 10 Approved: 13-Mar-2015

Manufacturer: Febco Orientation: VU 0.25% Pb: Yes Renewed: 13-Mar-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Type: DCDA-II Manufacturer: Febco Size: 8 Orientation: H 0.25% Pb: Yes **Manual:** 10 Renewed: 07-Jul-2024 Approved: 07-Jul-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 8 Orientation: VU 0.25% Pb: Yes Manual: 10 Renewed: 07-Jul-2024 Approved: 07-Jul-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 10 Orientation: H **Manual:** 10 0.25% Pb: Yes Approved: 07-Jul-2015 Renewed: 07-Jul-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA-II Size: 10 Orientation: VU **Manual:** 10 0.25% Pb: Yes Approved: 07-Jul-2015 Renewed: 07-Jul-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA-II Manufacturer: Febco Size: 2 1/2 Orientation: VUVD 0.25% Pb: Yes **Manual:** 10 Renewed: 20-Mar-2024 Approved: 20-Mar-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Orientation: VUVU Size: 2 1/2 **Manual:** 10 0.25% Pb: Yes Approved: 20-Mar-2015 Renewed: 20-Mar-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Size: 3 **Manual:** 10 Approved: 20-Mar-2015

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Mar-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF856 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Manufacturer: Febco

Type: DCDA-II Manufacturer: Febco Size: 3 Orientation: VUVU 0.25% Pb: Yes **Manual:** 10 Renewed: 20-Mar-2024 Approved: 20-Mar-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: DCDA-II Manufacturer: Febco Model: LF876V Size: 4 **Orientation: VUVD** Meters: (O),G,H,I,J,K,L,M,N,P,Q,T 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Renewed: 26-Jan-2024 Approved: 26-Jan-2015 Bypass: Watts 3/4" LF619 (HVU) Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 4 Orientation: VUVU **Manual:** 10 0.25% Pb: Yes Approved: 26-Jan-2015 Renewed: 26-Jan-2024 Bypass: Watts 3/4" LF619 (HVD) Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 6 Orientation: VUVD **Manual:** 10 0.25% Pb: Yes Approved: 26-Jan-2015 Renewed: 26-Jan-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 6 Orientation: VUVU 0.25% Pb: Yes Manual: 10 Renewed: 26-Jan-2024 Approved: 26-Jan-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Orientation: VUVD Size: 8 0.25% Pb: Yes **Manual:** 10 Approved: 07-Jul-2015 Renewed: 07-Jul-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Size: 8 **Manual:** 10 Approved: 07-Jul-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: 07-Jul-2024 Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O), J, K, L, M, N, P, Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: DCDA-II Manufacturer: Febco Size: 10 Orientation: VUVD 0.25% Pb: Yes **Manual:** 10 Renewed: 29-May-2024 Approved: 29-May-2018 Shutoffs: (mm), II, oo, pp, zzz, cccc, dddd, eeee, ffff, gggg, nnnnn

Type: DCDA-II Manufacturer: Febco Size: 10 **Orientation: VUVU** 0.25% Pb: Yes **Manual:** 10 Renewed: 29-May-2024 Approved: 29-May-2018 Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA-II Manufacturer: Febco Size: 4 Orientation: VUVD **Manual:** 10 0.25% Pb: Yes Approved: 26-Mar-2020 Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 4 Orientation: VUVU **Manual:** 10 0.25% Pb: Yes Approved: 26-Mar-2020 Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 6 Orientation: VUVD 0.25% Pb: Yes Manual: 10 Renewed: 26-Mar-2023 Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Orientation: VUVU Size: 6 0.25% Pb: Yes Manual: 10 Approved: 26-Mar-2020 Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Size: 8 **Manual:** 10 Approved: 15-May-2020

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 15-May-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Type: DCDA-II Manufacturer: Febco Size: 8 Orientation: VUVU 0.25% Pb: Yes **Manual:** 10 Renewed: 15-May-2023 Approved: 15-May-2020 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 10 **Orientation: VUVD** 0.25% Pb: Yes **Manual:** 10 Renewed: 15-May-2023 Approved: 15-May-2020 Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA-II Manufacturer: Febco Size: 10 Orientation: VUVU **Manual:** 10 0.25% Pb: Yes Renewed: 15-May-2023 Approved: 15-May-2020 Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: DCDA-II Manufacturer: Febco Size: 4 Orientation: VUVD **Manual:** 10 0.25% Pb: Yes Approved: 26-Mar-2020 Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Size: 4 Orientation: VUVU 0.25% Pb: Yes **Manual:** 10 Renewed: 26-Mar-2023 Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Manufacturer: Febco Orientation: VUVD Size: 6 0.25% Pb: Yes Manual: 10 Approved: 26-Mar-2020 Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: DCDA-II Size: 6 **Manual:** 10 Approved: 26-Mar-2020

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa Model: LF876W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF876WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: DCDA-IIManufacturer: FebcoSize: 8Orientation: VUVDManual: 100.25% Pb: YesApproved: 15-May-2020Renewed: 15-May-2023Shutoffs: (mm), II,oo,pp,zzz,ccc,dddd, eeee,ffff,gggg,nnnnn,aaaaaaa

Model: LF876WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Type: DCDA-IIManufacturer: FebcoModel: LF876WZSize: 8Orientation: VUVUMeters: (O),G,H,I,J,K,L,M,N,P,Q,TManual: 100.25% Pb: YesSpare Parts Only: NoApproved: 15-May-2020Renewed: 15-May-2023Bypass: Watts 3/4" LF619 (HVD)Shutoffs: (mm), II,oo,pp,zzz,cccc,ddd,eeee,ffff,gggg,nnnnn,aaaaaaaStatts 3/4" LF619 (HVD)

Type: DCDA-IIManufacturer: FebcoSize: 10Orientation: VUVDManual: 100.25% Pb: YesApproved: 15-May-2020Renewed: 15-May-2023Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: DCDA-II
 Manufacturer: Febco

 Size: 10
 Orientation: VUVU

 Manual: 10
 0.25% Pb: Yes

 Approved: 15-May-2020
 Renewed: 15-May-2023

 Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: PVB Size: 3/4 Manual: 8 Approved: 06-Apr-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames Orientation: VUH 0.25% Pb: No 5-May-1993 Renewed: 25-May-2023

Approved: 25-May-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: PVB

Manual: 8

Size: 1

Type: PVB Size: 1 1/2 Manual: 8 Approved: 21-Jun-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Ames Orientation: VUH 0.25% Pb: No Renewed: 21-Jun-2023

Manufacturer: Ames

Renewed: 06-Apr-2023

Orientation: VUH

0.25% Pb: No

Model: LF876WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF876WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: A200 Meters: Spare Parts Only: Yes Bypass:

Model: A200 Meters: Spare Parts Only: Yes Bypass:

Model: A200 Meters: Spare Parts Only: Yes Bypass:

Type: PVB	Manufacturer: Ames	Model: A200
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050302
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Sep-1991	Renewed: 06-Sep-2024	Bypass:
Shutoffs: dd		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050402
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Sep-1991	Renewed: 06-Sep-2024	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050502
Size: 1	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Sep-1991	Renewed: 06-Sep-2024	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050602
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Dec-1993	Renewed: 01-Dec-2023	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050702
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Dec-1993	Renewed: 01-Dec-2023	Bypass:
Shutoffs: (dd)		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: 4050802
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Dec-1993	Renewed: 01-Dec-2023	Bypass:
Shutoffs: (dd)		

Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang		Dypuss.
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to PVB4V	
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4A
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Nov-2010	Renewed: 18-Nov-2022	Bypass:
Shutoffs: (iiiii),sssss		

Type: PVB Size: 3/4 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss Type: PVB Size: 1 Manual: 9 Approved: 18-Nov-2010 Shutoffs: (iiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2022 Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2022	Model: PVB4A Meters: Spare Parts Only: No Bypass: Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 1/4 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 27-Apr-2023	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1 1/2 Manual: 9 Approved: 27-Apr-2011 Shutoffs: (iiiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 27-Apr-2023	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 2 Manual: 9 Approved: 30-Jan-2012 Shutoffs: (iiiiii),sssss	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 30-Jan-2024	Model: PVB4A Meters: Spare Parts Only: No Bypass:
Type: PVB Size: 1/2 Manual: 9 Approved: 23-Sep-1999 Shutoffs: (dd) Notes: formerly PVB	Manufacturer: Apollo/Conbraco Orientation: VUH 0.25% Pb: No Renewed: 23-Sep-2023	Model: PVB4V Meters: Spare Parts Only: Yes Bypass:

Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Sep-1999	Renewed: 23-Sep-2023	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Sep-1999	Renewed: 23-Sep-2023	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: Apollo/Conbraco	Model: PVB4V
Size: 2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jun-2003	Renewed: 18-Jun-2024	Bypass:
Shutoffs: (dd)		
Notes: formerly PVB		
Type: PVB	Manufacturer: ARI	Model: VB-501
Size: 1/2	Orientation: VUH	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Sep-2018	Renewed: 06-Sep-2024	Bypass:
Shutoffs: (int)		-,

Shutoffs: (int)

Type: PVB	Manufacturer: ARI	Model: VB-501
Size: 3/4	Orientation: VUH	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Jun-2018	Renewed: 13-Jun-2024	Bypass:
Shutoffs: (int)		
Type: PVB	Manufacturer: ARI	Model: VB-501
Size: 1	Orientation: VUH	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Jun-2018	Renewed: 13-Jun-2024	Bypass:
Shutoffs: (int)		
Type: PVB	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 26-Mar-2025	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 3/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 26-Mar-2025	Bypass:
Shutoffs: (ii),fff,jjj,ooo,xxx		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1	Orientation: VUH	Meters:
Manual: 5	0.25% Pb : No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 26-Mar-2025	Bypass:
Shutoffs: (ii),fff,jjj,ooo,xxx		
Type: PVB	Manufacturer: Febco	Model: 765
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974	Renewed: 26-Mar-2025	Bypass:
Shutoffs: (ii),fff,jjj,ooo		

Type: PVB Size: 1 1/2 Manual: 5 Approved: 26-Mar-1974 Shutoffs: (ii),fff,jjj,000,xxx	Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 26-Mar-2025	Model: 765 Meters: Spare Parts Only: No Bypass:
Type: PVB	Manufacturer: Febco	Model: 765
Size: 2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Mar-1974 Shutoffs: (ii),fff,ooo,xxx	Renewed: 26-Mar-2025	Bypass:
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006 Shutoffs: (vv), xx,pppp,rrrrr	Renewed: 01-Aug-2024	Bypass:
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006 Shutoffs: (vv), xx,pppp,rrrrr	Renewed: 01-Aug-2024	Bypass:
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006 Shutoffs: (vv), xx,pppp,rrrrr	Renewed: 01-Aug-2024	Bypass:
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006 Shutoffs: (vv), xx,pppp,rrrrr	Renewed: 01-Aug-2024	Bypass:
	Manufacture E. I	
Type: PVB	Manufacturer: Febco	Model: 767-FR
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes Burges:
Approved: 01-Aug-2006 Shutoffs: (vv), xx,pppp,rrrrr	Renewed: 01-Aug-2024	Bypass:

Type: PVB Manufacturer: Febco Model: 767-FR Size: 2 Orientation: VUH Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 01-Aug-2006 Renewed: 01-Aug-2024 Bypass: Shutoffs: (vv), xx,pppp,rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 1/2 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 04-May-2022 Approved: 04-May-2010 Bypass: Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 3/4 Orientation: VUH Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2022 Bypass: Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 1 Orientation: VUH Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2022 **Bypass:** Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 1 1/4 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2022 Bypass: Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 1 1/2 Orientation: VUH Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 04-May-2010 Renewed: 04-May-2022 **Bypass:** Shutoffs: (hhhh),rrrrr Type: PVB Manufacturer: Febco Model: LF767FR Size: 2 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 04-May-2022 Approved: 04-May-2010 Bypass: Shutoffs: (hhhh),rrrrr

Type: PVB Manufacturer: Neptune Model: Size: **Orientation:** Meters: 0.25% Pb: No Spare Parts Only: No Manual: **Renewed:** Approved: Bypass: Notes: See Wilkins Type: PVB Manufacturer: Watts Model: 800CMQT Size: 1/2 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 18-Jul-2022 Approved: 18-Jul-1989 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800CMQT Size: 3/4 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 18-Jul-1989 **Renewed:** 18-Jul-2022 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800M2QT Size: 1/2 Orientation: VUH Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Jul-1991 Renewed: 09-Jul-2024 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800M2QT Size: 3/4 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 09-Jul-1991 **Renewed:** 09-Jul-2024 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800M2QT Size: 1 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 09-Jul-1991 Renewed: 09-Jul-2024 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800M2QT Size: 1 1/4 Orientation: VUH Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 25-Mar-1993 Renewed: 25-Mar-2023 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp

Type: PVB Manufacturer: Watts Model: 800M2QT Size: 1 1/2 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 25-Mar-1993 Renewed: 25-Mar-2023 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800M2QT Size: 2 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 25-Mar-1993 Renewed: 25-Mar-2023 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800M3QT Size: 1/2 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 24-Feb-1992 Renewed: 24-Feb-2025 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800M3QT Size: 3/4 Orientation: VUH Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 24-Feb-1992 Renewed: 24-Feb-2025 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: PVB Manufacturer: Watts Model: 800M4FR Size: 1/2 Orientation: VUH Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 12-May-1998 Renewed: 12-May-2022 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: PVB Manufacturer: Watts Model: 800M4FR Size: 3/4 Orientation: VUH Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 12-May-1998 Renewed: 12-May-2022 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: PVB Manufacturer: Watts Model: 800M4FR Size: 1 Orientation: VUH Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 01-Sep-1995 Renewed: 01-Sep-2022 Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: PVB Manufacturer: Watts Model: 800M4FR Size: 1 1/4 Orientation: VUH Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 13-May-2024 Approved: 13-May-1997 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: PVB Manufacturer: Watts Model: 800M4FR Size: 1 1/2 Orientation: VUH Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 13-May-2024 Approved: 13-May-1997 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: PVB Manufacturer: Watts Model: 800M4FR Size: 2 Orientation: VUH Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Approved: 13-May-1997 Renewed: 13-May-2024 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: PVB Manufacturer: Watts Model: 800M4QT Size: 1/2 Orientation: VUH Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 06-Sep-1993 Renewed: 06-Sep-2023 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: PVB Manufacturer: Watts Model: 800M4QT Size: 3/4 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 06-Apr-1993 Renewed: 06-Apr-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: PVB Manufacturer: Watts Model: 800M4QT Size: 1 Orientation: VUH Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Approved: 25-May-1993 Renewed: 25-May-2023 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Watts Model: 800M4QT Type: PVB Size: 1 1/4 Orientation: VUH Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 24-May-1994 Renewed: 24-May-2024 Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993	Renewed: 21-Jun-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		2,5400.
Type: PVB	Manufacturer: Watts	Model: 800M4QT
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Jun-1993	Renewed: 21-Jun-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: PVB	Manufacturer: Watts	Model: 800MQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2022	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800MQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1989	Renewed: 18-Jul-2022	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 3/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2023	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 1	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2023	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: PVB	Manufacturer: Watts	Model: 800QT
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Feb-1978	Renewed: 14-Feb-2023	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: PVB Size: 1 1/2 Manual: 5 Approved: 14-Feb-1978 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: PVB

Manual: 5

Type: PVB

Size: 1/2

Manual: 9

Approved: 14-Feb-1978

Shutoffs: vv,xx,ooo,hhhh,pppp

Size: 2

Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 14-Feb-2023

Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 14-Feb-2023

> Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 05-Dec-2023

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025 Model: 800QT Meters: Spare Parts Only: Yes Bypass:

Model: 800QT Meters: Spare Parts Only: Yes Bypass:

Model: LF800M4FR Meters: Spare Parts Only: No Bypass:

Type: PVB Size: 3/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Approved: 12-Jan-2010

Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 Manual: 9 Approved: 05-Dec-2014 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr Type: PVB Size: 2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 3/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 Manual: 9 Approved: 05-Dec-2014 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/4 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 1 1/2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr

Type: PVB Size: 2 Manual: 9 Approved: 12-Jan-2010 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 05-Dec-2023

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025

Manufacturer: Watts Orientation: VUH 0.25% Pb: Yes Renewed: 12-Jan-2025 Model: LF800M4FR Meters: Spare Parts Only: No Bypass:

Model: LF800M4QT Meters: Spare Parts Only: No Bypass:

Type: PVB	Manufacturer: Wilkins	Model: 420
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2023	Bypass:
Shutoffs: (ii),000		
Type: PVB	Manufacturer: Wilkins	Model: 420
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Jul-1999	Renewed: 17-Jul-2023	Bypass:
Shutoffs: (ii),000		
Type: PVB	Manufacturer: Wilkins	Model: 420
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2000	Renewed: 29-Sep-2024	Bypass:
Shutoffs: (ii),000		
Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: PVB	Manufacturer: Wilkins	Model: 420XL
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 03-Aug-2011	Renewed: 03-Aug-2023	Bypass:
Shutoffs: (iiii)		
	aded End or 45 degree male SAE flare	

Type: PVB	Manufacturer: Wilkins	Model: 710
Size: 3/4	Orientation: VUH	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2020	Renewed: 16-Jan-2023	Bypass:
Shutoffs: (000)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: PVB	Manufacturer: Wilkins	Model: 710
Size: 1	Orientation: VUH	Meters:
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jan-2020	Renewed: 16-Jan-2023	Bypass:
Shutoffs: (000)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2023	Bypass:
Shutoffs: (ii),000		
• •		n the body to the shutoff valves. Testcocks
Female Threaded End or 45 deg	ree male SAE flare.	
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 3/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2023	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No	. T00001 the test cocks were moved from	n the body to the shutoff valves. Testcocks

Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2023	Bypass:

Shutoffs: (ii),000

Notes: Beginning with Serial No. T00001 the test cocks were moved from the body to the shutoff valves. Testcocks: Female Threaded End or 45 degree male SAE flare.

Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1 1/4	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2023	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	T00001 the test cocks were moved from	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Aug-1978	Renewed: 28-Aug-2023	Bypass:
Shutoffs: (ii),000		
Notes: Beginning with Serial No.	T00001 the test cocks were moved from	n the body to the shutoff valves.
Type: PVB	Manufacturer: Wilkins	Model: 720A
Size: 2	Orientation: VUH	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: No
		Dunaaa
Approved: 28-Aug-1978	Renewed: 28-Aug-2023	Bypass:
Approved: 28-Aug-1978 Shutoffs: (ii),000	Renewed: 28-Aug-2023	Bypass:
Shutoffs: (ii),000	Renewed: 28-Aug-2023 T00001 the test cocks were moved fron	
Shutoffs: (ii),000 Notes: Beginning with Serial No.		
Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP	T00001 the test cocks were moved from	n the body to the shutoff valves.
Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2	T00001 the test cocks were moved from Manufacturer: Ames	n the body to the shutoff valves. Model: 4000B
Shutoffs: (ii),ooo Notes: Beginning with Serial No. Type: RP	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H	n the body to the shutoff valves. Model: 4000B Meters:
Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,000,hhhh,pppp Notes: Previously Approved 8th	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No
Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,000,hhhh,pppp Notes: Previously Approved 8th	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023 ,rrrrr Ed. (26 May 1993)	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,000,hhhh,pppp Notes: Previously Approved 8th	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023 ,rrrrrr Ed. (26 May 1993) Manufacturer: Ames	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B
Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,000,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H	h the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters:
Shutoffs: (ii),000 Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,000,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023 ,rrrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2022	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No
Shutoffs: (ii),ooo Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023 ,rrrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2022	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No
Shutoffs: (ii),ooo Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2022 ,rrrrr	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),ooo Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2022 ,rrrrr Manufacturer: Ames	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B
Shutoffs: (ii),ooo Notes: Beginning with Serial No. Type: RP Size: 1/2 Manual: 9 Approved: 10-Sep-1996 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Previously Approved 8th Type: RP Size: 3/4 Manual: 8 Approved: 31-Oct-1992 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1	T00001 the test cocks were moved from Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 10-Sep-2023 ,rrrrr Ed. (26 May 1993) Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 31-Oct-2022 ,rrrrr Manufacturer: Ames Orientation: H	n the body to the shutoff valves. Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No Bypass: Model: 4000B Meters: Spare Parts Only: No

Type: RP	Manufacturer: Ames	Model: 4000B
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 4000B
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 4000B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Sep-2009	Renewed: 01-Sep-2024	Bypass:
Shutoffs: (eeeee)		
Type: RP	Manufacturer: Ames	Model: 4000B-FP
	Orientation: H	Meters:
Size: 1 1/4		
Size: 1 1/4 Manual: 9	0.25% Pb: No	Spare Parts Only: No
	0.25% Pb: No Renewed: 01-Sep-2024	Spare Parts Only: No Bypass:

Type: RP Size: 1 1/2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee) Notes: Model Designation Changed to 4000BM2-FP

Type: RP Manufacturer: Ames **Size:** 2 Orientation: H Manual: 9 0.25% Pb: No Approved: 01-Sep-2009 Renewed: 01-Sep-2024 Shutoffs: (eeeee) Notes: Model Designation Changed to 4000BM2-FP

Type: RP Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 1 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee),uuuuuu

Type: RP Size: 1 1/4 Manual: 9 Approved: 15-Mar-2018 Shutoffs: (eeeee),uuuuuu Notes: formerly Mod 4000B-FP

Type: RP Size: 1 1/2 Manual: 9 Approved: 15-Mar-2018 Shutoffs: (eeeee),uuuuuu Notes: formerly Mod 4000B-FP

Orientation: H 0.25% Pb: No Renewed: 15-Mar-2024

Manufacturer: Ames

Model: 4000BM2-FP Meters: Spare Parts Only: No Bypass:

Model: 4000B-FP Meters: Spare Parts Only: No Bypass:

Model: 4000B-FP Meters: Spare Parts Only: No Bypass:

Model: 4000BM2 Meters: Spare Parts Only: No Bypass:

Model: 4000BM2-FP Meters: Spare Parts Only: No Bypass:

Model: 4000BM2-FP Meters: Spare Parts Only: No Bypass:

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2024

Manufacturer: Ames

Renewed: 18-May-2022

Manufacturer: Ames

Renewed: 01-Sep-2024

Manufacturer: Ames

Renewed: 15-Mar-2024

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Type: RP Size: 2 Manual: 9 Approved: 15-Mar-2018 Shutoffs: (eeeee),uuuuuu Notes: formerly Mod 4000B-FP

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 15-Mar-2024

Manufacturer: Ames

Renewed: 27-Mar-2023

Orientation: H

0.25% Pb: No

Model: 4000BM2-FP Meters: Spare Parts Only: No Bypass:

Type: RP Size: 3/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 2 1/2 Manual: 7 Approved: 07-Jul-2000 **Shutoffs:** (oo),gg,hh,ll,mm,pp,tt,uu

Type: RP Size: 3 Manual: 7 Approved: 07-Jul-2000 **Shutoffs:** (oo),gg,hh,ll,mm,pp,tt,uu

Type: RP

Manual: 6

Size: 4

Manufacturer: Ames Orientation: H 0.25% Pb: No

Renewed: 07-Jul-2024 Manufacturer: Ames

Orientation: H 0.25% Pb: No Renewed: 19-Jun-2024 Model: 4000BM3 Meters: Spare Parts Only: No Bypass:

Model: 4000BM3-FP Meters: Spare Parts Only: Yes **Bypass:**

Model: 4000CIV Meters: Spare Parts Only: Yes **Bypass:**

Model: 4000CIV Meters: Spare Parts Only: Yes Bypass:

Model: 4000CIV Meters: Spare Parts Only: Yes Bypass:

Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee

Approved: 19-Jun-2000

Manufacturer: Ames **Orientation:** H 0.25% Pb: No Renewed: 07-Jul-2024

Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 01-Sep-2024 Type: RP Model: 4000CIV Manufacturer: Ames Size: 6 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 6 Approved: 19-Jun-2000 Renewed: 19-Jun-2024 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,eee Type: RP Manufacturer: Ames Model: 4000CIV Size: 8 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 19-Jun-2000 Renewed: 19-Jun-2024 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu Type: RP Manufacturer: Ames Model: 4000CIV Size: 10 **Orientation:** H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 19-Jun-2000 Renewed: 19-Jun-2024 Bypass: Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu Type: RP Manufacturer: Ames Model: 4000RP Size: 4 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Approved: 13-Oct-1987 Renewed: 13-Oct-2023 **Bypass:** Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model RP Type: RP Manufacturer: Ames Model: 4000RP Size: 6 Orientation: H Meters: Spare Parts Only: Yes Manual: 7 0.25% Pb: No Approved: 13-Oct-1987 Renewed: 13-Oct-2023 Bypass: Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model RP Type: RP Manufacturer: Ames Model: 4000RP Size: 8 Orientation: H Meters: Manual: 7 0.25% Pb: No Spare Parts Only: Yes Renewed: 13-Oct-2023 Approved: 13-Oct-1987 Bypass:

Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg

Notes: formerly Model RP

Type: RP Manufacturer: Ames Size: 10 Orientation: H Manual: 7 0.25% Pb: No Approved: 13-Oct-1987 Renewed: 13-Oct-2023 Shutoffs: (tt),ee,ff,gg,hh,ll,mm,oo,pp,uu,ccc,ddd,ffff,gggg Notes: formerly Model RP

Type: RP Manufacturer: Ames Size: 2 1/2 Orientation: H Manual: 8 0.25% Pb: No Approved: 15-Apr-1994 Renewed: 15-Apr-2024 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: RP Size: 2 1/2 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg

Type: RP Manufacturer: Ames Size: 3 **Orientation:** H 0.25% Pb: No Manual: 8 Approved: 15-Apr-1994 Renewed: 15-Apr-2024 **Shutoffs:** (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Type: RP Size: 3 Manual: 8 Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg

Type: RP

Manual: 8

Size: 4

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 15-Apr-2024

Manufacturer: Ames

Renewed: 15-Apr-2024

Orientation: H

0.25% Pb: Yes

Manufacturer: Ames Orientation: H 0.25% Pb: No Approved: 15-Apr-1994 Renewed: 15-Apr-2024

Shutoffs: (tt),ee,ff,gg,hh,pp,uu,ccc,ddd

Model: 4000RP Meters: Spare Parts Only: Yes Bypass:

Model: 4000SS Meters: Spare Parts Only: No **Bypass:**

Model: 4000SS Meters: Spare Parts Only: No Bypass:

Model: 4000SS Meters: Spare Parts Only: No **Bypass:**

Model: 4000SS Meters: Spare Parts Only: No Bypass:

Model: 4000SS Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2024	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2024	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	cc,ddd	
Type: RP	Manufacturer: Ames	Model: 4000SS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Sep-1997	Renewed: 22-Sep-2024	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: RP	Manufacturer: Ames	Model: 400B
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,	rrrr	

Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv) xx ooo hhhh pppp rrrrr		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Sep-2006	Renewed: 05-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Ames	Model: 400B-Z
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP Size: 1 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

 Type: RP
 Manufacturer: Ames

 Size: 2
 Orientation: VUVU

 Manual: 9
 0.25% Pb: No

 Approved: 20-Jun-2006
 Renewed: 20-Jun-2024

 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RPManufacturer: AmesSize: 2 1/2Orientation: HManual: 90.25% Pb: NoApproved: 07-Oct-2002Renewed: 07-Oct-2023Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnNotes: Check valve discs may be black EPDM or orange Silicone

Manufacturer: Ames

Renewed: 20-Jun-2024

Orientation: VUVU

0.25% Pb: No

Type: RPManufacturer: AmesSize: 2 1/2Orientation: HManual: 90.25% Pb: YesApproved: 07-Oct-2002Renewed: 07-Oct-2023Shutoffs: zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnnNotes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 3Orientation: HManual: 90.25% Pb: NoApproved: 07-Oct-2002Renewed: 07-Oct-2023Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Notes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 3Orientation: HManual: 90.25% Pb: YesApproved: 07-Oct-2002Renewed: 07-Oct-2023Shutoffs: zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnnNotes: Check valve discs may be black EPDM or orange Silicone

Model: 400B-Z Meters: Spare Parts Only: Yes Bypass:

Model: 400B-Z Meters: Spare Parts Only: Yes Bypass:

Model: Colt 400 Meters: Spare Parts Only: No Bypass:

Model: Colt 400 Meters: Spare Parts Only: No Bypass:

Model: Colt 400 Meters: Spare Parts Only: No Bypass:

Model: Colt 400 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทททท	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทุกทุก	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Sep-2004	Renewed: 29-Sep-2022	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2022	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทุกทุก	
Type: RP	Manufacturer: Ames	Model: Colt 400
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2022	Bypass:

Type: RPManufacturer: AmesSize: 10Orientation: HManual: 90.25% Pb: NoApproved: 22-Jul-2009Renewed: 22-Jul-2024Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb,nnnn

Type: RPManufacturer: AmesSize: 10Orientation: HManual: 90.25% Pb: YesApproved: 22-Jul-2009Renewed: 22-Jul-2024Shutoffs: zzz,cccc,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RPManufacturer: AmesSize: 4Orientation: HManual: 90.25% Pb: YesApproved: 17-Sep-2007Renewed: 17-Sep-2022Shutoffs: (yyy)Shutoffs: Check valve discs may be black EPDM or orange Silicone

Manufacturer: Ames

Renewed: 17-Sep-2022

Orientation: H

0.25% Pb: Yes

Type: RP Size: 6 Manual: 9 Approved: 17-Sep-2007 Shutoffs: (yyy)

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVDManual: 90.25% Pb: NoApproved: 14-Apr-2003Renewed: 14-Apr-2024Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnnNotes: Check valve discs may be black EPDM or orange Silicone

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVDManual: 90.25% Pb: YesApproved: 14-Apr-2003Renewed: 14-Apr-2024Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnNotes: Check valve discs may be black EPDM or orange Silicone

Model: Colt 400 Meters: Spare Parts Only: No Bypass:

Model: Colt 400 Meters: Spare Parts Only: No Bypass:

Model: Colt 400BF Meters: Spare Parts Only: No Bypass:

Model: Colt 400BF Meters: Spare Parts Only: No Bypass:

Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	ıgg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	ıgg,kkkk,IIII,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
	Manufacturer: Ames Orientation: VUVU	Model: Colt 400N Meters:
Size: 3		
Size: 3 Manual: 9	Orientation: VUVU	Meters:
Type: RP Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,gg	Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024	Meters: Spare Parts Only: No

Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าททท	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทททท	
	nnnnn e black EPDM or orange Silicone	
		Model: Colt 400N
Notes: Check valve discs may be	e black EPDM or orange Silicone	Model: Colt 400N Meters:
Notes: Check valve discs may be Type: RP Size: 4	e black EPDM or orange Silicone Manufacturer: Ames	
Notes: Check valve discs may be	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU	Meters:
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024	Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024	Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,IIII,mmmm,nnnn	Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,Illl,mmmm,nnnn e black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass:
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 6	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames	Meters: Spare Parts Only: No Bypass: Model: Colt 400N
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,Illl,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: Colt 400N Meters:
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 6 Manual: 9	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2022	Meters: Spare Parts Only: No Bypass: Model: Colt 400N Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nr	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2022	Meters: Spare Parts Only: No Bypass: Model: Colt 400N Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nr Type: RP	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2022	Meters: Spare Parts Only: No Bypass: Model: Colt 400N Meters: Spare Parts Only: No Bypass:
Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 15-Nov-2010	e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,IIII,mmmm,nnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 15-Nov-2022 mnn Manufacturer: Ames	Meters: Spare Parts Only: No Bypass: Model: Colt 400N Meters: Spare Parts Only: No Bypass: Model: Colt 400N

Type: RP Size: 6 Manual: 9 Approved: 26-Jul-2021 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 26-Jul-2024 Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Colt 400N
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn	

Type: RPManufacturer: AmesSize: 8Orientation: VUVDManual: 90.25% Pb: YesApproved: 14-Jun-2013Renewed: 14-Jun-2022Shutoffs: (yyy), zzz, dddd, eeee, gggg, kkkk, IIII, mmmm, nnnn

 Type: RP
 Manufacturer: Ames

 Size: 8
 Orientation: VUVU

 Manual: 9
 0.25% Pb: Yes

 Approved: 26-Jul-2021
 Renewed: 26-Jul-2024

 Shutoffs: (yyy), zzz, dddd, eeee, gggg, kkkk, IIII, mmmm, nnnn

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVDManual: 90.25% Pb: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnnVotes: Check valve discs may be black EPDM or orange Silicone

Model: Colt 400N Meters: Spare Parts Only: No

Bypass:

Model: Colt 400N Meters: Spare Parts Only: No Bypass:

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Type: RPManufacturer: AmesSize: 2 1/2Orientation: VUVDManual: 90.25% Pb: YesApproved: 26-Jul-2021Renewed: 26-Jul-2024Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnNotes: Check valve discs may be black EPDM or orange Silicone

Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,n	าทททท	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,n	าทททท	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
51		
	Orientation: VUVD	Meters:
Size: 3	Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No
Size: 3 Manual: 9		
Size: 3 Manual: 9 Approved: 26-Jul-2021	0.25% Pb: Yes Renewed: 26-Jul-2024	Spare Parts Only: No
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg	0.25% Pb: Yes Renewed: 26-Jul-2024	Spare Parts Only: No
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,llll,mmmm,nnnn	Spare Parts Only: No
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,llll,mmmm,nnnn e black EPDM or orange Silicone	Spare Parts Only: No Bypass:
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 3	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames	Spare Parts Only: No Bypass: Model: Colt 400Z
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 3 Manual: 9	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,llll,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU	Spare Parts Only: No Bypass: Model: Colt 400Z Meters:
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,llll,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2024	Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,n	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,llll,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2024	Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,n Notes: Check valve discs may be	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,llll,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2024	Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,n Notes: Check valve discs may be	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,llll,mmmm,nnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2024	Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No Bypass:
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,n	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,llll,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2024 nnnnn e black EPDM or orange Silicone Manufacturer: Ames	Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No Bypass: Model: Colt 400Z
Size: 3 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,ggg Notes: Check valve discs may be Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,n Notes: Check valve discs may be Type: RP Size: 3	0.25% Pb: Yes Renewed: 26-Jul-2024 gg,kkkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2024 nnnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU	Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Model: Colt 400Z

Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb	,nnnnn	
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,go	ggg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may l	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Ames	Model: Colt 400Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
		Bypaca
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb	•	bypass.
Shutoffs: (ppp),qqq,aaaa,bbbb	•	bypass.
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b	,nnnnn	Model: Colt 400Z
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b	nnnnn oe black EPDM or orange Silicone	
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4	nnnnn be black EPDM or orange Silicone Manufacturer: Ames	Model: Colt 400Z
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9	nnnnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU	Model: Colt 400Z Meters:
Shutoffs: (ppp),qqq,aaaa,bbbb	nnnnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024	Model: Colt 400Z Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg	nnnnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024	Model: Colt 400Z Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b	nnnnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024 ggg,kkkk,IIII,mmmm,nnnn	Model: Colt 400Z Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b	nnnnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024 ggg,kkkk,IIII,mmmm,nnnn be black EPDM or orange Silicone	Model: Colt 400Z Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b Type: RP Size: 8	nnnnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024 ggg,kkkk,IIII,mmmm,nnnn be black EPDM or orange Silicone Manufacturer: Ames	Model: Colt 400Z Meters: Spare Parts Only: No Bypass: Model: Colt 400Z
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg	Annnn De black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024 ggg,kkkk,IIII,mmmm,nnnn De black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD	Model: Colt 400Z Meters: Spare Parts Only: No Bypass: Model: Colt 400Z Meters:
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b Type: RP Size: 8 Manual: 9	Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024 ggg,kkkk,IIII,mmmm,nnnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024	Model: Colt 400Z Meters: Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b Type: RP Size: 8 Manual: 9 Approved: 26-Jul-2021 Shutoffs: ppp, qqq, aaaa, bbbb	Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024 ggg,kkkk,IIII,mmmm,nnnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024	Model: Colt 400Z Meters: Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b Type: RP Size: 8 Manual: 9 Approved: 26-Jul-2021 Shutoffs: ppp, qqq, aaaa, bbbb	Annnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024 ggg,kkkk,IIII,mmmm,nnnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024	Model: Colt 400Z Meters: Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b Type: RP Size: 8 Manual: 9 Approved: 26-Jul-2021	Annnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024 ggg,kkkk,IIII,mmmm,nnn be black EPDM or orange Silicone Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024	Model: Colt 400Z Meters: Spare Parts Only: No Bypass: Model: Colt 400Z Meters: Spare Parts Only: No Bypass: Model: Colt 400Z

Type: RP Size: 8 Manual: 9 Approved: 14-Jun-2013 Shutoffs: ppp, qqq, aaaa, bbbb, Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Jun-2022 Model: Colt 400Z Meters: Spare Parts Only: No Bypass:

Type: RPManufacturer: AmesModel: Colt 400ZSize: 8Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Jun-2013Renewed: 14-Jun-2022Bypass:Shutoffs: (yyy), zzz, dddd, eeee, gggs, kkkk, IIII, mmm, nnnnState State Sta

Type: RP Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: RP Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: RP Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: RP Size: 6 Manual: 10 Approved: 03-Aug-2022 Shutoffs: (int)

Type: RP Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int) Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: Deringer 40 Meters: Spare Parts Only: No Bypass:

Model: Deringer 40 Meters: Spare Parts Only: No Bypass:

Model: Deringer 40 Meters: Spare Parts Only: No Bypass:

Model: Deringer 40 Meters: Spare Parts Only: No Bypass:

Model: Deringer 40 Meters: Spare Parts Only: No Bypass: Type: RP Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: RP Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: RP Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: RP Size: 6 Manual: 10 Approved: 01-Oct-2024 Shutoffs: (ssssss), tttttt

Type: RP Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: RP Size: 4 Manual: 10 Approved: 01-Oct-2024 Shutoffs: (ssssss), tttttt

Type: RP Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: Deringer 40G Meters: Spare Parts Only: No Bypass:

Model: Deringer 40G Meters: Spare Parts Only: No Bypass:

Model: Deringer 40G Meters: Spare Parts Only: No Bypass:

Model: Deringer 40G Meters: Spare Parts Only: No Bypass:

Model: Deringer 40G Meters: Spare Parts Only: No Bypass:

Model: Deringer 40GX Meters: Spare Parts Only: No Bypass:

Model: Deringer 40GX Meters: Spare Parts Only: No Bypass: Type: RP Size: 4 Manual: 10 Approved: 03-Aug-2022 Shutoffs: (int)

Type: RP Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: RP Size: 1/2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 1 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 1 1/4 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP Size: 2 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh) Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022 Model: Deringer 40X Meters: Spare Parts Only: No Bypass:

Model: Deringer 40X Meters: Spare Parts Only: No Bypass:

Model: LF4000B Meters: Spare Parts Only: No Bypass:

Model: LF4000BM2 Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: RP **Size:** 2 Manual: 9 Approved: 12-Mar-2019 Shutoffs: (eeeee),uuuuuu

Type: RP Size: 3/4 Manual: 9 Approved: 25-Sep-2013 Shutoffs: (hhhh)

Type: RP

Size: 2 1/2

Manual: 9

Renewed: 12-Mar-2025 Manufacturer: Ames

Orientation: H 0.25% Pb: Yes Renewed: 25-Sep-2022

Manufacturer: Ames

Renewed: 07-Oct-2023

Orientation: H

0.25% Pb: No

Model: LF4000BM2-FP Meters: Spare Parts Only: No Bypass:

Model: LF4000BM2-FP Meters: Spare Parts Only: No Bypass:

Model: LF4000BM2-FP Meters: Spare Parts Only: No Bypass:

Model: LF4000BM2-FP Meters: Spare Parts Only: No **Bypass:**

Model: LF4000BM3 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No **Bypass:**

Approved: 07-Oct-2002 Shutoffs: (ppp),qqq,aaa,bbbb,nnnnn

Notes: Check valve discs may be black EPDM or orange Silicone

Orientation: H 0.25% Pb: Yes Renewed: 12-Mar-2025

> Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames

Manufacturer: Ames **Orientation:** H 0.25% Pb: Yes Renewed: 12-Mar-2025

Manufacturer: Ames Orientation: H 0.25% Pb: Yes

Type: RP	Manufacturer: Ames	Model: Maxim 400	
Size: 2 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:	
Shutoffs: zzz,dddd,eeee,gggg,kk	kk,IIII,mmmm,nnnn		
Notes: Check valve discs may be	e black EPDM or orange Silicone		
Type: RP	Manufacturer: Ames	Model: Maxim 400	
Size: 3	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:	
Shutoffs: (ppp),qqq,aaa,bbbb,nn	Innn		
Notes: Check valve discs may be	e black EPDM or orange Silicone		
Type: RP	Manufacturer: Ames	Model: Maxim 400	
Size: 3	Orientation: H	Meters:	
		Spore Dorte Only No	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn	Bypass:	
Approved: 07-Oct-2002	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn		
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames	Bypass: Model: Maxim 400	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H	Bypass: Model: Maxim 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,ggggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023	Bypass: Model: Maxim 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nn	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nn	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023 nnn	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nn Type: RP Size: 4	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023 Innn Manufacturer: Ames	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nn Type: RP Size: 4 Manual: 9	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn e black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023 Innn Manufacturer: Ames Orientation: H	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,ggggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn a black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023 mnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nn Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn a black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023 mnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters: Spare Parts Only: No	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nn Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: kkkk,llll,mmmm,nnn	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn a black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023 mnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 18-Jan-2023	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass:	
Approved: 07-Oct-2002 Shutoffs: zzz,dddd,eeee,gggg,kk Notes: Check valve discs may be Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: (ppp),qqq,aaa,bbbb,nn Type: RP Size: 4 Manual: 9 Approved: 18-Jan-2005 Shutoffs: kkkk,llll,mmmm,nnnn	Renewed: 07-Oct-2023 kkk,IIII,mmmm,nnnn a black EPDM or orange Silicone Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 18-Jan-2023 mnn Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 18-Jan-2023 Manufacturer: Ames	Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400 Meters: Spare Parts Only: No Bypass: Model: Maxim 400	

Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb,nnnnn

Type: RP Size: 6 Manual: 9 Approved: 13-Aug-2007 Shutoffs: cccc,dddd,kkkk,llll,mmmm,nnnn

Type: nufacturer: Ames Size: 8 ientation: H 25% Pb: No Manua Renewed: 22-Jul-2024 Approved: 22-Jul-2009

Manufacturer: Ames

Renewed: 13-Aug-2022

Manufacturer: Ames

Orientation: H

Orientation: H

0.25% Pb: Yes

Shutoffs: (ppp),qqq,sss,ttt,aaaa,bbbb,nnnnn

Type: RP Manufacturer: Ames Size: 8 Orientation: H Manual: 9 0.25% Pb: Yes Approved: 22-Jul-2009 Renewed: 22-Jul-2024 Shutoffs: zzz,cccc,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RP Size: 10 Manual: 9 0.25% Pb: No Approved: 22-Jul-2009 Renewed: 22-Jul-2024 **Shutoffs:** (ppp),qqq,sss,ttt,aaaa,bbbb

Type: RP Manufacturer: Ames Size: 10 Orientation: H 0.25% Pb: Yes Manual: 9 Approved: 22-Jul-2009 Renewed: 22-Jul-2024 Shutoffs: zzz,cccc,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003

Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Apr-2024

Manufacturer: Ames

Renewed: 14-Apr-2024

Orientation: VUVD

0.25% Pb: No

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400 Meters: Spare Parts Only: No **Bypass:**

Model: Maxim 400 Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No **Bypass:**

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

	·····,····
RP	Ма
3	Ori
al: 9	0.2
ved: 22-Jul-2009	Rei

Type: RP Size: 2 1/2 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 26-Jul-2024 Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Type: RP Manufacturer: Ames Size: 2 1/2 **Orientation: VUVU** Meters: 0.25% Pb: Yes Manual: 9 Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RP Size: 3 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Type: RP Manufacturer: Ames Size: 3 Orientation: VUVD Manual: 9 0.25% Pb: Yes Approved: 14-Apr-2003 Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RP Size: 3 Manual: 9 Approved: 26-Jul-2021 **Shutoffs:** (ppp),qqq,aaaa,bbbb,nnnnn

Type: RP Manufacturer: Ames Size: 3 Orientation: VUVU Manual: 9 0.25% Pb: Yes Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RP Size: 4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: ppp,qqq,aaaa,bbbb,nnnnn

Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 14-Apr-2024

Renewed: 14-Apr-2024 Manufacturer: Ames Orientation: VUVU 0.25% Pb: No

Manufacturer: Ames

Renewed: 15-Nov-2022

Orientation: VUVD

0.25% Pb: No

Renewed: 26-Jul-2024

Model: Maxim 400N Meters: **Bypass:**

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Spare Parts Only: No

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No Bypass:

Model: Maxim 400N Meters: Spare Parts Only: No **Bypass:**

Spare Parts Only: No

	Manufasturan Amas	Madel Maxim 400N
Type: RP Size: 4	Manufacturer: Ames Orientation: VUVD	Model: Maxim 400N Meters:
Manual: 9	0.25% Pb: Yes	
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Spare Parts Only: No
Shutoffs: yyy,zzz,dddd,eeee,gg		Bypass:
Shatons. yyy,zzz,aadd,eeee,gg	99,~~~	
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	nnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Ames	Model: Maxim 400N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,		
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
		-,

Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RP Size: 2 1/2 Manual: 9 Approved: 14-Apr-2003 Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn Manufacturer: Ames Orientation: VUVU 0.25% Pb: No Renewed: 14-Apr-2024 Model: Maxim 400Z Meters: Spare Parts Only: No Bypass:

Type: RPManufacturer: AmesModel: Maxim 400ZSize: 2 1/2Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 14-Apr-2003Renewed: 14-Apr-2024Bypass:Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmm,nnnnState State St

Type: RPManufacturer: AmesSize: 3Orientation: VUVDManual: 90.25% Pb: YesApproved: 26-Jul-2021Renewed: 26-Jul-2024Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Type: RPManufacturer: AmesSize: 3Orientation: VUVUManual: 90.25% Pb: NoApproved: 14-Apr-2003Renewed: 14-Apr-2024Shutoffs: (ppp),qqq,aaaa,bbbb,nnnnn

Type: RPManufacturer: AmesSize: 3Orientation: VUVUManual: 90.25% Pb: YesApproved: 14-Apr-2003Renewed: 14-Apr-2024Shutoffs: yyy,zzz,dddd,eeee,gggg,kkkk,Illl,mmmm,nnnn

Type: RP Size: 6 Manual: 9 Approved: 26-Jul-2021 Shutoffs: ppp, qqq, aaaa, bbbb, Manufacturer: Ames Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024 Model: Maxim 400Z Meters: Spare Parts Only: No Bypass:

Model: Maxim 400Z Meters: Spare Parts Only: No Bypass:

Model: Maxim 400Z Meters: Spare Parts Only: No Bypass:

Model: Maxim 400Z Meters: Spare Parts Only: No Bypass:

Model: Maxim 400Z Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Ames	Model: Maxim 400Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Ames	Model: RP
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 4000RP	
Type: RP	Manufacturer: Ames	Model: RP
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 4000RP	
Type: RP	Manufacturer: Ames	Model: RP
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to 4000RP	
Type: RP	Manufacturer: Ames	Model: RP
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 4000RP

Type: RP	Manufacturer: Ames	Model: U400B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Ames	Model: U400B
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Ames	Model: U400B-A
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020002
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020003
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020005
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		2) pace.
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020102
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991	Renewed: 03-May-2024	Bypass:
Shutoffs: dd	······································	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020199T
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201A2
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2023	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201A2S
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201T2
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40201T2S
Size: 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020202
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991	Renewed: 03-May-2024	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020299T
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202A2
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2023	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202A2S
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202T2
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40202T2S
Size: 3/8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020302
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-May-1991	Renewed: 03-May-2023	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020399T
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203A2
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2023	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203A2S
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203T2
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40203T2S
Size: 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020402
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-1989	Renewed: 08-May-2022	Bypass:
Shutoffs: dd		

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020499T
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Nov-1991	Renewed: 27-Nov-2024	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2S
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2U
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204A2Z
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204T2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204T2S
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204TC2
Size: 3/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40204TCU
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Nov-1998	Renewed: 30-Nov-2022	Bypass:
Shutoffs: (dd)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020502
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-1989	Renewed: 08-May-2022	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020599T
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Nov-1991	Renewed: 27-Nov-2024	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2S
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RPS40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2U
Size: 1	Orientation:	Meters:
		Overse Dente Orden Ma
Manual:	0.25% Pb: No	Spare Parts Only: No

Notes: model designation changed to 40205T2U

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205A2Z
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 40205T2Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2S
Size: 1	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205T2U
	Orientation: VUVD	
Size: 1		Meters:
Size: 1 Manual: 8	0.25% Pb: No	меters: Spare Parts Only: Yes
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8 Approved: 15-Sep-1993	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd)	0.25% Pb: No	Spare Parts Only: Yes
Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2U	0.25% Pb: No Renewed: 15-Sep-2023	Spare Parts Only: Yes Bypass:
Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2U Type: RP	0.25% Pb: No Renewed: 15-Sep-2023 Manufacturer: Apollo/Conbraco	Spare Parts Only: Yes Bypass: Model: 40205T2Z
Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2U Type: RP Size: 1	0.25% Pb: No Renewed: 15-Sep-2023 Manufacturer: Apollo/Conbraco Orientation: VUVU	Spare Parts Only: Yes Bypass: Model: 40205T2Z Meters:
Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2U Type: RP Size: 1 Manual: 8	0.25% Pb: No Renewed: 15-Sep-2023 Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: No	Spare Parts Only: Yes Bypass: Model: 40205T2Z Meters: Spare Parts Only: Yes
Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2U Type: RP Size: 1 Manual: 8 Approved: 15-Sep-1993	0.25% Pb: No Renewed: 15-Sep-2023 Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: No	Spare Parts Only: Yes Bypass: Model: 40205T2Z Meters: Spare Parts Only: Yes
Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2U Type: RP Size: 1 Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd)	0.25% Pb: No Renewed: 15-Sep-2023 Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: No	Spare Parts Only: Yes Bypass: Model: 40205T2Z Meters: Spare Parts Only: Yes
Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2U Type: RP Size: 1 Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2Z	0.25% Pb: No Renewed: 15-Sep-2023 Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: No Renewed: 15-Sep-2023	Spare Parts Only: Yes Bypass: Model: 40205T2Z Meters: Spare Parts Only: Yes Bypass:
Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2U Type: RP Size: 1 Manual: 8 Approved: 15-Sep-1993 Shutoffs: (dd) Notes: formerly 40205A2Z Type: RP	0.25% Pb: No Renewed: 15-Sep-2023 Manufacturer: Apollo/Conbraco Orientation: VUVU 0.25% Pb: No Renewed: 15-Sep-2023 Manufacturer: Apollo/Conbraco	Spare Parts Only: Yes Bypass: Model: 40205T2Z Meters: Spare Parts Only: Yes Bypass: Model: 40205TC2

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40205TCU
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Nov-1998	Renewed: 30-Nov-2022	Bypass:
Shutoffs: (dd)		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020602
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Apr-1992	Renewed: 06-Apr-2022	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020699T
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 21-Jun-1993	Renewed: 21-Jun-2023	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2U
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206A2Z
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chance	red to RP40	

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2U
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ged to RP40N	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40206T2Z
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020702
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2025	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020799T
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1992	Renewed: 16-Sep-2022	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2U
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to RP40U	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207A2Z
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2U
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RP40U	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40207T2Z
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020802
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Mar-1989	Renewed: 17-Mar-2025	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020899T
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	jed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A2
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1992	Renewed: 16-Sep-2022	Bypass:
Shutoffs: dd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A2U
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No

Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208A4
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-2000	Renewed: 24-May-2024	Bypass:
Shutoffs: rrr		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208AZ2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40Z	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208T2
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 40208T2U
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
	0.25% Pb: No Renewed:	Spare Parts Only: No Bypass:
Manual: Approved: Notes: model designation change	Renewed:	
Approved: Notes: model designation change	Renewed:	
Approved: Notes: model designation change	Renewed: ed to RP40U	Bypass:
Approved: Notes: model designation change Type: RP Size: 2	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco	Bypass: Model: 40208T2Z
Approved: Notes: model designation change Type: RP Size: 2 Manual:	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation:	Bypass: Model: 40208T2Z Meters:
Approved: Notes: model designation change Type: RP Size: 2 Manual: Approved:	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 40208T2Z Meters: Spare Parts Only: No
Approved: Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Bypass: Model: 40208T2Z Meters: Spare Parts Only: No
Approved: Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z	Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP Size: 2 1/2	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco	Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902
Approved:	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: Orientation: Output	Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters:
Approved: Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP Size: 2 1/2 Manual:	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed:	Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters: Spare Parts Only: No
Approved: Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP Size: 2 1/2 Manual: Approved: Notes: model designation change	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed: 0.25% Pb: No Renewed:	Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters: Spare Parts Only: No
Approved: Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Size: 2 1/2 Manual: Approved: Notes: model designation change Type: RP	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40	Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation change Type: RP Size: 2 Manual: Approved: Notes: model designation change Type: RP Size: 2 1/2 Manual: Approved:	Renewed: ed to RP40U Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40Z Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: ed to RP40 Manufacturer: Apollo/Conbraco	Bypass: Model: 40208T2Z Meters: Spare Parts Only: No Bypass: Model: 4020902 Meters: Spare Parts Only: No Bypass: Model: 4020903

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020905
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A02
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A03
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation c	hanged to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020A05
Size: 4	Orientation:	Meters:
	0.25% Pb: No	Spare Parts Only: No
Manual:		
Manual: Approved:	Renewed:	Bypass:
	Renewed:	Bypass:
Approved:	Renewed:	Bypass: Model: 4020C02
Approved: Notes: model designation c Type: RP	Renewed: hanged to RP40	
Approved: Notes: model designation c	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco	Model: 4020C02
Approved: Notes: model designation c Type: RP Size: 6	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation:	Model: 4020C02 Meters:
Approved: Notes: model designation c Type: RP Size: 6 Manual:	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 4020C02 Meters: Spare Parts Only: No
Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved:	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed:	Model: 4020C02 Meters: Spare Parts Only: No
Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved: Notes: model designation c Type: RP	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40	Model: 4020C02 Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved: Notes: model designation c Type: RP Size: 6	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco	Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03
Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved: Notes: model designation c	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: Orientation: Manufacturer: Apollo/Conbraco Orientation:	Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters:
Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved: Notes: model designation c Type: RP Size: 6 Manual:	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: No Renewed:	Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No
Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved:	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: No Renewed:	Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No
Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved: Notes: model designation c	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40	Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No Bypass:
Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved: Notes: model designation c Type: RP Size: 6 Manual: Approved: Notes: model designation c Type: RP	Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Orientation: 0.25% Pb: No Renewed: hanged to RP40 Manufacturer: Apollo/Conbraco Manufacturer: Apollo/Conbraco	Model: 4020C02 Meters: Spare Parts Only: No Bypass: Model: 4020C03 Meters: Spare Parts Only: No Bypass: Model: 4020C05

Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020E02
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020E03
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020G02
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4020G03
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to RP40	
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2024	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2024	Bypass:
Shutoffs: (yyy), cccc, dddd		
Type: RP	Manufacturer: Apollo/Conbraco	Model: 4D-200
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Mar-2009	Renewed: 11-Mar-2024	Bypass:

Type: RP Size: 2 1/2 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 11-Mar-2024	Model: 4D-200U Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 3 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 11-Mar-2024	Model: 4D-200U Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 4 Manual: 9 Approved: 11-Mar-2009 Shutoffs: (yyy), cccc, dddd	Manufacturer: Apollo/Conbraco Orientation: VUVD 0.25% Pb: No Renewed: 11-Mar-2024	Model: 4D-200U Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1/4 Manual: 8 Approved: 16-Sep-1998 Shutoffs: (dd) Notes: formerly 4020199T, 40201T2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Sep-2022	Model: RP40 Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 3/8 Manual: 8 Approved: 16-Sep-1998 Shutoffs: (dd) Notes: formerly 4020299T, 40202T2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 16-Sep-2022	Model: RP40 Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1/2 Manual: 8 Approved: 15-Sep-1994 Shutoffs: (dd) Notes: formerly 4020399T, 40203T2	Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 15-Sep-2022	Model: RP40 Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2022	Bypass:
Shutoffs: (dd)		
lotes: formerly 4020499T, 40204T2	, 40204TC2	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2022	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020599T, 40205T2	, 40205TC2	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2022	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020699T, 40206T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2022	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020799T, 40207T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Sep-1998	Renewed: 16-Sep-2022	Bypass:
Shutoffs: (dd)		
Notes: formerly 4020899T, 40208T2		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2024	Bypass:

Notes: formerly 4020902, 4020903, 4020905

Type: RP Size: 3	Manufacturer: Apollo/Conbraco Orientation: H	Model: RP40
Manual: 8	0.25% Pb: No	Meters: Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2024	Bypass:
Shutoffs: (tt),bb,cc,ee,ll,mm,uu,mi	•	Dypass.
Notes: formerly 4020002, 4020003		
, , , ,	,	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2024	Bypass:
Shutoffs: (tt),bb,cc,ee.ll,mm,uu,mi	nm	
Notes: formerly 4020A02, 4020A0	3, 4020A05	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Apr-1991	Renewed: 08-Apr-2024	Bypass:
Appioveu. 00-Api-1991		
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0		
Shutoffs: (tt),bb,ee,ll		Model: RP40
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP	3, 4020C05	Model: RP40 Meters:
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8	3, 4020C05 Manufacturer: Apollo/Conbraco	
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H	Meters:
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024	Meters: Spare Parts Only: Yes
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020E02, 4020E0	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024	Meters: Spare Parts Only: Yes
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020E02, 4020E0	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024 3	Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020E02, 4020E0 Type: RP Size: 10	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024 3 Manufacturer: Apollo/Conbraco	Meters: Spare Parts Only: Yes Bypass: Model: RP40
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020E02, 4020E0 Type: RP Size: 10 Manual: 8	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024 3 Manufacturer: Apollo/Conbraco Orientation: H	Meters: Spare Parts Only: Yes Bypass: Model: RP40 Meters:
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020E02, 4020E0 Type: RP Size: 10 Manual: 8 Approved: 13-Apr-1993	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024 3 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: Yes Bypass: Model: RP40 Meters: Spare Parts Only: Yes
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020E02, 4020E0 Type: RP Size: 10 Manual: 8 Approved: 13-Apr-1993 Shutoffs: (tt),bb,cc,ee,ll,mm,uu	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2023	Meters: Spare Parts Only: Yes Bypass: Model: RP40 Meters: Spare Parts Only: Yes
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020E02, 4020E0 Type: RP Size: 10 Manual: 8 Approved: 13-Apr-1993 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020G02, 4020G0	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024 3 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2023	Meters: Spare Parts Only: Yes Bypass: Model: RP40 Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020E02, 4020E0 Type: RP Size: 10 Manual: 8 Approved: 13-Apr-1993 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020G02, 4020G0	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2023	Meters: Spare Parts Only: Yes Bypass: Model: RP40 Meters: Spare Parts Only: Yes
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2023	Meters: Spare Parts Only: Yes Bypass: Model: RP40 Meters: Spare Parts Only: Yes Bypass: Model: RP40N Meters:
Shutoffs: (tt),bb,ee,ll Notes: formerly 4020C02, 4020C0 Type: RP Size: 8 Manual: 8 Approved: 22-Oct-1991 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020E02, 4020E0 Type: RP Size: 10 Manual: 8 Approved: 13-Apr-1993 Shutoffs: (tt),bb,cc,ee,ll,mm,uu Notes: formerly 4020G02, 4020G0 Type: RP Size: 3/4	3, 4020C05 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 22-Oct-2024 3 Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 13-Apr-2023 03 Manufacturer: Apollo/Conbraco Orientation: VUVD	Meters: Spare Parts Only: Yes Bypass: Model: RP40 Meters: Spare Parts Only: Yes Bypass: Model: RP40N

Notes: formerly 40204A2U

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40N
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2025	Bypass:
Shutoffs: (dd)		
Notes: formerly 40206A2U, 40206T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40U
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2025	Bypass:
Shutoffs: (dd)		
Notes: formerly 40207A2U, 40207T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40U
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2025	Bypass:
Shutoffs: (dd)		
Notes: formerly 40208A2U, 40208T2U		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Nov-1992	Renewed: 06-Nov-2022	Bypass:
Shutoffs: (dd)		
Notes: formerly 40204A2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2025	Bypass:
Shutoffs: (dd)		
Notes: formerly 40206A2Z, 40206T2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2025	Bypass:
		- 7 1

Notes: formerly 40207A2Z, 40207T2Z

Shutoffs: (dd)

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP40Z
Size: 2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 02-Feb-1995	Renewed: 02-Feb-2025	Bypass:
Shutoffs: (dd)		
Notes: formerly 40208AZ2, 40208T2Z		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Nov-2023	Bypass:
Shutoffs: (iiiii),sssss		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2011	Renewed: 14-Jun-2023	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2023	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed: 11-Dec-2022	Bypass:
Shutoffs: (iiiii),sssss,wwww		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed: 11-Dec-2022	Bypass:
Shutoffs: (iiiii),sssss,wwwww		

Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4A	
Size: 2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 29-Nov-2011	Renewed: 29-Nov-2023	Bypass:	
Shutoffs: (iiiii),sssss,wwwww		, I	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4AN	
Size: 3/4	Orientation: VUVD	Meters:	
Manual: 10	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Jan-2020	Renewed: 16-Jan-2023	Bypass:	
Shutoffs: (sssss), wwwww			
Type: RP	Manufacturer: Apollo/Conbraco	Model: RP4AN	
Size: 1	Orientation: VUVD	Meters:	
Manual : 10	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Jan-2019	Renewed: 16-Jan-2025	Bypass:	
Shutoffs: (sssss), wwww			
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40	
Size: 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes	
Approved: 18-Nov-2010	Renewed: 18-Nov-2022	Bypass:	
Shutoffs: (jjjjj)			
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40	
Size: 1 1/4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes	
Approved: 18-Nov-2010 Shutoffs: (jjjjj)	Renewed: 18-Nov-2022	Bypass:	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40	
Size: 1 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes	
Approved: 18-Nov-2010	Renewed: 18-Nov-2022	Bypass:	
Shutoffs: (jjjjj)			
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF40	
Size: 2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: Yes	
Approved: 18-Nov-2010	Renewed: 18-Nov-2022	Bypass:	
Shutoffs: (jjjjj)			

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Nov-2023	Bypass:
Shutoffs: (jjjjj),ttttt,uuuuu		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2011	Renewed: 14-Jun-2023	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Sep-2011	Renewed: 27-Sep-2023	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Dec-2013	Renewed: 11-Dec-2022	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Dec-2013 Shutoffs: (jjjjj),ttttt,vvvvv	Renewed: 11-Dec-2022	Bypass:
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 29-Nov-2011	Renewed: 29-Nov-2023	Bypass:
Shutoffs: (jjjjj),ttttt,vvvvv		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2023	Bypass:

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa, xxxxxx

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 25-Feb-2014	Renewed: 25-Feb-2023	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ХХХ
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	xxx
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jan-2017	Renewed: 20-Jan-2023	Bypass:
Shutoffs: (yyy), cccc, dddd, mm	mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:
Shutoffs: (zzzzz), zzz,cccc,dddc	l,kkkk,llll,mmmm,nnnn,xxxxx, yyyyy,aaaaaa	
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4A
Size: 12	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:
Shutoffs: (bbbbbb), II,mm,ccccc	c	
	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Type: RP		
	Orientation: VUVD	Meters:
Type: RP Size: 3/4 Manual: 10	Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No
Size: 3/4		

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 1	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2019	Renewed: 16-Jan-2025	Bypass:
Shutoffs: (ttttt), vvvvv		

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN	
Size: 2 1/2	Orientation: VUVD	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 27-Apr-2015	Renewed: 27-Apr-2024	Bypass:	
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx			

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed: 27-Apr-2024	Bypass:
Shutoffs: (yyy), cccc, dddd, mmmm, n	nnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx	

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 3	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed: 27-Apr-2024	Bypass:
Shutoffs: (yyy), cccc, dddd, mmmm, n	nnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx	(

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 3	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Apr-2015	Renewed: 27-Apr-2024	Bypass:
Shutoffs: (yyy), cccc, dddd, mmmm, r	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx	

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN	
Size: 4	Orientation: VUVD	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 15-May-2014	Renewed: 15-May-2023	Bypass:	
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx			

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 4	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jun-2014	Renewed: 11-Jun-2023	Bypass:

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa, xxxxxx

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed: 10-Jun-2023	Bypass:
Shutoffs: (yyy), cccc, dddd, mmn	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 6	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 11-Jun-2014	Renewed: 11-Jun-2023	Bypass:
Shutoffs: (yyy), cccc, dddd, mmn	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed: 20-Mar-2023	Bypass:
Shutoffs: (yyy), cccc, dddd, mmn	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 8	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed: 20-Mar-2023	Bypass:
Shutoffs: (yyy), cccc, dddd, mmn	nm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	ххх
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 10	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:
Shutoffs: (zzzz), yyy,zzz,cccc,d	ddd,kkkk,llll,mmmm,nnnn,xxxxx, yyyyy,aaaa	aaa
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AN
Size: 12	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass:
	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
	rooved spool between the #2 ck and #2 SO	/ - assembly length: min. 34" and max. 47
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/8"	rooved spool between the #2 ck and #2 SO	/ - assembly length: min. 35" and max. 48
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 62 1/4"	rooved spool between the #2 ck and #2 SO	/ - assembly length: min. 37 3/8" and max.
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass:
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/4"	rooved spool between the #2 ck and #2 SO	/ - assembly length: min. 46" and max. 71
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 22-Feb-2018	Renewed: 22-Feb-2024	Bypass:
Shutoffs: (xxxxx), cccc, dddd, m	mmm, nnnn, yyyyy, zzzzz, aaaaaa	

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: RP	Manufacturer: Apollo/Conbraco	Model: RPLF4AR
Size : 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass:
Shutoffs: (zzzzz), zzz,cccc,dddd,kkkk,	IIII,mmmm,nnnn,xxxxx, yyyyy,aaaaaa	
Notes: Integral Stainless Steel grooved 100 5/8"	d spool between the #2 ck and #2 SOV	' - assembly length: min. 65 3/4" and max.
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2023	Bypass:
Shutoffs: (uuu) Notes: formerly 40201A2S, 40201T2S		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2023	Bypass:
Shutoffs: (uuu) Notes: formerly 40202A2S, 40202T2S		
	Manufacturary Apollo (Contraco	Model: DDS40
Type: RP	Manufacturer: Apollo/Conbraco Orientation: H	Model: RPS40
Size: 1/2 Manual: 8		Meters:
	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2023	Bypass:
Shutoffs: (dd) Notes: formerly 40203A2S, 40203T2S		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Aug-1994	Renewed: 16-Aug-2024	Bypass:
Shutoffs: (uuu)		
Notes: formerly 40204A2S		
Type: RP	Manufacturer: Apollo/Conbraco	Model: RPS40
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 16-Aug-1994	Renewed: 16-Aug-2024	Bypass:
Shutoffs: (uuu)		

Type: RP Manufacturer: ARI Model: RP 500 Size: 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 03-Jan-2013 Renewed: 03-Jan-2025 Bypass: Shutoffs: (00000), ii, 000,ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 18-Feb-2023 Approved: 18-Feb-2014 Bypass: Shutoffs: (00000),ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 02-Mar-2007 Renewed: 02-Mar-2025 Bypass: Shutoffs: (ii),000, 00000, ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 **Renewed:** 18-Feb-2023 **Bypass:** Shutoffs: (00000), ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 02-Mar-2025 Approved: 02-Mar-2007 Bypass: Shutoffs: (ii),000, 00000, ffffff Manufacturer: ARI Type: RP Model: RP 500 Size: 1 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2023 **Bypass:** Shutoffs: (00000), ffffff Type: RP Manufacturer: ARI Model: RP 500 Size: 1 1/4 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 18-Feb-2014 Renewed: 18-Feb-2023 Bypass: Shutoffs: (00000), ffffff

Type: RP Size: 1 1/2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (00000), ffffff

Type: RP Size: 2 Manual: 10 Approved: 18-Feb-2014 Shutoffs: (00000), ffffff

Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2018 Shutoffs: (int)

Type: RP Size: 3/4 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (int)

Type: RP Size: 1 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (int)

Type: RP Size: 1 1/4 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (int)

Type: RP Size: 1 1/2 Manual: 10 Approved: 20-Mar-2017 Shutoffs: (int) Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 06-Sep-2024

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 20-Mar-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 20-Mar-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 20-Mar-2023

Manufacturer: ARI Orientation: H 0.25% Pb: Yes Renewed: 20-Mar-2023 Model: RP 500 Meters: Spare Parts Only: No Bypass:

Model: RP 500 Meters: Spare Parts Only: No Bypass:

Model: RP 501 Meters: Spare Parts Only: No Bypass:

Model: RP 501 Meters: Spare Parts Only: No Bypass:

Model: RP 501 Meters: Spare Parts Only: No Bypass:

Model: RP 501 Meters: Spare Parts Only: No Bypass:

Model: RP 501 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: ARI	Model: RP 501
Size: 2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Mar-2017	Renewed: 20-Mar-2023	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jan-2017	Renewed: 20-Jan-2023	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jan-2017	Renewed: 20-Jan-2023	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Jan-2017	Renewed: 20-Jan-2023	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Aug-2022	Renewed:	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jun-2017	Renewed: 27-Jun-2023	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40G
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2018	Renewed: 24-Oct-2024	Bypass:
Shutoffs: (ssssss), tttttt		

Type: RP Size: 3 Manual: 10 Approved: 24-Oct-2018	Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 24-Oct-2024	Model: Deringer 40G Meters: Spare Parts Only: No Bypass:
Shutoffs: (ssssss), tttttt		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40G
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2018	Renewed: 24-Oct-2024	Bypass:
Shutoffs: (ssssss), tttttt		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40G
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Oct-2024	Renewed:	Bypass:
Shutoffs: (ssssss), tttttt		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40G
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (ssssss), tttttt		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40GX
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Oct-2024	Renewed:	Bypass:
Shutoffs: (ssssss), tttttt		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40GX
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (ssssss), tttttt		
Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40X
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Aug-2022	Renewed:	Bypass:
Shutoffs: (int)		

Type: RP	Manufacturer: Backflow Direct	Model: Deringer 40X
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 27-Jun-2017 Shutoffs: (int)	Renewed: 27-Jun-2023	Bypass:
Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018 Shutoffs: (int)	Renewed: 15-Mar-2024	Bypass:
Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40G
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2018	Renewed: 24-Oct-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr		
Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40G
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2018	Renewed: 24-Oct-2024	Bypass:
Shutoffs: (qqqqqq), rrrrrr		

Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40G
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Oct-2018	Renewed: 24-Oct-2024	Bypass:
Shutoffs: (qqqqqq), rrrrr		
Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40G
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (qqqqqq), rrrrrr		
Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40GX
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (qqqqqq), rrrrrr		
Type: RP	Manufacturer: Backflow Direct	Model: Magnum 40X
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Mar-2018	Renewed: 15-Mar-2024	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: BEECO	Model: Barracuda 40
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrr, vvvvv	/, wwwww	
Type: RP	Manufacturer: BEECO	Model: Barracuda 40
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (qqqqqq), rrrrr, vvvvv	/, wwwww	
Type: RP	Manufacturer: BEECO	Model: Barracuda 40
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:

Shutoffs: (qqqqqq), rrrrrr, vvvvvv, wwwww

Type: RP	Manufacturer: BEECO	Model: Barracuda 40
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (qqqqqq), rrrrr		
Type: RP	Manufacturer: BEECO	Model: Barracuda 40X
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (qqqqqq), rrrrrr, vvvvv,	wwwww	
Type: RP	Manufacturer: Cla-Val	Model: RP4
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2022	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: RP	Manufacturer: Cla-Val	Model: RP4
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1989	Renewed: 22-Jun-2022	Bypass:
Shutoffs: (gg),hh,qq,rr		
Type: RP	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 3/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-1982	Renewed: 19-Mar-2024	Bypass:
Shutoffs: (ii),fff,jjj,ooo		

Notes: Replaceable check valve seats starting with serial No. J000001

Type: PD	Manufacturer: Febco	Model: 825Y
Type: RP Size: 1	Orientation: H	Model: 625 f
Manual: 6	0.25% Pb: No	
	Renewed: 19-Mar-2024	Spare Parts Only: No Bypass:
Approved: 19-Mar-1982	Relieweu. 13-Widi-2024	Βγμασο.
Shutoffs: (ii),fff,jjj,000	e seats starting with serial No. J000001	
	seats starting with senai No. 5000001	
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 1 1/4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 03-Jun-1982	Renewed: 01-Jun-2024	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 825Y
Size: 1 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Aug-1982	Renewed: 06-Aug-2024	Bypass:
Shutoffs: (ii),fff,jjj,000	-	
	e seats starting with serial No. J000001	
Notes: Replaceable check valve	e seats starting with serial No. J000001 Manufacturer: Febco	Model: 825Y
Notes: Replaceable check valve		Model: 825Y Meters:
Notes: Replaceable check valve	Manufacturer: Febco	
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6	Manufacturer: Febco Orientation: H	Meters:
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982	Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024	Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024	Meters: Spare Parts Only: No Bypass:
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024 e seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024 e seats starting with serial No. J000001 Manufacturer: Febco Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024 e seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024 e seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024 e seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2023	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024 e seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2023 e seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 3/4	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024 e seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2023 e seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Model: 825YA
Notes: Replaceable check valve Type: RP Size: 2 Manual: 6 Approved: 06-Aug-1982 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 3/4 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP	Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 06-Aug-2024 e seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 05-Mar-2023 e seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA

Notes: Replaceable check valve seats starting with serial No. J000001

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2023	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2023	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Mar-1990	Renewed: 05-Mar-2023	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
	seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA
Type: RP		Model: 825YA Meters:
Type: RP Size: 1	Manufacturer: Febco	
Type: RP Size: 1 Manual: 8	Manufacturer: Febco Orientation: HVD	Meters:
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990	Manufacturer: Febco Orientation: HVD 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: HVD 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023	Meters: Spare Parts Only: No
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2023	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 Manual: 8 Approved: 05-Mar-1990 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1	Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 05-Mar-2023 seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Model: 825YA

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2022	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1 1/2	Orientation: HVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2022	Bypass:
Shutoffs: (ii),fff,jjj,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 1 1/2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
		_
Approved: 08-May-1989	Renewed: 08-May-2022	Bypass:
Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Renewed: 08-May-2022	Bypass:
Shutoffs: (ii),fff,jjj,ooo	Renewed: 08-May-2022 seats starting with serial No. J000001	Bypass:
Shutoffs: (ii),fff,jjj,ooo		Bypass: Model: 825YA
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001	
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD	Model: 825YA Meters:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No	Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No	Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo	Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022	Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001	Model: 825YA Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 2	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2022	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass:
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA
Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 1 1/2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,jjj,ooo Notes: Replaceable check valve Type: RP Size: 2 Manual: 8 Approved: 08-May-1989 Shutoffs: (ii),fff,ooo Notes: Replaceable check valve Type: RP Size: 2 Shutoffs: (ii),fff,ooo	seats starting with serial No. J000001 Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 08-May-2022 seats starting with serial No. J000001 Manufacturer: Febco Orientation: HVD	Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters: Spare Parts Only: No Bypass: Model: 825YA Meters:

Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2022	Bypass:
Shutoffs: (ii),fff,ooo		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YA
Size: 2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 08-May-1989	Renewed: 08-May-2022	Bypass:
Shutoffs: (ii),fff,000		
Notes: Replaceable check valve	seats starting with serial No. J000001	
Type: RP	Manufacturer: Febco	Model: 825YAR
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2023	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 825YAR
Size: 3/4	Orientation: HVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2023	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 825YAR
Size: 3/4	Orientation: VUH	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2023	Bypass:
Shutoffs: ii,fff,jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 825YAR
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2023	Bypass:
Shutoffs: ii,fff,jjj,ooo		

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 Manual: 8 Approved: 21-Jan-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 1/2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 1/2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,jjj,ooo

Type: RP Size: 1 1/2 Manual: 8 Approved: 19-Aug-1993 Shutoffs: ii,fff,jjj,ooo Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 21-Jan-2023

Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 21-Jan-2023

Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 21-Jan-2023

Manufacturer: Febco Orientation: VUVD 0.25% Pb: No Renewed: 21-Jan-2023

Manufacturer: Febco Orientation: H 0.25% Pb: No Renewed: 19-Aug-2023

Manufacturer: Febco Orientation: HVD 0.25% Pb: No Renewed: 19-Aug-2023

Manufacturer: Febco Orientation: VUH 0.25% Pb: No Renewed: 19-Aug-2023 Model: 825YAR Meters: Spare Parts Only: Yes Bypass:

Model: 825YAR Meters: Spare Parts Only: Yes Bypass: Type: RP Manufacturer: Febco Model: 825YAR Size: 1 1/2 **Orientation: VUVD** Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 19-Aug-1993 Renewed: 19-Aug-2023 Bypass: Shutoffs: ii,fff,jjj,000 Type: RP Manufacturer: Febco Model: 825YAR Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 19-Aug-2023 Approved: 19-Aug-1993 Bypass: Shutoffs: ii,fff,ooo Type: RP Manufacturer: Febco Model: 825YAR Size: 2 Orientation: HVD Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Renewed: 19-Aug-2023 Approved: 19-Aug-1993 Bypass: Shutoffs: ii,fff,ooo Type: RP Manufacturer: Febco Model: 825YAR **Size:** 2 Orientation: VUH Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 19-Aug-1993 Renewed: 19-Aug-2023 **Bypass:** Shutoffs: ii,fff,ooo Type: RP Manufacturer: Febco Model: 825YAR **Size:** 2 Orientation: VUVD Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 8 Approved: 19-Aug-1993 Renewed: 19-Aug-2023 Bypass: Shutoffs: ii,fff,ooo Manufacturer: Febco Type: RP Model: 825YD Size: 2 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Spare Parts Only: Yes Approved: 24-Feb-1989 Renewed: 24-Feb-2025 **Bypass:** Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg Type: RP Manufacturer: Febco Model: 825YD Size: 3 Orientation: H Meters:

Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Manual: 7

Approved: 24-Feb-1989

0.25% Pb: No

Renewed: 24-Feb-2025

Spare Parts Only: Yes

Bypass:

	Manufacturer: Febco	Model: 825YD
Type: RP Size: 4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2025	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u		Dypass.
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 6	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2025	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	ıu,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 8	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2025	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	ıu,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YD
Size: 10	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-Feb-1989	Renewed: 24-Feb-2025	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	ıu,zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 825YR
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2023	Bypass:
Shutoffs: ii,fff,jjj		
Type: RP	Manufacturer: Febco	Model: 825YR
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jan-1993	Renewed: 22-Jan-2023	Bypass:
Shutoffs: ii,fff,jjj		
Type: RP	Manufacturer: Febco	Model: 825YR
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Jul-1993	Renewed: 23-Jul-2023	Bypass:
Shutoffs: ii,fff,jjj		

Type: RP	Manufacturer: Febco	Model: 825YR
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Jul-1993	Renewed: 23-Jul-2023	Bypass:
Shutoffs: ii,fff		
Type: RP	Manufacturer: Febco	Model: 860
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Apr-1998	Renewed: 09-Apr-2022	Bypass:
Shutoffs: (fff),000		
Type: RP	Manufacturer: Febco	Model: 860
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2024	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 860
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 21-Nov-1997	Renewed: 21-Nov-2024	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 860
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Jun-1998	Renewed: 04-Jun-2022	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 860
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Apr-1998	Renewed: 09-Apr-2022	Bypass:
Shutoffs: (fff),jjj,ooo		
Type: RP	Manufacturer: Febco	Model: 860
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Apr-1998	Renewed: 09-Apr-2022	Bypass:
Shutoffs: (fff),000		

Type: RP	Manufacturer: Febco	Model: 860
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	•	
Type: RP	Manufacturer: Febco	Model: 860
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Apr-1996	Renewed: 19-Apr-2023	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	•	
Type: RP	Manufacturer: Febco	Model: 860
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-May-1995	Renewed: 31-May-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 07-Aug-1995	Renewed: 07-Aug-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1995	Renewed: 04-Oct-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2022	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2022	Bypass:
Shutoffs: (kkk)		

Type: RP	Manufacturer: Febco	Model: 860U
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2022	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2022	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2022	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 860U
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Oct-1998	Renewed: 12-Oct-2022	Bypass:
Shutoffs: (kkk)		
Type: RP	Manufacturer: Febco	Model: 867
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp,	tt, uu, yy, fff	
Type: RP	Manufacturer: Febco	Model: 867
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Aug-2006	Renewed: 01-Aug-2024	Bypass:
Shutoffs: (oo), gg, hh,ll, mm, pp,	tt, uu, yy, eee, fff	
Type: RP	Manufacturer: Febco	Model: 880
		Matara
Size: 2 1/2	Orientation: VUVD	Meters:
Size: 2 1/2 Manual: 8	0.25% Pb: No	Meters: Spare Parts Only: Yes

Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,zzz,ffff,gggg

Type: RP	Manufacturer: Febco	Model: 880
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 24-May-1995	Renewed: 24-May-2022	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Mar-1995	Renewed: 10-Mar-2025	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-May-1995	Renewed: 19-May-2022	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-May-1995	Renewed: 19-May-2022	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Oct-1996	Renewed: 04-Oct-2023	Bypass:
Shutoffs: ee,ff,ll,mm,oo,pp,tt,uu,	zzz,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2022	Bypass:

Shutoffs: (ee), ff, II, mm, oo, pp, tt, uu, nnn, zzz, cccc, ffff, gggg

Type: RP	Manufacturer: Febco	Model: 880V
Size: 3	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,ut	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 3	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1995	Renewed: 30-Jun-2022	Bypass:
Shutoffs: (ee),ff,II,mm,oo,pp,tt,ut	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Aug-1995	Renewed: 08-Aug-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Aug-1995	Renewed: 08-Aug-2022	Bypass:
Shutoffs: (ee),ff,II,mm,oo,pp,tt,ut	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 6	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jul-1995	Renewed: 05-Jul-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 6	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Jul-1995	Renewed: 05-Jul-2022	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 8	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Dec-1996	Renewed: 18-Dec-2023	Bypass:

Shutoffs: (ee),ff,ll,mm,oo,pp,tt,uu,nnn,zzz,cccc,ffff,gggg

Type: RP	Manufacturer: Febco	Model: 880V
Size: 8	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Dec-1996 Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	Renewed: 18-Dec-2023	Bypass:
	u,mm,zzz,cccc,m,yyyy	
Type: RP	Manufacturer: Febco	Model: 880V
Size: 10	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: 880∨
Size: 10	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2024	Bypass:
Shutoffs: (ee),ff,ll,mm,oo,pp,tt,u	u,nnn,zzz,cccc,ffff,gggg	
Type: RP	Manufacturer: Febco	Model: LF825Y
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2025	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF825Y
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2025	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF825Y
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF825Y
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:
Shutoffs: (qqqqq), hhhh		

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 3/4 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 18-Feb-2025 Model: LF825YA Meters: Spare Parts Only: No Bypass:

Model: LF825YA Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 8 Approved: 18-Feb-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 1 1/2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh

Type: RP Size: 2 Manual: 8 Approved: 25-Mar-2010 Shutoffs: (qqqqq), hhhh Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2025

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 25-Mar-2025

Manufacturer: Febco Orientation: VUH 0.25% Pb: Yes Renewed: 25-Mar-2025

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 25-Mar-2025

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 25-Mar-2025

Manufacturer: Febco Orientation: HVD 0.25% Pb: Yes Renewed: 25-Mar-2025 Model: LF825YA Meters: Spare Parts Only: No Bypass:

Model: LF825YA Meters: Spare Parts Only: No Bypass: Type: RP Manufacturer: Febco Model: LF825YA Size: 2 Orientation: VUH Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 25-Mar-2010 Renewed: 25-Mar-2025 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF825YA Size: 2 **Orientation: VUVD** Meters: 0.25% Pb: Yes Manual: 8 Spare Parts Only: No Approved: 25-Mar-2010 Renewed: 25-Mar-2025 **Bypass:** Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF860 Size: 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2010 **Renewed:** 18-Feb-2025 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF860 Size: 3/4 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2025 **Bypass:** Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF860 Size: 1 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2025 Bypass: Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF860 Size: 1 1/4 Orientation: H Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2025 **Bypass:** Shutoffs: (qqqqq), hhhh Type: RP Manufacturer: Febco Model: LF860 Size: 1 1/2 Orientation: H Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 18-Feb-2010 Renewed: 18-Feb-2025 Bypass: Shutoffs: (qqqqq), hhhh

Type: RP	Manufacturer: Febco	Model: LF860
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2010	Renewed: 18-Feb-2025	Bypass:
Shutoffs: (qqqqq), hhhh		
Type: RP	Manufacturer: Febco	Model: LF860
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2022	Bypass:
	;,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2022	Bypass:
,	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	
Type: RP	Manufacturer: Febco	Model: LF860
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: RP	Manufacturer: Febco	Model: LF860
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: RP	Manufacturer: Febco	Model: LF860
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa
Type: RP	Manufacturer: Febco	Model: LF860
Iype. Nr		
Size: 10	Orientation: H	Meters:

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Renewed: 25-Sep-2022

Approved: 25-Sep-2013

чy Bypass:

Type: RP Size: 1/2 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Type: RP Size: 3/4 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Type: RP Size: 1 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Type: RP Size: 1 1/4 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Type: RP Size: 1 1/2 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Type: RP Size: 2 Manual: 9 Approved: 03-Sep-2013 Shutoffs: (ppppp), hhhh

Type: RP Size: 2 1/2 Manual: 9 Approved: 28-May-2013 Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco Orientation: H 0.25% Pb: Yes Renewed: 03-Sep-2022

Manufacturer: Febco

Renewed: 28-May-2022

Orientation: VUVD

0.25% Pb: Yes

Model: LF860U Meters: Spare Parts Only: No Bypass:

Model: LF880V Meters: Spare Parts Only: No Bypass:

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaaa

Type: RP	Manufacturer: Febco	Model: LF880V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2022	Bypass:
,	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	aaa
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	aaa
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	aaa
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 28-May-2013	Renewed: 28-May-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	aaa
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2022	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	aaa
Type: RP	Manufacturer: Febco	Model: LF880V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 03-Sep-2013	Renewed: 03-Sep-2022	Bypass:
	,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	

Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,zzzzzz,aaaaaaaa

Type: RP	Manufacturer: Febco	Model: LF880V	
Size: 8	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 26-Nov-2013	Renewed: 26-Nov-2022	Bypass:	
Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,zzzzzz,aaaaaaa			
Type: RP	Manufacturer: Febco	Model: LF880V	
Size: 8	Orientation: VUVU	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 26-Nov-2013	Renewed: 26-Nov-2022	Bypass:	
Shutoffs: (II),mm,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaa	
Type: RP	Manufacturer: Febco	Model: LF880V	
Size: 10	Orientation: VUVD	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 29-May-2018	Renewed: 29-May-2024	Bypass:	
Shutoffs: (II),mm,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn		
Type: RP	Manufacturer: Febco	Model: LF880V	
Size: 10	Orientation: VUVU	Meters:	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 29-May-2018	Renewed: 29-May-2024	Bypass:	
Shutoffs: (II),mm,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn		
Type: RP	Manufacturer: Febco	Model: LF880W	
Size: 4	Orientation: VUVD	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Manual: 9 Approved: 26-Mar-2020	0.25% Pb: Yes Renewed: 26-Mar-2023		
Approved: 26-Mar-2020		Spare Parts Only: No Bypass:	
Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,ccc	Renewed: 26-Mar-2023	Spare Parts Only: No Bypass:	
Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,ccc Type: RP	Renewed: 26-Mar-2023 c,dddd,eeee,ffff,ggggg,nnnnn,zzzzzz,aaaa	Spare Parts Only: No Bypass: aaaa	
Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,ccc Type: RP Size: 4	Renewed: 26-Mar-2023 c,dddd,eeee,ffff,ggggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco	Spare Parts Only: No Bypass: aaaa Model: LF880W	
Approved: 26-Mar-2020	Renewed: 26-Mar-2023 c,dddd,eeee,ffff,gggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco Orientation: VUVU	Spare Parts Only: No Bypass: aaaa Model: LF880W Meters:	
Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,ccc Type: RP Size: 4 Manual: 9 Approved: 26-Mar-2020	Renewed: 26-Mar-2023 c,dddd,eeee,ffff,ggggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes	Spare Parts Only: No Bypass: aaaa Model: LF880W Meters: Spare Parts Only: No Bypass:	
Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,ccc Type: RP Size: 4 Manual: 9 Approved: 26-Mar-2020	Renewed: 26-Mar-2023 c,dddd,eeee,ffff,ggggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Mar-2023	Spare Parts Only: No Bypass: aaaa Model: LF880W Meters: Spare Parts Only: No Bypass:	
Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,ccc Type: RP Size: 4 Manual: 9 Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,ccc	Renewed: 26-Mar-2023 c,dddd,eeee,ffff,ggggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Mar-2023 c,dddd,eeee,ffff,ggggg,nnnnn,zzzzzz,aaaa	Spare Parts Only: No Bypass: aaaa Model: LF880W Meters: Spare Parts Only: No Bypass: aaaa	
Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,ccc Type: RP Size: 4 Manual: 9 Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,ccc Type: RP	Renewed: 26-Mar-2023 c,dddd,eeee,ffff,ggggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Mar-2023 c,dddd,eeee,ffff,gggg,nnnnn,zzzzzz,aaaa Manufacturer: Febco	Spare Parts Only: No Bypass: aaaa Model: LF880W Meters: Spare Parts Only: No Bypass: aaaaa Model: LF880W	

Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaaaa

Type: RP	Manufacturer: Febco	Model: LF880W
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	
	Renewed: 26-Mar-2023	Spare Parts Only: No
Approved: 26-Mar-2020	lddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	Bypass:
Sintions. (inin), ii,00,pp,222,0000,0		aaa
Type: RP	Manufacturer: Febco	Model: LF880W
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm), II,oo,pp,zzz,cccc,d	lddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	aaa
Type: RP	Manufacturer: Febco	Model: LF880W
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
,	lddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	
Type: RP	Manufacturer: Febco	Model: LF880W
Size: 10	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc,de	ddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880W
Size: 10	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc,de	ddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880WZ
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
	lddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaa	
Turner DD	Manufacturan Falses	
Type: RP	Manufacturer: Febco	Model: LF880WZ
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:

Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaaa

Type: RP	Manufacturer: Febco	Model: LF880WZ
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (mm), II,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	
Type: RP	Manufacturer: Febco	Model: LF880WZ
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 26-Mar-2020	Renewed: 26-Mar-2023	Bypass:
Shutoffs: (mm), II,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa
Type: RP	Manufacturer: Febco	Model: LF880WZ
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm), II,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa
Type: RP	Manufacturer: Febco	Model: LF880WZ
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (mm), II,oo,pp,zzz,ccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa
Type: RP	Manufacturer: Febco	Model: LF880WZ
Size: 10	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Febco	Model: LF880WZ
Size: 10	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-May-2020	Renewed: 15-May-2023	Bypass:
Shutoffs: (II),mm,oo,pp,zzz,cccc	;,dddd,eeee,ffff,gggg,nnnnn	
Type: RP	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: See Wilkins

Type: RP	Manufacturer: Watts	Model: 009
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-Aug-1990	Renewed: 31-Aug-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 009
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 31-Aug-1990	Renewed: 31-Aug-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,eee,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 009M1PCQT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	
Type: RP	Manufacturer: Watts	Model: 009M1PCQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	
Type: RP	Manufacturer: Watts	Model: 009M1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	
Type: RP	Manufacturer: Watts	Model: 009M1QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1992	Renewed: 30-Jun-2022	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	
Type: RP	Manufacturer: Watts	Model: 009M1QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 30-Jun-1992	Renewed: 30-Jun-2022	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,r	rrrr	

Type: RP Size: 2 Manual: 8 Approved: 19-Dec-1991 Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 1 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 1 1/4 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 1 1/2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 2 Manual: 9 Approved: 01-Sep-2009 Shutoffs: (eeeee)

Type: RP Size: 3/4 Manual: 8 Approved: 07-Oct-2002 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 19-Dec-2024

Manufacturer: Watts

Renewed: 01-Sep-2024

Manufacturer: Watts

Renewed: 01-Sep-2024

Manufacturer: Watts

Renewed: 01-Sep-2024

Manufacturer: Watts

Renewed: 01-Sep-2024

Manufacturer: Watts

Renewed: 07-Oct-2023

Orientation: H

0.25% Pb: No

Model: 009M1QT Meters: Spare Parts Only: Yes Bypass:

Model: 009M2-FP Meters: Spare Parts Only: No Bypass:

Model: 009M2PCQT Meters: Spare Parts Only: No Bypass:

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Jan-2023 Model: 009M2PCQT Meters: Spare Parts Only: No Bypass: Type: RP Manufacturer: Watts Model: 009M2PCQT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 12-Sep-2024 Approved: 12-Sep-1994 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M2PCQT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 12-Sep-2024 Approved: 12-Sep-1994 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M2PCQT Size: 2 Orientation: H Meters: Manual: 9 0.25% Pb: No Spare Parts Only: No Renewed: 26-Aug-2024 Approved: 26-Aug-1997 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M2QT Size: 3/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 31-Oct-1992 Renewed: 31-Oct-2022 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M2QT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 18-May-1998 Renewed: 18-May-2022 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M2QT Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 24-Aug-1993 Renewed: 24-Aug-2023 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M2QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: No Manual: 8 Approved: 24-Aug-1993 Renewed: 24-Aug-2023 Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Manufacturer: Watts Model: 009M2QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 10-Sep-2023 Approved: 10-Sep-1996 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009M3-FP Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Renewed: 01-Sep-2024 Approved: 01-Sep-2009 **Bypass:** Shutoffs: (eeeee) Type: RP Manufacturer: Watts Model: 009M3QT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: No Approved: 18-Oct-1999 Renewed: 18-Oct-2023 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009PCQT Size: 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 17-Feb-1995 Renewed: 17-Feb-2025 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009PCQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 10-Dec-2023 Approved: 10-Dec-1993 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Watts Type: RP Model: 009PCQT Size: 1 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 10-Dec-1993 Renewed: 10-Dec-2023 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 009PCQT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 27-Sep-1994 Renewed: 27-Sep-2024 Bypass:

Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 1 1/2 Manual: 8	Manufacturer: Watts Orientation: H 0.25% Pb: No	Model: 009PCQT Meters:
	0.20701 0:110	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr	Nenewed. 27-36p-2024	Буразэ.
Type: RP	Manufacturer: Watts	Model: 009PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Aug-1995	Renewed: 07-Aug-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Aug-1995	Renewed: 07-Aug-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 10-Sep-1996	Renewed: 10-Sep-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Notes: Previously approved 8th Ed. 2	26 May 1993	
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 3/4	Orientation: H	Meters:

0.25% Pb: No

Renewed: 11-Jan-2024

Spare Parts Only: Yes

Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Approved: 11-Jan-1988

Manual: 7

Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Jan-1988	Renewed: 11-Jan-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009QT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 009SSM1PCQT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSM1QT
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Dec-1991	Renewed: 19-Dec-2024	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSPCQT
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2023	Bypass:
Shutoffs: vv,xx,pppp		

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

- Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/4 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2024 Model: 009SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: 009SSQT Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Watts	Model: 009SSQT
Size: 1 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2024	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 009SSQT
Size: 2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Aug-1988	Renewed: 09-Aug-2024	Bypass:
Shutoffs: vv,xx,pppp		
Type: RP	Manufacturer: Watts	Model: 909
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1986	Renewed: 12-Jun-2022	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909
Size: 3	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1986	Renewed: 12-Jun-2022	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
Size: 4	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 15-Jan-1982	Renewed: 15-Jan-2024	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
Size: 6	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2023	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,ww,yy,eee,ffff,gggg	
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	

Type: RP	Manufacturer: Watts	Model: 909
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2023	Bypass:
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Jul-1981	Renewed: 06-Jul-2023	Bypass:
Notes: formerly 909NRS/909OS	Y/909NRSRW/909OSYRW/909RW	
Type: RP	Manufacturer: Watts	Model: 909BB
Size: 2 1/2	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Feb-1983	Renewed: 04-Feb-2025	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909BB
Size: 3	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 04-Feb-1983	Renewed: 04-Feb-2025	Bypass:
Shutoffs: (oo),gg,hh,ll,mm,pp,tt,	uu,yy,ffff,gggg	
Type: RP	Manufacturer: Watts	Model: 909HWQT
	Orientation: H	Madawa
Size: 3/4	Onentation. It	Meters:
Size: 3/4 Manual: 5	0.25% Pb: No	Meters: Spare Parts Only: Yes
Manual: 5		
Manual: 5 Approved: 29-Sep-1979	0.25% Pb: No Renewed: 29-Sep-2024	Spare Parts Only: Yes
Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp	0.25% Pb: No Renewed: 29-Sep-2024	Spare Parts Only: Yes
Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP	0.25% Pb: No Renewed: 29-Sep-2024	Spare Parts Only: Yes Bypass:
Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1	0.25% Pb: No Renewed: 29-Sep-2024	Spare Parts Only: Yes Bypass: Model: 909HWQT
Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5	0.25% Pb: No Renewed: 29-Sep-2024 ,rrrrr Manufacturer: Watts Orientation: H	Spare Parts Only: Yes Bypass: Model: 909HWQT Meters:
Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979	0.25% Pb: No Renewed: 29-Sep-2024 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2024	Spare Parts Only: Yes Bypass: Model: 909HWQT Meters: Spare Parts Only: Yes
Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp	0.25% Pb: No Renewed: 29-Sep-2024 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2024	Spare Parts Only: Yes Bypass: Model: 909HWQT Meters: Spare Parts Only: Yes
Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp	0.25% Pb: No Renewed: 29-Sep-2024 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2024	Spare Parts Only: Yes Bypass: Model: 909HWQT Meters: Spare Parts Only: Yes Bypass:
Size: 3/4 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1 1/4 Manual:	0.25% Pb: No Renewed: 29-Sep-2024 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2024	Spare Parts Only: Yes Bypass: Model: 909HWQT Meters: Spare Parts Only: Yes Bypass: Model: 909HWQT

Notes: model designation changed to 909M1HWQT

Type: RPManufacturer: WattsSize: 1 1/2Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 909M1HWQT

Type: RPManufacturer: WattsSize: 2Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: model designation changed to 909M1HWQT

Type: RPManufacturer: WattsSize: 8Orientation: HManual: 80.25% Pb: NoApproved: 01-May-1989Renewed: 01-May-2022Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,yy,wv,ffff,gggg

Type: RPManufacturer: WattsSize: 10Orientation: HManual: 80.25% Pb: NoApproved: 01-May-1989Renewed: 01-May-2022Shutoffs: (oo),gg,hh,ll,mm,pp,tt,uu,ww,yy,ffff,gggg

Type: RP Size: 1 1/4 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,rrrrr Notes: formerly 909HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2025 Model: 909HWQT Meters: Spare Parts Only: No Bypass:

Model: 909HWQT Meters: Spare Parts Only: No Bypass:

Model: 909M1 Meters: Spare Parts Only: Yes Bypass:

Model: 909M1 Meters: Spare Parts Only: Yes Bypass:

Model: 909M1HWQT Meters: Spare Parts Only: Yes Bypass:

Type: RP Size: 1 1/2 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,rrrrr Notes: formerly 909HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2025 Model: 909M1HWQT Meters: Spare Parts Only: Yes Bypass: Type: RP Size: 2 Manual: 5 Approved: 07-Feb-1980 Shutoffs: (vv),xx,ooo,hhhh,rrrrr Notes: formerly 909HWQT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 07-Feb-2025 Model: 909M1HWQT Meters: Spare Parts Only: Yes Bypass:

Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Type: RP Size: 1 1/2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Type: RP Size: 2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,rrrrr

Type: RP Size: 1 1/4 Manual: 6 Approved: 15-Jan-1982 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: formerly 909QT

Type: RP Size: 1 1/2 Manual: 6 Approved: 15-Jan-1982 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: formerly 909QT Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2025

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2025

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2025

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 15-Jan-2024

Manufacturer: Watts

Renewed: 15-Jan-2024

Orientation: H

0.25% Pb: No

Model: 909M1PCHWQT Meters: Spare Parts Only: Yes Bypass:

Model: 909M1PCHWQT Meters: Spare Parts Only: Yes Bypass:

Model: 909M1PCHWQT Meters: Spare Parts Only: Yes Bypass:

Model: 909M1QT Meters: Spare Parts Only: Yes Bypass:

Model: 909M1QT Meters: Spare Parts Only: Yes Bypass:

Type: RP Manufacturer: Watts Model: 909M1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 6 Approved: 15-Jan-1982 Renewed: 15-Jan-2024 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Notes: formerly 909QT Type: RP Manufacturer: Watts Model: 909NRS **Size:** 3 **Orientation:** Meters: 0.25% Pb: No Manual: Spare Parts Only: No Approved: **Renewed: Bypass:** Notes: model designation changed to 909 Type: RP Manufacturer: Watts Model: 909NRS Size: 4 **Orientation:** Meters: 0.25% Pb: No Manual: Spare Parts Only: No **Renewed:** Bypass: Approved: Notes: model designation changed to 909 Type: RP Manufacturer: Watts Model: 909NRS Size: 6 **Orientation:** Meters: 0.25% Pb: No Manual: Spare Parts Only: No **Renewed:** Approved: **Bypass:** Notes: model designation changed to 909 Type: RP Manufacturer: Watts Model: 909NRS Size: 8 **Orientation:** Meters: 0.25% Pb: No Spare Parts Only: No Manual: **Renewed:** Bypass: Approved: Notes: model designation changed to 909 Type: RP Manufacturer: Watts Model: 909NRS Size: 10 **Orientation:** Meters: 0.25% Pb: No Spare Parts Only: No Manual: **Approved: Renewed:** Bypass:

Notes: model designation changed to 909

Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909NRSRW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 909

Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSY
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation	changed to 909	
Type: RP	Manufacturer: Watts	Model: 909OSYRW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:

Notes: model designation changed to 909

Type: RP Manufacturer: Watts Model: 909OSYRW Size: 10 **Orientation:** Meters: 0.25% Pb: No Spare Parts Only: No Manual: **Renewed:** Approved: Bypass: Notes: model designation changed to 909 Type: RP Manufacturer: Watts Model: 909PCHWQT Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 02-Feb-1995 Renewed: 02-Feb-2025 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 909PCHWQT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 02-Feb-2025 Approved: 02-Feb-1995 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 909PCM1QT Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Renewed: 02-Feb-2025 Approved: 02-Feb-1995 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 909PCM1QT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 02-Feb-1995 Renewed: 02-Feb-2025 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr Type: RP Manufacturer: Watts Model: 909PCM1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes

Renewed: 02-Feb-2025

Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Approved: 02-Feb-1995

Type: RP	Manufacturer: Watts	Model: 909PCQT		
Size: 3/4	Orientation: H	Meters:		
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes		
Approved: 09-Oct-1998	Renewed: 09-Oct-2022	Bypass:		
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr				
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher		
Type: RP	Manufacturer: Watts	Model: 909PCQT		
Size: 3/4	Orientation: VU	Meters:		
Manual: 9	0.25% Pb : No	Spare Parts Only: Yes		
Approved: 09-Oct-1998	Renewed: 09-Oct-2022	Bypass:		
Shutoffs: (vv),xx,ooo,hhhh,pppp	p,rrrr			
Notes: Serial number 464100 an	nd higher			
Type: RP	Manufacturer: Watts	Model: 909PCQT		
Size: 1	Orientation: H	Meters:		
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes		
Approved: 09-Oct-1998	Renewed: 09-Oct-2022	Bypass:		
Shutoffs: (vv),xx,ooo,hhhh,pppp	p,rrrrr			
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher		
Type: RP	Manufacturer: Watts	Model: 909PCQT		
Size: 1	Orientation: VU	Meters:		
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes		
Approved: 09-Oct-1998	Renewed: 09-Oct-2022	Bypass:		
Shutoffs: (vv),xx,ooo,hhhh,pppp	p,rrrr			
Notes: Previously Approved 8th	Ed (2 February 1995) 9th Ed. for Ser. No	os. 464100 and higher		
Type: RP	Manufacturer: Watts	Model: 909QT		
Size: 3/4	Orientation: H	Meters:		
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes		
Approved: 18-Jun-1998	Renewed: 18-Jun-2022	Bypass:		
Shutoffs: (vv),xx,ooo,hhhh,pppp	p,rrrr			
Notes: Previously Approved 6th	Ed. (15 Jan 1982) 9th Ed. For Ser. Nos.	461650 and higher		
Type: RP	Manufacturer: Watts	Model: 909QT		
Size: 3/4	Orientation: VU	Meters:		
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes		
Approved: 18-Jun-1998	Renewed: 18-Jun-2022	Bypass:		

Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Notes: Serial number 461650 and higher

Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jun-1998	Renewed: 18-Jun-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrr	
Notes: Previously Approved 6th	Ed. (15 Jan 1982) 9th Ed. For Ser. Nos.	461650 and higher
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jun-1998	Renewed: 18-Jun-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrr	
Notes: Serial number 461650 ar	nd higher	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1 1/4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909M1QT	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 1 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909M1QT	
Type: RP	Manufacturer: Watts	Model: 909QT
Size: 2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909M1QT	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
	Renewed:	

Type: RP	Manufacturer: Watts	Model: 909RW
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909	
Type: RP	Manufacturer: Watts	Model: 909RW
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	o,rrrrr	
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Sep-2006	Renewed: 05-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	D,rrrrr	

Type: RP Size: 1 1/2	Manufacturer: Watts Orientation: VUVD	Model: 919AQT Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		-),,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Type: RP	Manufacturer: Watts	Model: 919AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 3/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

T we DD	Manual Cardonnan Matalia	
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/4 Manual: 9	Orientation: VD	Meters:
	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr		

Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1 1/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 919ZQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp),rrrr	
Type: RP	Manufacturer: Watts	Model: 957
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,IIII,mmmm,nnnn,nnnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		

Type: RP	Manufacturer: Watts	Model: 957
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kl	kkk,IIII,mmmm,nnnn,nnnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,kl	kkk IIII mmmm nnnn nnnnn	
	,	
	e black EPDM or orange Silicone	
Notes: Check valve discs may be		Model: 957
Notes: Check valve discs may be Type: RP	e black EPDM or orange Silicone	Model: 957 Meters:
Notes: Check valve discs may be Type: RP Size: 6	e black EPDM or orange Silicone Manufacturer: Watts	
	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H	Meters:
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2022	Meters: Spare Parts Only: No Bypass:
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2022 Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2022 Manufacturer: Watts Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 957 Meters:
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2022 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2022	Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: zzz,dddd,eeee,gggg,kl	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2022 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2022	Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: zzz,dddd,eeee,gggg,kl Type: RP	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2022 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2022 kkk,IIII,mmmm,nnnn,nnnn	Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass:
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2022 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2022 kkk,IllI,mmmm,nnnn,nnnn	Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957
Notes: Check valve discs may be Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: (ppp),qqq,aaaa,bbbb Type: RP Size: 6 Manual: 9 Approved: 20-Dec-2004 Shutoffs: zzz,dddd,eeee,gggg,kl Type: RP Size: 8	e black EPDM or orange Silicone Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Dec-2022 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 20-Dec-2022 kkk,IIII,mmmm,nnnn,nnnnn Manufacturer: Watts Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Spare Parts Only: No Bypass: Model: 957 Meters: Model: 957

Type: RP	Manufacturer: Watts	Model: 957
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2022	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: RP	Manufacturer: Watts	Model: 957
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb		
Type: RP	Manufacturer: Watts	Model: 957
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2024	Bypass:
Shutoffs: zzz,cccc,dddd,eeee,g	ggg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: RP	Manufacturer: Watts	Model: 957 BF
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Jan-2008	Renewed: 17-Jan-2023	Bypass:
Shutoffs: (yyy)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957 BF
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 17-Jan-2008	Renewed: 17-Jan-2023	Bypass:
Shutoffs: (yyy)		
Type: RP	Manufacturer: Watts	Model: 957N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	որորո	

Type: RP	Manufacturer: Watts	Model: 957N
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	jgg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	jgg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnnn	
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	Jgg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	be black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,		Bypass:

Type: RP	Manufacturer: Watts	Model: 957N
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทททท	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
	0.23701 0.110	Spare Faits Only. No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r	Renewed: 26-Jul-2024	
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r	Renewed: 26-Jul-2024	
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may b	Renewed: 26-Jul-2024 annnn e black EPDM or orange Silicone	Bypass:
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may b Type: RP	Renewed: 26-Jul-2024 annnn e black EPDM or orange Silicone Manufacturer: Watts	Bypass: Model: 957N
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may b Type: RP Size: 4	Renewed: 26-Jul-2024	Bypass: Model: 957N Meters:
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may b Type: RP Size: 4 Manual: 9	Renewed: 26-Jul-2024	Bypass: Model: 957N Meters: Spare Parts Only: No
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,gg	Renewed: 26-Jul-2024	Bypass: Model: 957N Meters: Spare Parts Only: No
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,gg	Renewed: 26-Jul-2024	Bypass: Model: 957N Meters: Spare Parts Only: No
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,gg	Renewed: 26-Jul-2024	Bypass: Model: 957N Meters: Spare Parts Only: No Bypass:
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b	Renewed: 26-Jul-2024	Bypass: Model: 957N Meters: Spare Parts Only: No Bypass: Model: 957N
Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: yyy,zzz,dddd,eeee,gg Notes: Check valve discs may b Type: RP Size: 6	Renewed: 26-Jul-2024	Bypass: Model: 957N Meters: Spare Parts Only: No Bypass: Model: 957N Meters:

Type: RP	Manufacturer: Watts	Model: 957N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass:
Shutoffs: zzz,dddd,eeee,gggg,k	kkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 957N
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2024	Bypass:

Shutoffs: (fffff)

Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2024	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957NQT
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957NQT
	Manufacturer: Watts Orientation: VUVD	Model: 957NQT Meters:
Size: 4		
Size: 4 Manual: 9	Orientation: VUVD	Meters:
Size: 4 Manual: 9 Approved: 20-Oct-2009	Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff)	Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024	Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024 we black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 4	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024 e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957NQT
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 4 Manual: 9	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU	Meters: Spare Parts Only: No Bypass: Model: 957NQT Meters:
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024 be black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: 957NQT Meters: Spare Parts Only: No
Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (fffff)	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024 be black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: 957NQT Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (fffff) Notes: Check valve discs may b	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024 We black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024	Meters: Spare Parts Only: No Bypass: Model: 957NQT Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 e black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass: Model: 957NQT Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 2 1/2	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957NQT Meters: Spare Parts Only: No Bypass: Model: 957QT
Size: 4 Manual: 9 Approved: 20-Oct-2009 Shutoffs: (fffff) Notes: Check valve discs may b Type: RP Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (fffff)	Orientation: VUVD 0.25% Pb: Yes Renewed: 20-Oct-2024 e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Jul-2024 e black EPDM or orange Silicone Manufacturer: Watts Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 957NQT Meters: Spare Parts Only: No Bypass: Model: 957QT Meters: Meters:

Tumo, DD		Madely 0570T
Type: RP	Manufacturer: Watts	Model: 957QT
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2024	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957QT
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Oct-2009	Renewed: 20-Oct-2024	Bypass:
Shutoffs: (fffff)		
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทททท	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
	• •	
Shutoffs: (ppp),qqq,aaaa,bbbb,r	าทททท	
Shutoffs: (ppp),qqq,aaaa,bbbb,r	nnnn e black EPDM or orange Silicone	
Shutoffs: (ppp),qqq,aaaa,bbbb,r		Model: 957Z
Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be	e black EPDM or orange Silicone	Model: 957Z Meters:
Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP	e black EPDM or orange Silicone Manufacturer: Watts	
Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2	e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU	Meters:
Shutoffs: (ppp),qqq,aaaa,bbbb,r Notes: Check valve discs may be Type: RP Size: 2 1/2 Manual: 9	e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVU 0.25% Pb: Yes Renewed: 14-Apr-2024	Meters: Spare Parts Only: No

Torres DD		
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,n Notes: Check valve discs may be		
	Black LF DW OF Grange Shicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,n	Innnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,ggg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may be	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 9577
Type: RP Size: 4	Manufacturer: Watts Orientation: VUVD	Model: 957Z Meters:
Size: 4	Orientation: VUVD	Meters:
Size: 4 Manual: 9	Orientation: VUVD 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 26-Jul-2021	Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024	Meters:
Size: 4 Manual: 9	Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024	Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,n Notes: Check valve discs may be	Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024 annnn e black EPDM or orange Silicone	Meters: Spare Parts Only: No Bypass:
Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,m Notes: Check valve discs may be	Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024 annnn e black EPDM or orange Silicone Manufacturer: Watts	Meters: Spare Parts Only: No Bypass: Model: 957Z
Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,n Notes: Check valve discs may be Type: RP Size: 4	Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024 annnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters:
Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,n Notes: Check valve discs may be Type: RP Size: 4 Manual: 9	Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024 annnn e black EPDM or orange Silicone Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters: Spare Parts Only: No
Size: 4 Manual: 9 Approved: 26-Jul-2021 Shutoffs: (ppp),qqq,aaaa,bbbb,n Notes: Check valve discs may be Type: RP Size: 4	Orientation: VUVD 0.25% Pb: No Renewed: 26-Jul-2024 Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 26-Jul-2024	Meters: Spare Parts Only: No Bypass: Model: 957Z Meters:

Type: RP	Manufacturer: Watts	Model: 957Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Notes: Check valve discs may b	e black EPDM or orange Silicone	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 957Z
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Renewed: 14-Jun-2022	

Size: 2 1/2 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 9572QT Size: 2 1/2 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 9572QT Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 9572QT Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 9572QT Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 9572QT Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 9572QT Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 9572QT Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manuf	Type: RP	Manufacturer: Watts	Model: 957ZQT
Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 2 1/2 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Bypass: Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manual: 9		Orientation: VUVD	Meters:
Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 2 1/2 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVD Meters: Model: 957ZQT Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufa: 9 0.25% Pb: Yes Spare Parts Only: No Approved:	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 21/2 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVU Meters: Model: 957ZQT Size: 3 Orientation: VUVU Meters: Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 </th <th>Approved: 26-Jul-2021</th> <th>Renewed: 26-Jul-2024</th> <th>Bypass:</th>	Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Type: RPManufacturer: WattsModel: 957ZQTSize: 2 1/2Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTShutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTShutoffs: (fffff)Notes: Chec	Shutoffs: (fffff)		
NotesOrientation: VUVUMeters: Spare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange SiliconeSpare Parts Only: NoType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVDMeters: Spare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVDMeters: Spare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVUMeters: Spare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange SiliconeType: RPType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters: Spare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange SiliconeSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange SiliconeType: RPType: RPManufacturer	Notes: Check valve discs may b	e black EPDM or orange Silicone	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Notes: Check valve discs may be black EPDM or orange SiliconeTorientation: VUVUMattriff)Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: No	Type: RP	Manufacturer: Watts	Model: 957ZQT
Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 9572QT Type: RP Manufacturer: Watts Model: 9572QT Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 9572QT Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs	Size: 2 1/2	Orientation: VUVU	Meters:
Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Manufacturer: Watts Model: 957ZQT Maproved: 26-Jul-2021 Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) <	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Notes: Check valve discs may be black EPDM or orange Silicone Bypass: Shutoffs: (fffff) Notes:	Approved: 20-Oct-2009	Renewed: 20-Oct-2024	Bypass:
Type: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeSpare Parts Only: NoApproved: 20-Oct-2029Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (ffff)Notes: Check valve discs may be black EPDM or orange SiliconeSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Motels: 957ZQTSpare Parts Only: NoSpare PartsSpare Parts Only: NoSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Ori	Shutoffs: (fffff)		
No.Meters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (ffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeType: RPType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Notes: Check valve discs may b	e black EPDM or orange Silicone	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Image: Solution of ange SiliconeNotes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Image: Solution: VUVDMeters:Notes: Check valve discs may be black EPDM or orange SiliconeImage: Solution: VUVDType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Image: Solution: VUVDMeters:Notes: Check valve discs may be black EPDM or orange SiliconeSpare Parts Only: NoType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Shutoffs: (fffff)Image: Solution orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Type: RP	Manufacturer: Watts	Model: 957ZQT
Approved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (ffff)Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeSpare Parts Only: NoType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Size: 3	Orientation: VUVD	Meters:
Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Volume Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVU Meters: Model: 957ZQT Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved:	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (ffff)Image: SiliconeState SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (ffff)Image: SiliconeSpare Parts Only: NoManual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoSize: 4Orientation: VUVUMeters:Shutoffs: (ffff)Image: SiliconeImage: SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Size: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 3Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (ffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Notes: Check valve discs may be black EPDM or orange SiliconeType: RPType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Shutoffs: (fffff)		
Size: 3 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVD Meters: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVU Meters: Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass:	Notes: Check valve discs may b	e black EPDM or orange Silicone	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeBydel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeSproved: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Type: RP	Manufacturer: Watts	Model: 957ZQT
Approved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Size: 3	Orientation: VUVU	Meters:
Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVD Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 26-Jul-2021 Renewed: 26-Jul-2024 Bypass: Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange Silicone Model: 957ZQT Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass:	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (ffff)Notes: Check valve discs may be black EPDM or orange SiliconeModel: 957ZQTType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Approved: 20-Oct-2009	Renewed: 20-Oct-2024	Bypass:
Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Size: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Shutoffs: (fffff)		
Size: 4Orientation: VUVDMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)Image: Shutoffs: Check valve discs may be black EPDM or orange SiliconeImage: Shutoffs: Size: 4Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Notes: Check valve discs may b	e black EPDM or orange Silicone	
Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff)	Type: RP	Manufacturer: Watts	Model: 957ZQT
Approved: 26-Jul-2021Renewed: 26-Jul-2024Bypass:Shutoffs: (fffff) Notes: Check valve discs may be black EPDM or orange SiliconeBypass:Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Size: 4	Orientation: VUVD	Meters:
Shutoffs: (ffff) Notes: Check valve discs may be black EPDM or orange Silicone Type: RP Manufacturer: Watts Model: 957ZQT Size: 4 Orientation: VUVU Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass:	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Notes: Check valve discs may be black EPDM or orange SiliconeType: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Type: RPManufacturer: WattsModel: 957ZQTSize: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Shutoffs: (fffff)		
Size: 4Orientation: VUVUMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Notes: Check valve discs may b	e black EPDM or orange Silicone	
Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 20-Oct-2009 Renewed: 20-Oct-2024 Bypass:	Type: RP	Manufacturer: Watts	Model: 957ZQT
Approved: 20-Oct-2009Renewed: 20-Oct-2024Bypass:	Size: 4	Orientation: VUVU	Meters:
	Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Shutoffs: (fffff)	Approved: 20-Oct-2009	Renewed: 20-Oct-2024	Bypass:
	Shutoffs: (fffff)		

Type: RP	Manufacturer: Watts	Model: 967
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bb	bbb,dddd,eeee,ffff,gggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Oct-2002	Renewed: 07-Oct-2023	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bb	bbb,dddd,eeee,ffff,ggggg,kkkk,IIII,mmmm,	nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 18-Jan-2005	Renewed: 18-Jan-2023	Bypass:
Shutoffs: (ppp),qqq,aaaa,bbbb,	gggg,kkkk,llll,mmmm,nnnn,nnnnn	
Type: RP	Manufacturer: Watts	Model: 967
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Aug-2007	Renewed: 13-Aug-2022	Bypass:
Shutoffs: (ppp),qqq,sss, ttt, aaa	a,bbbb,cccc,dddd,kkkk,llll,mmmm,nnnn,	nnnn
Type: RP	Manufacturer: Watts	Model: 967
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,zzz,a	aaa,bbbb,cccc,dddd,eeee,gggg,kkkk,llll	,mmmm,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jul-2009	Renewed: 22-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,zzz,a	aaa,bbbb,cccc,dddd,eeee,gggg,kkkk,llll	,mmmm,nnnn
Type: RP	Manufacturer: Watts	Model: 967N
		Matara
Size: 2 1/2	Orientation: VUVD	Meters:
	0.25% Pb: No	Spare Parts Only: No

Shutoffs: (ppp),qqq,yyy,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnn

Type: RP	Manufacturer: Watts	Model: 967N
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	a,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967N
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bb	bb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967N
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bb	bb,dddd,eeee,ffff,ggggg,kkkk,llll,mmmm,	nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	Innn	
Type: RP	Manufacturer: Watts	Model: 967N
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass:
Shutoffs: yyy,zzz,dddd,eeee,gg	gg,kkkk,llll,mmmm,nnnn	
Type: RP	Manufacturer: Watts	Model: 967N
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: ppp,qqq,aaaa,bbbb,nr	Innn	
Type: RP	Manufacturer: Watts	Model: 967N
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Renewed: 26-Jul-2024	Bypass:

Type: RP	Manufacturer: Watts	Model: 967N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,	,	
Type: RP	Manufacturer: Watts	Model: 967N
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 967N
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,	,	
Type: RP	Manufacturer: Watts	Model: 967N
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	e, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,yyy,zzz,aaa	aa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm	i,nnnn,nnnnn
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:

Shutoffs: (ppp),qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn,nnnnn

Type: RP	Manufacturer: Watts	Model: 967Z
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Apr-2003	Renewed: 14-Apr-2024	Bypass:
Shutoffs: (ppp),qqq,zzz,aaaa,bb	bb,dddd,eeee,gggg,kkkk,llll,mmmm,nnn	n,nnnn
Type: RP	Manufacturer: Watts	Model : 967Z
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Jul-2021	Renewed: 26-Jul-2024	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: ppp, qqq, aaaa, bbbb,		
Type: RP	Manufacturer: Watts	Model: 967Z
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass:
Shutoffs: (yyy), zzz, dddd, eeee	, gggg, kkkk, IIII, mmmm, nnnn	
Type: RP	Manufacturer: Watts	Model: 990
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 01-Nov-2022	Bypass:
Shutoffs: oo,gg,hh,pp,tt,uu,yy		
Type: RP	Manufacturer: Watts	Model: 990
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2023	Bypass:
Shutoffs: oo,gg,hh,pp,tt,uu,yy		

Type: RP	Manufacturer: Watts	Model: 990QTFDA
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2023	Bypass:
Shutoffs: ww		
Type: RP	Manufacturer: Watts	Model: 990QTFDA
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2023	Bypass:
Shutoffs: ww		
Type: RP	Manufacturer: Watts	Model: 992
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 01-Nov-2022	Bypass:
Shutoffs: 00		
Type: RP	Manufacturer: Watts	Model: 992
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2023	Bypass:
Shutoffs: 00		
Type: RP	Manufacturer: Watts	Model: 994
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2024	Bypass:
Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	c,ddd	
Type: RP	Manufacturer: Watts	Model: 994
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2024	Bypass:
Shutoffs: II,mm,oo,ffff,gggg		
Type: RP	Manufacturer: Watts	Model: 994
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994	Renewed: 15-Apr-2024	Bypass:

Type: RP Size: 3 Manual: 8	Manufacturer: Watts Orientation: H 0.25% Pb: Yes	Model: 994 Meters: Spare Parts Only: No
Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg	Renewed: 15-Apr-2024	Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Apr-1994 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	Renewed: 15-Apr-2024 cc,ddd	Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Apr-1994 Shutoffs: II,mm,oo,ffff,gggg	Renewed: 15-Apr-2024	Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Sep-1997 Shutoffs: (tt),ee,ff,gg,hh,pp,uu,co	Renewed: 22-Sep-2024 cc,ddd	Bypass:
Type: RP	Manufacturer: Watts	Model: 994
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Sep-1997 Shutoffs: II,mm,oo,ffff,gggg	Renewed: 22-Sep-2024	Bypass:
Type: RP	Manufacturer: Watts	Model: 995QT
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-2000 Shutoffs: int	Renewed: 13-Apr-2024	Bypass:
Type: RP	Manufacturer: Watts	Model: 995QT
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Apr-2000 Shutoffs: int	Renewed: 13-Apr-2024	Bypass:

Type: RP Manufacturer: Watts Model: 995QT Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 14-Jan-1999 Renewed: 14-Jan-2023 Bypass: Shutoffs: int Type: RP Manufacturer: Watts Model: 995QT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 28-Mar-2002 Renewed: 28-Mar-2023 Bypass: Shutoffs: int Type: RP Manufacturer: Watts Model: 995QT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 9 Spare Parts Only: Yes Approved: 28-Mar-2002 Renewed: 28-Mar-2023 Bypass: Shutoffs: int Type: RP Manufacturer: Watts Model: FAE909HWQT Size: 1 1/4 Orientation: H Meters: Manual: 5 0.25% Pb: No Spare Parts Only: Yes Renewed: 07-Feb-2025 Approved: 07-Feb-1980 **Bypass: Shutoffs:** (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Type: RP Model: FAE909HWQT Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Spare Parts Only: Yes Manual: 5 Renewed: 07-Feb-2025 Approved: 07-Feb-1980 Bypass: Shutoffs: (vv),xx,ooo,hhhh,pppp Manufacturer: Watts Type: RP Model: FAE909HWQT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 5 Spare Parts Only: Yes Approved: 07-Feb-1980 Renewed: 07-Feb-2025 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: FAE909QT Size: 1 1/4 Orientation: H Meters: Manual: 6 0.25% Pb: No Spare Parts Only: Yes Approved: 15-Jan-1982 Renewed: 15-Jan-2024 Bypass:

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Manufacturer: Watts Size: 1 1/2 Orientation: H 0.25% Pb: No Manual: 6 Approved: 15-Jan-1982 Renewed: 15-Jan-2024 **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 2 Orientation: H 0.25% Pb: No Manual: 6 Approved: 15-Jan-1982 Renewed: 15-Jan-2024 **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 2 1/2 **Orientation:** H 0.25% Pb: Yes Manual: 9 Approved: 12-Jan-2010 Renewed: 12-Jan-2025 Shutoffs: (oo),II,mm Type: RP Manufacturer: Watts Size: 3 Orientation: H Manual: 9 0.25% Pb: Yes Approved: 12-Jan-2010 Renewed: 12-Jan-2025 Shutoffs: (oo), II, mm Type: RP Manufacturer: Watts Size: 1/2 Orientation: H 0.25% Pb: Yes Manual: 9 Renewed: 25-Feb-2024 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 25-Feb-2024

Manufacturer: Watts

Renewed: 25-Feb-2024

Orientation: H

0.25% Pb: Yes

Model: FAE909QT Meters: Spare Parts Only: Yes Bypass:

Model: FAE909QT Meters: Spare Parts Only: Yes Bypass:

Model: LF009 Meters: Spare Parts Only: No Bypass:

Model: LF009 Meters: Spare Parts Only: No Bypass:

Model: LF009IOTQT Meters: Spare Parts Only: No Bypass:

Model: LF009M2IOTQT Meters: Spare Parts Only: No Bypass:

Model: LF009M2IOTQT Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrr

Type: RP Size: 1 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/4 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 8 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 11-Jan-2008 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 25-Feb-2021 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 25-Feb-2024 Model: LF009M2PCQT Meters: Spare Parts Only: No Bypass:

Model: LF009M2PCQT Meters: Spare Parts Only: No Bypass:

Model: LF009M2QT Meters: Spare Parts Only: No Bypass:

Model: LF009M3IOTQT Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Approved: 11-Jan-2008

Approved: 13-Mar-2015

Approved: 11-Jan-2008

Shutoffs: (hhhh),rrrrr

Shutoffs: (hhhh),rrrrr

Shutoffs: (hhhh),rrrrr

Type: RP

Size: 3/4

Manual: 9

Type: RP

Size: 1/2

Manual: 9

Type: RP

Size: 1/2

Manual: 9

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 11-Jan-2023

Type: RPManufacturer: WattsSize: 2 1/2Orientation: HManual: 90.25% Pb: YesApproved: 12-Jan-2010Renewed: 12-Jan-2025Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaaa

Model: LF009M3PCQT Meters: Spare Parts Only: No Bypass:

Model: LF009M3QT Meters: Spare Parts Only: No Bypass:

Model: LF009PCQT Meters: Spare Parts Only: No Bypass:

Model: LF009QT Meters: Spare Parts Only: No Bypass:

Model: LF909 Meters: Spare Parts Only: No Bypass:

Type: RPManufacturer: WattsModel: LF909Size: 3Orientation: HMeters:Manual: 90.25% Pb: YesSpare Parts Only: NoApproved: 12-Jan-2010Renewed: 12-Jan-2025Bypass:Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,zzzzza,aaaaaaState State Stat

Type: RP Size: 4 Manual: 9 Approved: 27-Jul-2012 Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 27-Jul-2024 Model: LF909 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Watts	Model: LF909	
Size: 6	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 27-Jul-2012	Renewed: 27-Jul-2024	Bypass:	
Shutoffs: (II),mm,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaaaaaa			
Type: RP	Manufacturer: Watts	Model: LF909M1	
Size: 8	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 01-Jul-2010	Renewed: 01-Jul-2022	Bypass:	
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn,zzzzz,aaaa	aaaa	
Type: RP	Manufacturer: Watts	Model: LF909M1	
Size: 10	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 01-Jul-2010	Renewed: 01-Jul-2022	Bypass:	
Shutoffs: (II),mm,oo,pp,zzz,cccc	c,dddd,eeee,ffff,gggg,nnnnn		
Type: RP	Manufacturer: Watts	Model: LF909M1PCQT	
Size: 1 1/4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 13-Mar-2015	Renewed: 13-Mar-2024	Bypass:	
Shutoffs: (hhhh),rrrrr			
Type: RP	Manufacturer: Watts	Model: LF909M1PCQT	
Size: 1 1/2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 13-Mar-2015	Renewed: 13-Mar-2024	Bypass:	
Shutoffs: (hhhh),rrrrr			
Type: RP	Manufacturer: Watts	Model: LF909M1PCQT	
Size: 2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 13-Mar-2015	Renewed: 13-Mar-2024	Bypass:	
Shutoffs: (hhhh),rrrrr			
Type: RP	Manufacturer: Watts	Model: LF909M1QT	
Size: 1 1/4	Orientation: H	Meters:	
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 18-Feb-2010	Renewed: 18-Feb-2025	Bypass:	
Shutoffs: (hhhh),rrrrr			

Type: RP Size: 1 1/2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 13-Mar-2015 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 13-Mar-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2025 Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909M1QT Meters: Spare Parts Only: No Bypass:

Model: LF909PCQT Meters: Spare Parts Only: No Bypass:

Model: LF909QT Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/4 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 18-Feb-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 15-Nov-2010 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,000,pppp,rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-Nov-2022

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 18-Feb-2025

Manufacturer: Watts Orientation: VU 0.25% Pb: Yes Renewed: 15-Nov-2022

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Jun-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2024 Model: LF909QT Meters: Spare Parts Only: No Bypass:

Model: LF909QT Meters: Spare Parts Only: No Bypass:

Model: LF909QT Meters: Spare Parts Only: No Bypass:

Model: LF919AQT Meters: Spare Parts Only: Yes Bypass:

Model: LF919AQT Meters: Spare Parts Only: Yes Bypass:

Model: LF919AQT Meters: Spare Parts Only: No Bypass:

Model: LF919AQT Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/4 Manual: 9 Approved: 05-Sep-2006 **Shutoffs:** (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 1/4 Manual: 9

Approved: 05-Sep-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 **Shutoffs:** (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 **Shutoffs:** (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 05-Sep-2024

Manufacturer: Watts

Renewed: 05-Sep-2024

Manufacturer: Watts

Renewed: 12-Apr-2024

Manufacturer: Watts

Renewed: 12-Apr-2024

Manufacturer: Watts

Renewed: 12-Apr-2024

Manufacturer: Watts

Renewed: 12-Apr-2024

Orientation: VUVD

0.25% Pb: Yes

Orientation: H

0.25% Pb: No

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: Yes

Orientation: VUVD

0.25% Pb: No

Orientation: VUVD

0.25% Pb: Yes

Model: LF919AQT Meters: Spare Parts Only: No Bypass:

Model: LF919AQT Meters: Spare Parts Only: No **Bypass:**

Model: LF919AQT Meters: Spare Parts Only: No Bypass:

Model: LF919AQT Meters: Spare Parts Only: No **Bypass:**

Model: LF919AQT Meters: Spare Parts Only: No Bypass:

Model: LF919AQT Meters: Spare Parts Only: No **Bypass:**

Manufacturer: Watts Renewed: 14-Jun-2024

Model: LF919QT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (hhhh),rrrrr

Approved: 30-Aug-2006

Approved: 30-Aug-2006

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Shutoffs: (hhhh),rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: (hhhh),rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP

Size: 3/4

Manual: 9

Type: RP

Size: 3/4

Manual: 9

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Manual: 9

Size: 1

Size: 1

Size: 1

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 14-Jun-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2024

Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2024 Model: LF919QT Meters: Spare Parts Only: No Bypass:

Model: LF919QT Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (hhhh),rrrrr

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,000,pppp,rrrrr Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts

Renewed: 12-Apr-2024

Manufacturer: Watts

Renewed: 30-Aug-2024

Manufacturer: Watts

Renewed: 30-Aug-2024

Manufacturer: Watts

Renewed: 12-Apr-2024

Manufacturer: Watts

Renewed: 12-Apr-2024

Orientation: H

0.25% Pb: Yes

Orientation: H

0.25% Pb: No

Orientation: VD

0.25% Pb: Yes

Orientation: VD

0.25% Pb: No

Orientation: H

0.25% Pb: Yes

Model: LF919QT Meters: Spare Parts Only: No Bypass:

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2024 Model: LF919QT Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (hhhh),rrrrr

Approved: 12-Apr-2006

Approved: 12-Apr-2006

Approved: 30-Aug-2006

Approved: 30-Aug-2006

Shutoffs: (hhhh),rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Shutoffs: (hhhh),rrrrr

Shutoffs: (vv),xx,ooo,pppp,rrrrr

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Manual: 9

Type: RP

Size: 3/4

Manual: 9

Size: 2

Size: 2

Size: 2

Size: 2

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Approved: 14-Jun-2006 Renewed: 14-Jun-2024 **Shutoffs:** (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 1 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 12-Apr-2024 Model: LF919QT Meters: Spare Parts Only: No Bypass:

Model: LF919QT Meters: Spare Parts Only: No Bypass:

Model: LF919QT Meters: Spare Parts Only: No Bypass:

Model: LF919QT Meters: Spare Parts Only: No **Bypass:**

Model: LF919QT Meters: Spare Parts Only: No Bypass:

Model: LF919ZQT Meters: Spare Parts Only: Yes **Bypass:**

Model: LF919ZQT Meters: Spare Parts Only: No Bypass:

 Type: RP
 Manufacturer: Watts

 Size: 1 1/2
 Orientation: VUVU

 Manual: 9
 0.25% Pb: No

 Approved: 12-Apr-2006
 Renewed: 12-Apr-2024

 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr

Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: (vv),xx,000,pppp

Type: RP Size: 3/4 Manual: 9 Approved: 14-Jun-2006 Shutoffs: hhhh

Type: RP Size: 1 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 12-Apr-2024 Model: LF919ZQT Meters: Spare Parts Only: No Bypass:

Model: LF919ZQT Meters: Spare Parts Only: No Bypass:

Model: LF919ZQT Meters: Spare Parts Only: No Bypass:

Model: LFU919AQT Meters: Spare Parts Only: Yes Bypass:

Model: LFU919AQT Meters: Spare Parts Only: Yes Bypass:

Model: LFU919AQT Meters: Spare Parts Only: No Bypass:

Model: LFU919AQT Meters: Spare Parts Only: No Bypass:

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 14-Jun-2024

Manufacturer: Watts

Renewed: 12-Apr-2024

Orientation: VUVU

0.25% Pb: No

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 14-Jun-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes

Renewed: 12-Apr-2024

Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,000,pppp

Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,000,pppp Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2024 Model: LFU919AQT Meters: Spare Parts Only: No Bypass:

Model: LFU919QT Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,000,pppp

Type: RP Size: 1 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh

Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,000,pppp

Type: RP Size: 1 1/4 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 1/4 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2024 Model: LFU919QT Meters: Spare Parts Only: No Bypass:

Model: LFU919QT Meters: Spare Parts Only: No Bypass: Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 1/2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,ooo,pppp

Type: RP Size: 1 1/2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: (vv),xx,000,pppp

Type: RP Size: 2 Manual: 9 Approved: 12-Apr-2006 Shutoffs: hhhh

Type: RP Size: 2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: (vv),xx,000,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 12-Apr-2024

Manufacturer: Watts Orientation: VD 0.25% Pb: No Renewed: 30-Aug-2024 Model: LFU919QT Meters: Spare Parts Only: No Bypass:

Model: LFU919QT Meters: Spare Parts Only: No Bypass: Type: RP Size: 2 Manual: 9 Approved: 30-Aug-2006 Shutoffs: hhhh

Type: RP Size: 2 1/2 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: RP Size: 3 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: RP Size: 4 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: RP Size: 8 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: RP Size: 2 1/2 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: RP Size: 3 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr Manufacturer: Watts Orientation: VD 0.25% Pb: Yes Renewed: 30-Aug-2024

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023 Model: LFU919QT Meters: Spare Parts Only: No Bypass:

Model: Magnum 40 Meters: Spare Parts Only: No Bypass:

Model: Magnum 40 Meters: Spare Parts Only: No Bypass:

Model: Magnum 40 Meters: Spare Parts Only: No Bypass:

Model: Magnum 40 Meters: Spare Parts Only: No Bypass:

Model: Magnum 40G Meters: Spare Parts Only: No Bypass:

Model: Magnum 40G Meters: Spare Parts Only: No Bypass: Type: RP Size: 4 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: RP Size: 8 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: RP Size: 6 Manual: 10 Approved: 15-May-2020 Shutoffs: (qqqqqq), rrrrrr

Type: RP Size: 6 Manual: 10 Approved: 15-May-2020 Shutoffs: (int)

Type: RP Size: 1/4 Manual: 9 Approved: 19-Dec-2001 Shutoffs: (hhh)

Type: RP Size: 3/8 Manual: 9 Approved: 19-Dec-2001 Shutoffs: (hhh)

Type: RP Size: 1/2 Manual: 9 Approved: 19-Dec-2001 Shutoffs: (hhh) Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 19-Dec-2022

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 19-Dec-2022

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 19-Dec-2022 Model: Magnum 40G Meters: Spare Parts Only: No Bypass:

Model: Magnum 40G Meters: Spare Parts Only: No Bypass:

Model: Magnum 40GX Meters: Spare Parts Only: No Bypass:

Model: Magnum 40X Meters: Spare Parts Only: No Bypass:

Model: SS009M3QT Meters: Spare Parts Only: No Bypass:

Model: SS009M3QT Meters: Spare Parts Only: No Bypass:

Model: SS009M3QT Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/4 Manual: 9 Approved: 31-Jul-2001 Shutoffs: (hhh)

Type: RP Size: 1 Manual: 9 Approved: 18-May-1998 Shutoffs: (hhh)

Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 31-Jul-2022

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 18-May-2022

Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 10-Dec-2023

Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 10-Dec-2023

Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 10-Dec-2023

Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 10-Dec-2023

Manufacturer: Watts Orientation: VDVD 0.25% Pb: No Renewed: 10-Dec-2023 Model: SS009M3QT Meters: Spare Parts Only: No Bypass:

Model: SS009QT Meters: Spare Parts Only: No Bypass:

Model: U009APCQT Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2023	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2023	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009APCQT
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 10-Dec-1993	Renewed: 10-Dec-2023	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 3/4	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Jun-1992	Renewed: 12-Jun-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type	Monufactures Wette	Model: 1000AOT
Type: RP Size: 1	Manufacturer: Watts Orientation: VDVD	Model: U009AQT Meters:
Manual: 8	0.25% Pb: No	
		Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2022	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2022	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2022	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009AQT
Size: 1	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 12-Jun-1992	Renewed: 12-Jun-2022	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M1APCQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 27-Sep-1994	Renewed: 27-Sep-2024	Bypass:
Shutoffs: vv,xx,ooo,hhhh,pppp		

Type: RP Manufacturer: Watts Size: 1 1/2 Orientation: VUVU 0.25% Pb: No Manual: 8 Renewed: 27-Sep-2024 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 2 Orientation: VDVD 0.25% Pb: No Manual: 8 Renewed: 27-Sep-2024 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 2 Orientation: VDVU Manual: 8 0.25% Pb: No Approved: 27-Sep-1994 Renewed: 27-Sep-2024 Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 2 Orientation: VUVD 0.25% Pb: No Manual: 8 Approved: 27-Sep-1994 Renewed: 27-Sep-2024 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 1 1/2 Manual: 8 Approved: 16-Dec-1992 Shutoffs: vv,xx,ooo,hhhh,pppp

Type: RP Size: 1 1/2 Manual: 8 Approved: 16-Dec-1992 Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 16-Dec-2022

Manufacturer: Watts

Renewed: 27-Sep-2024

Manufacturer: Watts

Renewed: 16-Dec-2022

Orientation: VDVD

0.25% Pb: No

Orientation: VUVU

0.25% Pb: No

Model: U009M1APCQT Meters: Spare Parts Only: Yes Bypass:

Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass:

Model: U009M1AQT Meters: Spare Parts Only: Yes Bypass: Type: RP Manufacturer: Watts Model: U009M1AQT Size: 1 1/2 Orientation: VUVD Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 16-Dec-2022 Approved: 16-Dec-1992 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1AQT Size: 1 1/2 **Orientation: VUVU** Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Renewed: 16-Dec-2022 Approved: 16-Dec-1992 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1AQT Size: 2 Orientation: VDVD Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Nov-1992 Renewed: 09-Nov-2022 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1AQT Size: 2 Orientation: VDVU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Nov-1992 Renewed: 09-Nov-2022 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1AQT Size: 2 Orientation: VUVD Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: Yes Approved: 09-Nov-1992 Renewed: 09-Nov-2022 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1AQT Size: 2 Orientation: VUVU Meters: Manual: 8 0.25% Pb: No Spare Parts Only: Yes Approved: 09-Nov-1992 Renewed: 09-Nov-2022 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1PCQT Size: 1 1/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Approved: 27-Sep-1994 Renewed: 27-Sep-2024 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp

Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024 Model: U009M1PCQT Meters: Spare Parts Only: No Bypass:

Type: RP Manufacturer: Watts Model: U009M1PCQT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 27-Sep-2024 Approved: 27-Sep-1994 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1QT Size: 1 1/4 Orientation: H Meters: Manual: 8 0.25% Pb: No Approved: 30-Jun-1992 Renewed: 30-Jun-2022 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1QT Size: 1 1/2 Orientation: H Meters: Manual: 8 0.25% Pb: No Approved: 30-Jun-1992 Renewed: 30-Jun-2022 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Model: U009M1QT Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Approved: 30-Jun-1992 Renewed: 30-Jun-2022 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 1 Orientation: VDVD Meters: Manual: 9 0.25% Pb: No Approved: 15-Jan-1999 Renewed: 15-Jan-2023 **Bypass:** Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999 Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 15-Jan-2023 Spare Parts Only: No

Spare Parts Only: Yes

Spare Parts Only: Yes

Model: U009M2APCQT Spare Parts Only: No

Model: U009M2APCQT Meters: Spare Parts Only: No Bypass:

Type: RP Size: 1 Manual: 9 Approved: 15-Jan-1999	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 15-Jan-2023	Model: U009M2APCQT Meters: Spare Parts Only: No Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 12-Sep-1994	Renewed: 12-Sep-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 2	Orientation: VDVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VDVU 0.25% Pb: No Renewed: 26-Aug-2024	Model: U009M2APCQT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2APCQT
Size: 2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1	Orientation: VDVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1	Orientation: VDVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jan-1999	Renewed: 15-Jan-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1 1/2	Orientation: VDVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp	-	
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1 1/2	Orientation: VDVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 1 1/2	Orientation: VUVU	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Aug-1993	Renewed: 24-Aug-2023	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 2	Orientation: VDVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 2	Orientation: VDVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U009M2AQT
Size: 2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 26-Aug-1997	Renewed: 26-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U009M2AQT	
Size: 2	Orientation: VUVU	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 26-Aug-1997	Renewed: 26-Aug-2024	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp	, i i i i i i i i i i i i i i i i i i i		
Type: RP	Manufacturer: Watts	Model: U009M2PCQT	
Size: 1	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 15-Jan-1999	Renewed: 15-Jan-2023	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: RP	Manufacturer: Watts	Model: U009M2PCQT	
Size: 1 1/2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 12-Sep-1994	Renewed: 12-Sep-2024	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: RP	Manufacturer: Watts	Model: U009M2PCQT	
Size: 2	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 26-Aug-1997	Renewed: 26-Aug-2024	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: RP	Manufacturer: Watts	Model: U009M2QT	
Size: 3/4	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 16-Nov-1992	Renewed: 16-Nov-2022	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: RP	Manufacturer: Watts	Model: U009M2QT	
Size: 1	Orientation: H	Meters:	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 15-Jan-1999	Renewed: 15-Jan-2023	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			
Type: RP	Manufacturer: Watts	Model: U009M2QT	
Size: 1 1/2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 24-Aug-1993	Renewed: 24-Aug-2023	Bypass:	
Shutoffs: (vv),xx,ooo,hhhh,pppp			

Type: RP Size: 2 Manual: 9 Approved: 26-Aug-1997 Shutoffs: (vv),xx,ooo,hhhh,pppp Type: RP Size: 1/2 Manual: 8 Approved: 02-Feb-1995 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 26-Aug-2024 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 02-Feb-2025	Model: U009M2QT Meters: Spare Parts Only: No Bypass: Model: U009PCQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 3/4 Manual: 8 Approved: 10-Dec-1993 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2023	Model: U009PCQT Meters: Spare Parts Only: No Bypass:
Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2023	Model: U009PCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024	Model: U009PCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024	Model: U009PCQT Meters: Spare Parts Only: Yes Bypass:
Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024	Model: U009PCQT Meters: Spare Parts Only: Yes Bypass:

Type: RP Manufacturer: Watts Size: 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 8 Approved: 02-Feb-1995 Renewed: 02-Feb-2025 Bypass: **Shutoffs:** (vv),xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 7 Renewed: 11-Jan-2024 Approved: 11-Jan-1988 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 1 Orientation: H Meters: 0.25% Pb: No Manual: 7 Approved: 11-Jan-1988 Renewed: 11-Jan-2024 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 1 1/4 Orientation: H Meters: Manual: 7 0.25% Pb: No Approved: 09-Aug-1988 Renewed: 09-Aug-2024 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 1 1/2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Approved: 09-Aug-1988 Renewed: 09-Aug-2024 Bypass: Shutoffs: vv,xx,ooo,hhhh,pppp Manufacturer: Watts Type: RP Size: 2 Orientation: H Meters: 0.25% Pb: No Manual: 7 Approved: 09-Aug-1988 Renewed: 09-Aug-2024 **Bypass:** Shutoffs: vv,xx,ooo,hhhh,pppp Type: RP Manufacturer: Watts Size: 3/4 Orientation: H Meters: 0.25% Pb: No Manual: 8 Approved: 10-Dec-1993 Renewed: 10-Dec-2023 Bypass: Shutoffs: vv,xx,pppp

Model: U009QT Meters: Spare Parts Only: No Bypass:

Model: U009QT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSPCQT Meters: Spare Parts Only: Yes Bypass: Type: RP Size: 1 Manual: 8 Approved: 10-Dec-1993 Shutoffs: vv,xx,pppp

- Type: RP Size: 1 1/4 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 1 1/2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp
- Type: RP Size: 2 Manual: 8 Approved: 27-Sep-1994 Shutoffs: vv,xx,pppp

Type: RP Size: 3/4 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 Manual: 7 Approved: 11-Jan-1988 Shutoffs: vv,xx,pppp

Type: RP Size: 1 1/4 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,pppp Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 10-Dec-2023

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 11-Jan-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2024 Model: U009SSPCQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass: Type: RP Size: 1 1/2 Manual: 7 Approved: 09-Aug-1988 Shutoffs: vv,xx,ppp

Approved: 09-Aug-1988

Approved: 29-Sep-1979

Shutoffs: vv,xx,pppp

Type: RP

Manual: 7

Type: RP

Size: 3/4

Manual: 5

Size: 2

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2024

Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Aug-2024

> Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 29-Sep-2024

Manufacturer: Watts

Renewed: 29-Sep-2024

Orientation: H

0.25% Pb: No

Type: RP Size: 1 Manual: 5 Approved: 29-Sep-1979 Shutoffs: (vv),xx,ooo,hhhh,pppp

Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: RPManufacturer: WattsSize: 3/4Orientation: HManual: 90.25% Pb: NoApproved: 09-Oct-1998Renewed: 09-Oct-2022Shutoffs: (vv),xx,ooo,hhhh,pppp

Notes: Approved 6th Ed. (15 Jan 1982), 9th Ed. Approval for S/N 464100 and higher

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U009SSQT Meters: Spare Parts Only: Yes Bypass:

Model: U909HWQT Meters: Spare Parts Only: Yes Bypass:

Model: U909HWQT Meters: Spare Parts Only: Yes Bypass:

Model: U909QT Meters: Spare Parts Only: Yes Bypass:

Type: RP Size: 3/4 Manual: 9 Approved: 09-Oct-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: S/N 464100 and greater

Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 09-Oct-2022 Model: U909QT Meters: Spare Parts Only: Yes Bypass:

Type: RP Size: 1 Manual: 9 Approved: 09-Oct-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: Approved 6th Ed. (15 Jan 19	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Oct-2022 982), 9th Ed. Approval for S/N 464100	Model: U909QT Meters: Spare Parts Only: Yes Bypass: 0 and higher
	Manufacturer: Watts	Model: U909QT
Size: 1	Orientation: VU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Oct-1998	Renewed: 09-Oct-2022	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp Notes: S/N 464100 and greater		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2006	Renewed: 14-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919AQT
Size: 1 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP Size: 2 Manual: 9 Approved: 01-Jun-2006 Shutoffs: (vv),xx,ooo,hhhh,pppp	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed: 01-Jun-2024	Model: U919AQT Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/4	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 1 1/2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		

Type: RP	Manufacturer: Watts	Model: U919QT
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 01-Jun-2006	Renewed: 01-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Watts	Model: U919QT
Size: 2	Orientation: VD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-2006	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 06-Apr-2011	Renewed: 06-Apr-2023	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375
Type : RP Size: 3/4	Manufacturer: Wilkins Orientation: H	Model: 375 Meters:
Size: 3/4	Orientation: H	Meters:
Size: 3/4 Manual: 9	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int)	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int)	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025	Meters: Spare Parts Only: No
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare	Meters: Spare Parts Only: No Bypass:
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 375
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP Size: 1	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 375 Meters:
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int)	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int)	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025	Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025	Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No Bypass:
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375
Size: 3/4 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (int) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4	Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-Mar-2025 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 375 Meters: Spare Parts Only: No Bypass: Model: 375 Meters:

Type: RP	Manufacturer: Wilkins	Model: 375
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2022	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2022	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn Notes: Up to serial number L612		Bypass: v,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,kkkkkk,mmr
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn	,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn Notes: Up to serial number L612	,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn Notes: Up to serial number L612 Type: RP	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05	,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkk,mmr
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins	v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjjj,kkkkkk,mmr Model: 375
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2 Manual: 9	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins Orientation: H	v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjjj,kkkkkk,mmr Model: 375 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t	0,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,l	v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjjj,kkkkkk,mmr Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number L61205 an	0,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,l	v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmr Model: 375 Meters: Spare Parts Only: No Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number L61205 an	0,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,l d higher	v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmr Model: 375 Meters: Spare Parts Only: No Bypass: hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnn
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number L61205 an Type: RP Size: 3	0,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,l d higher Manufacturer: Wilkins	v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmr Model: 375 Meters: Spare Parts Only: No Bypass: hhhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 375
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010	0,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,l d higher Manufacturer: Wilkins Orientation: H	v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmr Model: 375 Meters: Spare Parts Only: No Bypass: hhhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 375 Meters:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9	0,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No	v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmr Model: 375 Meters: Spare Parts Only: No Bypass: hhhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnn Model: 375 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp	0,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2022	v,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmr Model: 375 Meters: Spare Parts Only: No Bypass: hhhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnn Model: 375 Meters: Spare Parts Only: No
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number L612 Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number L61205 an Type: RP Size: 3 Manual: 9 Approved: 28-Sep-2001 Shutoffs:	0,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,l d higher Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 28-Sep-2022	Andel: 375 Model: 375 Meters: Spare Parts Only: No Bypass: hhhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 375 Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,l	hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number L61205 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Mar-2000	Renewed: 27-Mar-2023	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnn	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	x,ggggggg,hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnn
Notes: Serial number L61205 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-2000	Renewed: 27-Jul-2024	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp kkkkk,mmmmmm,nnnnnn	p,qqq,vvv,www,zzz,dddd,eeee,ssss,tttt,v	vvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn **Notes:** Serial number L61205 and higher

Manual: 9 0.25% Pb: No Approved: 11-Nov-2002 Renewed: 11-Nov-2023 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,ttt kkkkk,mmmmmm,nnnnnn Notes: Up to serial number L61205	Spare Parts Only: No Bypass: tt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,ttf kkkkk,mmmmmm,nnnnnn Notes: Up to serial number L61205	
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,ttt kkkkk,mmmmmm,nnnnnn Notes: Up to serial number L61205	tt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
kkkkk,mmmmmm,nnnnnn Notes: Up to serial number L61205	tt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Type: RP Manufacturer: Wilkins	Model: 375
Size: 8 Orientation: H	Meters:
Manual: 9 0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010 Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkl Notes: Serial number L61205 and higher	kkk,gggggg,hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn
Type: RP Manufacturer: Wilkins	Model: 375
Size: 10 Orientation: H	Meters:
Manual: 9 0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-2004 Renewed: 22-Nov-2022	Bypass:
Shutoffs:	
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee,ssss,ttt kkkkk,mmmmmm,nnnnn	tt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,hhhhhh,jjjjjj,k
Notes: Up to serial number L61205	
Type: RP Manufacturer: Wilkins	Model: 375
Size: 10 Orientation: H	Meters:
Manual: 9 0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010 Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kk	kkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Notes: Serial number L61205 and higher	
Type: RP Manufacturer: Wilkins	Model: 375A
Size: 2 1/2 Orientation: H	Meters:
Manual: 9 0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008 Renewed: 20-Oct-2023	Bypass:
Shutoffs:	
(ppp), qqq, sss, ttt, yyy, zzz, dddd, ssss, uuuu, vvvv, xxxx, yyyy, aaaaa, kkkkk, uuuu, vvvv, xxxx, yyyy, aaaaaa, kkkkk, uuuu, vvvv, xxxx, yyyy, aaaaaa, kkkkk, uuuu, vvvv, xxxx, yyyy, aaaaaa, kkkkk, uuuu, uuu, uuu, uuu, uu	lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo

Notes: Up to serial number X18805

Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number X18805 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2023	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,yyy,zzz,dddd,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,	gggggg,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Up to serial number X188	305	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,s	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	l,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Serial number X18805 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Jun-2004	Renewed: 02-Jun-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number X188	305	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,	gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo

Notes: Serial number X18805 and higher

Type: RP Size: 6	Manufacturer: Wilkins Orientation: H	Model: 375A Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Nov-2003	Renewed: 25-Nov-2024	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eee	e,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk	k,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number X18805		
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,ssss,uuu	u,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,ggggg	g,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Notes: Serial number X18805 and high	er	
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,ssss,uuu Notes: Up to serial number X18805	u,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggg	g,iiiiii,jjjjjj,lllll,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,yyy,sss Notes: Serial number X18805 and high	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII, er	gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Mar-2007	Renewed: 02-Mar-2025	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eee o	e,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkk	k,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo
Notes: Up to serial number X18805		

Type: RP	Manufacturer: Wilkins	Model: 375A
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkł	<kk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo< th=""></kk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo<>
Notes: Serial number X18805 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkk,lllll
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkk,lllll
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkk,lllll
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkk,lllll
Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 8	Orientation: H	Meters:
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		

Type: RP	Manufacturer: Wilkins	Model: 375AMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa	a,kkkkk,lllll
Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,yyy,zzz,dddd,ss	ss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,	gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
serial number X18805		/ length: min. 34 1/4" and max. 47 1/8" Up to
Turner BD	Manufacturer: Wilkins	Model: 375AR
Type: RP		
	Orientation: H	Meters:
Size: 2 1/2		Meters: Spare Parts Only: No
Size: 2 1/2 Manual: 9	Orientation: H	
Type: RP Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s:	Orientation: H 0.25% Pb: Yes	Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte	Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte	Spare Parts Only: No Bypass: I,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8"	Spare Parts Only: No Bypass: I,ggggggg,iiiiiii,jjjjjj,IIIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,st Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" and Type: RP Size: 3	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins	Spare Parts Only: No Bypass: I,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,ss Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H	Spare Parts Only: No Bypass: I,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,st Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: I,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,sa Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs:	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Spare Parts Only: No Bypass: I,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s: Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2022	Spare Parts Only: No Bypass: I,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s: Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" and Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss Notes: Only Serial No G00110 a	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII, and higher approved. These have an Inte	Spare Parts Only: No Bypass: I,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: gggggg,iiiiii,jjjjj,IIIII,mmmmmm,oooooo
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s: Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,IIIII, and higher approved. These have an Inte	Spare Parts Only: No Bypass: I,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: gggggg,iiiiii,jjjjj,IIIII,mmmmmm,oooooo
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,st Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" and Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" and SOV with length: min. 34 1/4" and	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII, and higher approved. These have an Inte d max. 47 1/8"	Spare Parts Only: No Bypass: I,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,oooooo gral grooved spool between the #2 ck and #2
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,s: Notes: Only Serial No G00110 a SOV with length: min. 34 1/4" an Type: RP Size: 3 Manual: 9 Approved: 16-Jun-2010 Shutoffs: (ppp),qqq,sss,ttt,yyy,zzz,dddd,ss	Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIII and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 16-Jun-2022 sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII, and higher approved. These have an Inte d max. 47 1/8" Manufacturer: Wilkins	Spare Parts Only: No Bypass: I,ggggggg,iiiiii,jjjjjj,IIIII,mmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR Meters: Spare Parts Only: No Bypass: ggggggg,iiiiii,jjjjjj,IIIII,mmmmm,oooooo gral grooved spool between the #2 ck and #2 Model: 375AR

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 35 3/4" and max. 62 1/4"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 42 1/2" and max. 71 1/4"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,lllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 57 7/8" and max. 86"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass:
Shutoffs:		

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 34 1/4" and max. 47 1/8"

Type: RP	Manufacturer: Wilkins	Model: 375AR
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:

Shutoffs:

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll,ggggggg,iiiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Notes: Only Serial No G00110 and higher approved. These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	I
Notes: These have an Integral gr	rooved spool between the #2 ck and #2	SOV with length: min. 34 1/4" and max. 47 1/8"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,yyy,ss	sss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,llll	1
		SOV with length: min. 34 1/4" and max. 48 1/8"
Type: RP	Manufacturer: Wilkins	Model: 375ARMS
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
	Renewed: 05-Nov-2023	Bypass:
Approved: 05-Nov-2014		
Approved: 05-Nov-2014 Shutoffs: (ppp).gag.sss.ttt.www.y		.vvvv.aaaaa.kkkkk.IIIII
Shutoffs: (ppp),qqq,sss,ttt,www,y	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	
Shutoffs: (ppp),qqq,sss,ttt,www,y	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll SOV with length: min. 35 3/4" and max. 62 1/4"
Shutoffs: (ppp),qqq,sss,ttt,www,y	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4"
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters:
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyyy,aaaaaa,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4"
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4" Model: 375ARMS
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 8	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4" Model: 375ARMS Meters:
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: yyyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: yyyyy,aaaaa,kkkkk,IIIII SOV with length: min. 57 7/8" and max. 86"
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: ,yyyy,aaaaa,kkkkk,IIIII SOV with length: min. 57 7/8" and max. 86" Model: 375ARMS Meters:
Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 6 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 8 Manual: 9 Approved: 05-Nov-2014 Shutoffs: (ppp),qqq,sss,ttt,www,y Notes: These have an Integral gr Type: RP Size: 10	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 05-Nov-2023 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H	SOV with length: min. 35 3/4" and max. 62 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: yyyyy,aaaaa,kkkkk,IIIII SOV with length: min. 42 1/2" and max. 71 1/4" Model: 375ARMS Meters: Spare Parts Only: No Bypass: yyyyy,aaaaaa,kkkkk,IIIII SOV with length: min. 57 7/8" and max. 86" Model: 375ARMS

Notes: These have an Integral grooved spool between the #2 ck and #2 SOV with length: min. 61 3/8" and max. 100 5/8"

Type: RP	Manufacturer: Wilkins	Model: 375ARW1
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 34 1/4" and max. 47 1/8"
Type: RP	Manufacturer: Wilkins	Model: 375ARW1
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 34 3/4" and max. 48 1/8"
Type: RP	Manufacturer: Wilkins	Model: 375ARW1
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 35 3/4" and max. 62 1/4"
Type: RP	Manufacturer: Wilkins	Model: 375ARW1
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo
0		
Notes: These have an Integral g	rooved spool between the #2 ck and #2	SOV with length: min. 42 1/2" and max. 71 1/4"

Type: RP	Manufacturer: Wilkins	Model: 375ARW1
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Apr-2019	Renewed: 25-Apr-2022	Bypass:
Shutoffs:		a,kkkkk,lllll,gggggg,iiiiii,jjjjj,lllll,mmmmmm,ooooo
0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(a,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Notes: These have an Integral g	prooved spool between the #2 ck and #2	SOV with length: min. 57 7/8" and max. 86"
Type: RP	Manufacturer: Wilkins	Model: 375ARW1
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Apr-2019	Renewed: 25-Apr-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: These have an Integral g	prooved spool between the #2 ck and #2	SOV with length: min. 61 3/8" and max. 100 5/8"
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed: 12-Jun-2024	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	jj,IIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed: 12-Jun-2024	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	jj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-May-2012	Renewed: 31-May-2024	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass:
	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	

Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed: 26-Nov-2022	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	jj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375AST
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 26-Nov-2013	Renewed: 26-Nov-2022	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:

Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll

Type: RP	Manufacturer: Wilkins	Model: 375ASTMS
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxxx,yyyy,aaaaa,kkkkk,lllll	
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Jun-2015	Renewed: 12-Jun-2024	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,>	xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 31" and max. 47
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 3	Orientation: H	Meters:
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 10	0.25% Pb: Yes Renewed: 12-Jun-2024	Spare Parts Only: No Bypass:
Manual: 10 Approved: 12-Jun-2015		Bypass:
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g	Renewed: 12-Jun-2024 xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	Bypass:
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g 48 1/8"	Renewed: 12-Jun-2024 xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	Bypass: j,IIIIII,mmmmmm,oooooo
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g 48 1/8" Type: RP	Renewed: 12-Jun-2024 xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2	Bypass: j,IIIII,mmmmmm,oooooo SOV - assembly length: min. 31 1/2" and max.
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g 48 1/8" Type: RP Size: 4	Renewed: 12-Jun-2024 xxxx,yyyy,aaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins	Bypass: j,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 31 1/2" and max. Model: 375ASTR
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g 48 1/8" Type: RP Size: 4 Manual: 10	Renewed: 12-Jun-2024 xxxx,yyyy,aaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins Orientation: H	Bypass: j,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 31 1/2" and max. Model: 375ASTR Meters:
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g 48 1/8" Type: RP Size: 4 Manual: 10 Approved: 31-May-2012	Renewed: 12-Jun-2024 xxxx,yyyy,aaaaa,kkkkk,lllll,ggggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Bypass: j,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 31 1/2" and max. Model: 375ASTR Meters: Spare Parts Only: No Bypass:
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv, Notes: Integral Stainless Steel g 48 1/8" Type: RP Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,>	Renewed: 12-Jun-2024 (xxx,yyyy,aaaaa,kkkkk,IIIII,ggggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 31-May-2024 (xxxx,yyyy,aaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjjj	Bypass: j,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 31 1/2" and max. Model: 375ASTR Meters: Spare Parts Only: No Bypass:
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv, Notes: Integral Stainless Steel g 48 1/8" Type: RP Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv, Notes: Integral Stainless Steel g 62 1/4"	Renewed: 12-Jun-2024 (xxx,yyyy,aaaaa,kkkkk,IIIII,ggggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 31-May-2024 (xxxx,yyyy,aaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjjj	Bypass: j,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 31 1/2" and max. Model: 375ASTR Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv, Notes: Integral Stainless Steel g 48 1/8" Type: RP Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv, Notes: Integral Stainless Steel g 62 1/4" Type: RP	Renewed: 12-Jun-2024 (xxx,yyyy,aaaaa,kkkkk,IIIII,ggggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 31-May-2024 (xxxx,yyyy,aaaaa,kkkkk,IIIII,ggggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s	Bypass: j,IIIII,mmmmmm,oooooo SOV - assembly length: min. 31 1/2" and max. Model: 375ASTR Meters: Spare Parts Only: No Bypass: j,IIIII,mmmmmm,oooooo SOV - assembly length: min. 32 5/8" and max.
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv, Notes: Integral Stainless Steel g 48 1/8" Type: RP Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv, Notes: Integral Stainless Steel g 62 1/4" Type: RP Size: 6	Renewed: 12-Jun-2024 (xxx,yyyy,aaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 31-May-2024 (xxxx,yyyy,aaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s	Bypass: j,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 31 1/2" and max. Model: 375ASTR Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 32 5/8" and max. Model: 375ASTR
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g 48 1/8" Type: RP Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g	Renewed: 12-Jun-2024 (xxx,yyyy,aaaaa,kkkkk,IIIII,ggggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 31-May-2024 (xxx,yyyy,aaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins Orientation: H	Bypass: j,IIIII,mmmmmm,oooooo SOV - assembly length: min. 31 1/2" and max. Model: 375ASTR Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 32 5/8" and max. Model: 375ASTR Meters: Model: 375ASTR
Manual: 10 Approved: 12-Jun-2015 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g 48 1/8" Type: RP Size: 4 Manual: 10 Approved: 31-May-2012 Shutoffs: (yyy),ssss,uuuu,vvvv,> Notes: Integral Stainless Steel g 62 1/4" Type: RP Size: 6 Manual: 10 Approved: 05-Nov-2013	Renewed: 12-Jun-2024 (xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 31-May-2024 (xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj rooved spool between the #2 ck and #2 s Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Bypass: j,IIIII,mmmmm,oooooo SOV - assembly length: min. 31 1/2" and max. Model: 375ASTR Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 32 5/8" and max. Model: 375ASTR Meters: Spare Parts Only: No Bypass:

1/4"

Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed: 23-Jan-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Notes: Integral Stainless Steel g 86"	prooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTR
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 23-Jan-2014	Renewed: 23-Jan-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 100 5/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 31" and max. 47
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll	
Notes: Integral Stainless Steel g 48 1/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 31 1/2" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:

Shutoffs: (yyy),ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kkkkk,lllll

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 32 5/8" and max. 62 1/4"

Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
	prooved spool between the #2 ck and #2	SOV - assembly length: min. 39" and max. 71
1/4"		
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
Notes: Integral Stainless Steel g	prooved spool between the #2 ck and #2	SOV - assembly length: min. 48 3/4" and max.
86"		
Type: RP	Manufacturer: Wilkins	Model: 375ASTRMS
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2014	Renewed: 05-Nov-2023	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,IIIII	
Notes: Integral Stainless Steel g 100 5/8"	prooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRW1
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2019	Renewed: 16-Jan-2025	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	jj,IIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 1/8"	prooved spool between the #2 ck and #2	SOV - assembly length: min. 31" and max. 47
Type: RP	Manufacturer: Wilkins	Model: 375ASTRW1
Size: 3	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2019	Renewed: 16-Jan-2025	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	jj,IIIIII,mmmmmm,oooooo

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 31 1/2" and max. 48 1/8"

	Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 16-Jan-2025 xxxx,yyyy,aaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjjj prooved spool between the #2 ck and #2	Model: 375ASTRW1 Meters: Spare Parts Only: No Bypass: ij,IIIIII,mmmmmm,oooooo SOV - assembly length: min. 32 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRW1
Size: 6	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2019	Renewed: 16-Jan-2025	Bypass:
	xxxx,yyyy,aaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjj	SOV - assembly length: min. 39" and max. 71
Type: RP	Manufacturer: Wilkins	Model: 375ASTRW1
Size: 8	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Apr-2019	Renewed: 25-Apr-2022	Bypass:
	xxxx,yyyy,aaaaa,kkkkk,IIIII,gggggg,iiiiii,jjjjj prooved spool between the #2 ck and #2	jj,IIIII,mmmmmm,oooooo SOV - assembly length: min. 48 3/4" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTRW1
Size: 10	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Apr-2019	Renewed: 25-Apr-2022	Bypass:
Shutoffs: (yyy),ssss,uuuu,vvvv,	xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	jj,IIIII,mmmmmm,oooooo
Notes: Integral Stainless Steel g 100 5/8"	rooved spool between the #2 ck and #2	SOV - assembly length: min. 52 5/8" and max.
Type: RP	Manufacturer: Wilkins	Model: 375ASTW1
Size: 2 1/2	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 16-Jan-2019	Renewed: 16-Jan-2025	Bypass:

Manufacturer: Wilkins	Model: 375ASTW1
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 16-Jan-2025	Bypass:
xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Manufacturer: Wilkins	Model: 375ASTW1
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 16-Jan-2025	Bypass:
xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Manufacturer: Wilkins	Model: 375ASTW1
Orientation: H	Meters:
0.25% Pb : Yes	Spare Parts Only: No
Renewed: 16-Jan-2025	Bypass:
xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Manufacturer: Wilkins	Model: 375ASTW1
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 25-Apr-2022	Bypass:
xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Manufacturer: Wilkins	Model: 375ASTW1
Orientation: H	Meters:
0.25% Pb: Yes	Spare Parts Only: No
Renewed: 25-Apr-2022	Bypass:
xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Manufacturer: Wilkins	Model: 375AW1
Manufacturer: Wilkins Orientation: H	Model: 375AW1 Meters:
Orientation: H	Meters:
	Orientation: H 0.25% Pb: Yes Renewed: 16-Jan-2025 (xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 16-Jan-2025 (xxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 16-Jan-2025 (xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 25-Apr-2022 (xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjj) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 25-Apr-2022

(ppp),qqq,sss,ttt,www,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo o

Type: RP	Manufacturer: Wilkins	Model: 375AW1
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Type: RP	Manufacturer: Wilkins	Model: 375AW1
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc o	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
Type: RP	Manufacturer: Wilkins	Model: 375AW1
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Type: RP	Manufacturer: Wilkins	Model: 375AW1
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Apr-2019	Renewed: 25-Apr-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375AW1
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Apr-2019	Renewed: 25-Apr-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	kk,IIIII,gggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
	aded End or 45 degree male SAE flare	

Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	ded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Threa	ded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375B
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 2 1/2	Orientation: H	Meters:
	0.25% Pb: No	Spare Parts Only: No
Manual: 9		

Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number L61205 an	ld higher	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,tttt,vvvv,v	vwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz,kkkkk	
Notes: Serial number L61205 an	d higher	
	d higher Manufacturer: Wilkins	Model: 375MS
Type: RP		Model: 375MS Meters:
Type: RP Size: 4	Manufacturer: Wilkins	
Notes: Serial number L61205 an Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: H	Meters:
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Meters: Spare Parts Only: No Bypass:
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 4	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters:
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 005 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk	Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk	Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 005 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkki	Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk d higher Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass: k Model: 375MS
Type: RP Size: 4 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 4 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 an Type: RP Size: 6	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 03-Jul-2024 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 05 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 ww,,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkk d higher Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: A,SSSS,tttt,VVVV,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass: k Model: 375MS Meters:

Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w	/ww,zzz,ssss,tttt,vvvv,wwww,yyyy,zzzz,k	kkkk
Notes: Serial number L61205 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
	u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Up to serial number L612	205	
Type: RP	Manufacturer: Wilkins	Model: 375MS
Size: 8	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 ar	/ww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk nd higher	S Contraction of the second seco
		Model: 375MS
Notes: Serial number L61205 ar	nd higher	
Notes: Serial number L61205 ar Type: RP Size: 10	nd higher Manufacturer: Wilkins	Model: 375MS
Notes: Serial number L61205 ar	nd higher Manufacturer: Wilkins Orientation: H	Model: 375MS Meters:
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee	Model: 375MS Meters: Spare Parts Only: No Bypass: a,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 10	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters:
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 ar	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 ar Type: RP	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk ad higher Manufacturer: Wilkins	Model: 375MS Meters: Spare Parts Only: No Bypass: e,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number L61205 ar Type: RP Size: 10 Manual: 9 Approved: 29-Mar-2005 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u Notes: Up to serial number L612 Type: RP Size: 10 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,vvv,w Notes: Serial number L61205 ar Type: RP Size: 1/2	Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 29-Mar-2023 u,yy,zz,ppp,qqq,vvv,www,zzz,dddd,eeee 205 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk ad higher Manufacturer: Wilkins Orientation: H	Model: 375MS Meters: Spare Parts Only: No Bypass: a,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk Model: 375MS Meters: Spare Parts Only: No Bypass: Model: 375ST Meters:

Type: RP	Manufacturer: Wilkins	Model: 375ST
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375ST
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 31-Oct-2011	Renewed: 31-Oct-2023	Bypass:
Shutoffs: int		
Type: RP	Manufacturer: Wilkins	Model: 375W1
Size: 2 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,	hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: RP	Manufacturer: Wilkins	Model: 375W1
Size: 3	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,	hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: RP	Manufacturer: Wilkins	Model: 375W1
Size: 4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,	hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: RP	Manufacturer: Wilkins	Model: 375W1
Size: 6	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Mar-2019	Renewed: 12-Mar-2025	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,	hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Shutoffs: (gg),hh,ppp,qqq,ssss,	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg, Manufacturer: Wilkins	hhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnnn Model: 375W1
Type: RP		
	Manufacturer: Wilkins	Model: 375W1

Shutoffs: (gg),hh,ppp,qqq,vvv,www,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnn

Type: RP	Manufacturer: Wilkins	Model: 375W1
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 25-Apr-2019	Renewed: 25-Apr-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,vvv,v	vww,ssss,tttt,vvvv,wwww,yyyy,zzzz,kkkkł	k,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnn
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Thre	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2025	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Thre	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2025	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Thre	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2022	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
		_
Approved: 20-Apr-2010	Renewed: 20-Apr-2022	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375XL
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Apr-2010	Renewed: 20-Apr-2022	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Three	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 3/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Three	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 1	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Notes: Testcocks: Female Three	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 1 1/4	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 1 1/2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 375XLB
Size: 2	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Nov-2012	Renewed: 08-Nov-2024	Bypass:
Shutoffs: (int)		
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2023	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppt mm,nnnnnn	p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	,zzzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmr
Notes: Up to serial number Q050	664	
Type: RP	Manufacturer: Wilkins	Model: 475
0 :	Orientation: VUVD	Meters:
Size: 2 1/2		
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		Spare Parts Only: No Bypass:
Size: 2 1/2 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t	0.25% Pb: Yes	Bypass:
Manual: 9 Approved: 09-Sep-2010	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,ł	Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 ar	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,ł	Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 an	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,h nd higher	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,f Notes: Serial number Q05664 ar Type: RP Size: 3	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,h nd higher Manufacturer: Wilkins	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 475
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 at Type: RP Size: 3 Manual: 9	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,h nd higher Manufacturer: Wilkins Orientation: VUVD	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 475 Meters:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,f Notes: Serial number Q05664 an Type: RP Size: 3 Manual: 9 Approved: 24-Jan-2002	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,h nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 475 Meters: Spare Parts Only: No
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,t Notes: Serial number Q05664 ar Type: RP Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs:	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,h nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 475 Meters: Spare Parts Only: No
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,f Notes: Serial number Q05664 an Type: RP Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,pp	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,h nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 475 Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,f Notes: Serial number Q05664 an Type: RP Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,h nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 475 Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,f Notes: Serial number Q05664 an Type: RP Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number Q056	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,h nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023 p,qqq,zzz,dddd,ssss,tttt,vvvv,www,yyyy	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 475 Meters: Spare Parts Only: No Bypass:
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,f Notes: Serial number Q05664 an Type: RP Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppf mm,nnnnn Notes: Up to serial number Q056 Type: RP Size: 3	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,k nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023 p,qqq,zzz,dddd,ssss,tttt,vvvv,www,yyyy 664 Manufacturer: Wilkins	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 475 Meters: Spare Parts Only: No Bypass: ;zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjjj,kkkkkk,mmmr
Manual: 9 Approved: 09-Sep-2010 Shutoffs: (gg),hh,ppp,qqq,ssss,f Notes: Serial number Q05664 an Type: RP Size: 3 Manual: 9 Approved: 24-Jan-2002 Shutoffs: (gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnn Notes: Up to serial number Q056 Type: RP	0.25% Pb: Yes Renewed: 09-Sep-2022 tttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,k nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 24-Jan-2023 p,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy 664 Manufacturer: Wilkins Orientation: VUVD	Bypass: hhhhhh,jjjjjjj,kkkkkk,mmmmmm,nnnnnn Model: 475 Meters: Spare Parts Only: No Bypass: zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjjj,kkkkkk,mmmr Model: 475 Meters:

Type: RP	Manufacturer: Wilkins	Model: 475
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-2000	Renewed: 27-Jul-2024	Bypass:
Shutoffs:		
	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	aa,kkkkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIII,mmmmmm,ooooo
0	224	
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jul-2000	Renewed: 27-Jul-2024	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,do	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	aa,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 6	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,do	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	aa,kkkkk,IIIII,ggggggg,iiiiii,jjjjjj,IIIIII,mmmmmm,ooooo
0		
Notes: Up to serial number Q05	664	

Type: RP	Manufacturer: Wilkins	Model: 475
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	<kk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo< th=""></kk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo<>
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-2004	Renewed: 22-Nov-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,zzz,dddd,	eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	kkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475
Size: 10	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	IIII,gggggg,iiiiii,jjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number Q05664 a		
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 2 1/2	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	
Notes: Serial number Q05664 a		
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	

Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 3	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,u	uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
Notes: Serial number Q05664 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,lllll
Notes: Up to serial number Q056	664	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	KKK,IIIII
		KKK,IIIII
Notes: Serial number Q05664 ar		Model: 475MS
Notes: Serial number Q05664 ar	nd higher	
Notes: Serial number Q05664 ar Type: RP Size: 6	Manufacturer: Wilkins	Model: 475MS
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9	Manufacturer: Wilkins Orientation: VUVD	Model: 475MS Meters:
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	Model: 475MS Meters: Spare Parts Only: No Bypass: s,yyyy,aaaaa,kkkkk,lllll
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins	Model: 475MS Meters: Spare Parts Only: No Bypass: s,yyyy,aaaaaa,kkkkk,IIIII
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD	Model: 475MS Meters: Spare Parts Only: No Bypass: s,yyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters:
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www,	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 364 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2022 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk	Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 364 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2022 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kk	Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass:
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2022 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kki	Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: kkk,IIIII
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 8	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 664 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2022 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaaa,kki nd higher Manufacturer: Wilkins	Model: 475MS Meters: Spare Parts Only: No Bypass: Ayyyyy,aaaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: kkk,IIIII
Notes: Serial number Q05664 ar Type: RP Size: 6 Manual: 9 Approved: 03-Jul-2003 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Up to serial number Q056 Type: RP Size: 6 Manual: 9 Approved: 09-Sep-2010	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 03-Jul-2024 yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx 364 Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 09-Sep-2022 yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kki nd higher Manufacturer: Wilkins Orientation: VUVD	Model: 475MS Meters: Spare Parts Only: No Bypass: (,yyyyy,aaaaa,kkkkk,IIIII Model: 475MS Meters: Spare Parts Only: No Bypass: kkk,IIIII

Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 8	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkł	kk,IIII
Notes: Serial number Q05664 ar	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Mar-2005	Renewed: 29-Mar-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	y,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q056	664	
Type: RP	Manufacturer: Wilkins	Model: 475MS
Size: 10	Orientation: H	Meters:
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		
Approved: 09-Sep-2010	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher	
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins	Model: 475ST
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD	Model: 475ST Meters:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Model: 475ST Meters: Spare Parts Only: No
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD	Model: 475ST Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024	Model: 475ST Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu,	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024	IIII Model: 475ST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: RP	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024 vvvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiiii,jjjjj Manufacturer: Wilkins	IIII Model: 475ST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: RP Size: 4	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024 vvvvv,xxxx,yyyy,aaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVU	IIII Model: 475ST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo Model: 475ST Meters:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024 vvvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes	Model: 475ST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 475ST Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024 wvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024	Model: 475ST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 475ST Meters: Spare Parts Only: No Bypass:
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu,	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024 vvvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024	IIII Model: 475ST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 475ST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo
Approved: 09-Sep-2010 Shutoffs: (ppp),qqq,sss,ttt,www, Notes: Serial number Q05664 ar Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: RP Size: 4 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu, Type: RP	Renewed: 09-Sep-2022 ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l nd higher Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024 vvvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024 vvvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjjj	IIII Model: 475ST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 475ST Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo

Type: RP	Manufacturer: Wilkins	Model: 475ST
Size: 6	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 475ST
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 475ST
Size: 8	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 475ST
Size: 10	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 475ST
Size: 10	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 475STR
Size: 4	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	jj,IIIIII,mmmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 475STR
Size: 4	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No

Type: RP	Manufacturer: Wilkins	Model: 475STR
Size: 6	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
••	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjjj	
Type: RP	Manufacturer: Wilkins	Model: 475STR
Size: 6	Orientation: VUVU	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 475STR
Size: 8	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Type: RP	Manufacturer: Wilkins	Model: 475STR
••	Manufacturer: Wilkins Orientation: VUVU	Model: 475STR Meters:
Size: 8		
Size: 8 Manual: 10	Orientation: VUVU	Meters:
Size: 8 Manual: 10 Approved: 18-Dec-2018	Orientation: VUVU 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass:
Size: 8 Manual: 10 Approved: 18-Dec-2018	Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024	Meters: Spare Parts Only: No Bypass:
Size: 8 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu Type: RP	Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024 ,vvvv,xxxx,yyyy,aaaaaa,IIIII,ggggggg,iiiiiii,jjjjj	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo
Size: 8 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu Type: RP Size: 10	Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024 ,vvvv,xxxx,yyyy,aaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo Model: 475STR
Size: 8 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu	Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024 ,vvvv,xxxx,yyyy,aaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVD	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo Model: 475STR Meters:
Size: 8 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu Type: RP Size: 10 Manual: 10 Approved: 18-Dec-2018	Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024 ,vvvv,xxxx,yyyy,aaaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 475STR Meters: Spare Parts Only: No Bypass:
Size: 8 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu Type: RP Size: 10 Manual: 10 Approved: 18-Dec-2018	Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024 wvvv,xxxx,yyyy,aaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 475STR Meters: Spare Parts Only: No Bypass:
Size: 8 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu Type: RP Size: 10 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu	Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024 www.xxxx,yyyy,aaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 475STR Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo
Size: 8 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu Type: RP Size: 10 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk),yyy,ssss,uuuu	Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024 www.xxxx,yyyy,aaaaa,IIIII,ggggggg,iiiiii,jjjjj Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 18-Dec-2024 www.xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjjj Manufacturer: Wilkins	Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,ooooooo Model: 475STR Meters: Spare Parts Only: No Bypass: j,IIIIII,mmmmmm,oooooo

Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2023	Bypass:
Shutoffs:		
	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	,zzzz,kkkkk,ggggggg,hhhhhhh,jjjjjj,kkkkkk,mmmm
mm,nnnnnn Notes: Up to serial number Q050	664	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	tttt,vvvv,wwww,yyyy,zzzz,kkkkk,gggggg,ł	nhhhhh,jjjjjj,kkkkk,mmmmmm,nnnnn
Notes: Serial number Q05664 an	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jan-2002	Renewed: 24-Jan-2023	Bypass:
Shutoffs:		
(gg),ee,ff,hh,ll,mm,tt,uu,yy,zz,ppp mm,nnnnnn,lllll	o,qqq,zzz,dddd,ssss,tttt,vvvv,wwww,yyyy	r,zzz,kkkkk,ggggggg,hhhhhh,jjjjjj,kkkkkk,mmmm
Notes: Up to serial number Q050	664	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,t	ttt,vvvv,wwww,yyyy,zzzz,kkkkk,ggggggg,ł	nhhhhh,jjjjjj,kkkkkk,mmmmmm,nnnnnn,lllll
Notes: Serial number Q05664 and	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : No	Spare Parts Only: No
Approved: 09-Sep-2000	Renewed: 09-Sep-2024	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dd o	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,ggggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
Notes: Up to serial number Q050	664	

Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	<kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo< th=""></kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo<>
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 31-May-2001	Renewed: 31-May-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	dd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	a,kkkkk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	<kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo< td=""></kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo<>
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Jun-2004	Renewed: 08-Jun-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,yyy,zzz,dc	ldd,eeee,ssss,uuuu,vvvv,xxxx,yyyy,aaaa	akkkkk,lllll,gggggg,iiiiii,jjjjj,llllll,mmmmmm,ooooo
0		
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkk	<kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo< td=""></kk,lllll,gggggg,iiiiii,jjjjjj,llllll,mmmmmm,oooooo<>

Notes: Serial number Q05664 and higher

Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-2004	Renewed: 22-Nov-2022	Bypass:
Shutoffs:		
(ppp),qqq,sss,ttt,www,zzz,dddd,e	eee,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kk	.kkk,lllll,ggggggg,iiiiii,jjjjj,llllll,mmmmmm,oooooo
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475V
Size: 10	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www,	ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,l	IIII,gggggg,iiiiii,jjjjj,IIIIII,mmmmmm,oooooo
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 2 1/2	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk	
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (gg),ee,ff,hh,ll,mm,tt,u	u,yy,zz,ppp,qqq,zzz,dddd,ssss,uuuu,vvv	v,xxxx,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 3	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (gg),hh,ppp,qqq,ssss,	uuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,IIIII	
Notes: Serial number Q05664 and	nd higher	

Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	<kk, < td=""></kk, <>
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 6	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkł	<kk, < td=""></kk, <>
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 03-Jul-2003	Renewed: 03-Jul-2024	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx	,yyyy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 8	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkl	<kk, < td=""></kk, <>
Notes: Serial number Q05664 a	nd higher	

Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 29-Mar-2005	Renewed: 29-Mar-2023	Bypass:
Shutoffs: (ppp),qqq,sss,ttt,www	,zzz,dddd,eeee,ssss,uuuu,vvvv,xxxx,yyy	vy,aaaaa,kkkkk,IIIII
Notes: Up to serial number Q05	664	
Type: RP	Manufacturer: Wilkins	Model: 475VMS
Size: 10	Orientation: H	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
	y,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,kkkkk,	1111
Notes: Serial number Q05664 a	nd higher	
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 3/4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Apr-1976	Renewed: 28-Apr-2024	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 1	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 28-Apr-1976	Renewed: 28-Apr-2024	Bypass:
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 2 1/2	Orientation: H	Meters:
Manual: 7	0.25% Pb: No	Spare Parts Only: Yes
Approved: 25-Sep-1986	Renewed: 25-Sep-2022	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 3	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 20-Aug-1979	Renewed: 20-Aug-2024	Bypass:
Shutoffs: gg,ee,tt,yy		
Type: RP	Manufacturer: Wilkins	Model: 575
Size: 4	Orientation: H	Meters:
Manual: 5	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Jun-1980	Renewed: 08-Jun-2022	Bypass:
Shutoffs: gg,ee,tt,yy		

Type: RP Size: 6 Manual: 6 Approved: 06-Jul-1981 Shutoffs: gg,ee,tt,yy

Type: RP Size: 1 1/4 Manual: 5 Approved: 11-Oct-1976 Shutoffs: ii

Type: RP Size: 1 1/2 Manual: 5 Approved: 11-Oct-1976 Shutoffs: ii

Type: RP Size: 2 Manual: 5 Approved: 11-Oct-1976 Shutoffs: ii

Type: RP Size: 3/4 Manual: 7 Approved: 17-Apr-1987 Shutoffs: ii

Type: RP Size: 1 Manual: 7 Approved: 17-Apr-1987 Shutoffs: ii Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 06-Jul-2023

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 11-Oct-2024

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 11-Oct-2024

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 11-Oct-2024

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 17-Apr-2023

Manufacturer: Wilkins

Renewed: 17-Apr-2023

Orientation: H

0.25% Pb: No

Model: 575 Meters: Spare Parts Only: Yes Bypass:

Model: 575 (MOD-III) Meters: Spare Parts Only: Yes Bypass:

Model: 575 (MOD-III) Meters: Spare Parts Only: Yes Bypass:

Model: 575 (MOD-III) Meters: Spare Parts Only: Yes Bypass:

Model: 575A Meters: Spare Parts Only: Yes Bypass:

Model: 575A Meters: Spare Parts Only: Yes Bypass:

Type: RP	Manufacturer: Wilkins	Model: 575M10
Size: 10	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Jun-1983	Renewed: 01-Jun-2022	Bypass:
Shutoffs: gg,ee,tt,yy		
Notes: 6"x6"x10" manifold, form	erly MBC-10"	
Type: RP	Manufacturer: Wilkins	Model: 575M8
Size: 8	Orientation: H	Meters:
Manual: 6	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Apr-1983	Renewed: 11-Apr-2022	Bypass:
Shutoffs: gg,ee,tt,yy		
Notes: 4"x4"x8" manifold, forme	rly MBC-8"	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		

Type: RP	Manufacturer: Wilkins	Model: 975
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 26-Nov-1991	Renewed: 26-Nov-2024	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2024	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2024	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-Nov-1991	Renewed: 08-Nov-2024	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Feb-1995	Renewed: 06-Feb-2025	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 06-Feb-1995	Renewed: 06-Feb-2025	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975A
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 18-Jul-1991	Renewed: 18-Jul-2024	Bypass:
Shutoffs: ii		
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2024	Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2024	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2024	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2024	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz,	ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2024	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975BMS
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 17-Jun-1997	Renewed: 17-Jun-2024	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2022	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 3	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2022	Bypass:
. . .	-	

Shutoffs: (gg),ee,ff,hh,tt,uu,yy,zz,ssss,tttt,vvvv,wwww,yyyy,zzzz

T		
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 4	Orientation: H	Meters:
Manual: 8	0.25% Pb : No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2022	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz	,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 6	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-May-1995	Renewed: 05-May-2022	Bypass:
Shutoffs: gg,ee,ff,hh,tt,uu,yy,zz	,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 8	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975MS
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 05-Dec-1996	Renewed: 05-Dec-2023	Bypass:
Shutoffs: (gg),ee,ff,hh,tt,uu,yy,z	z,ppp,ssss,tttt,vvvv,wwww,yyyy,zzzz	
Type: RP	Manufacturer: Wilkins	Model: 975XL
	Manufacturer: Wilkins Orientation: H	Model: 975XL Meters:
Size: 1/4		
Size: 1/4 Manual: 8	Orientation: H	Meters:
Size: 1/4 Manual: 8 Approved: 12-Jul-1994	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Type: RP Size: 1/4 Manual: 8 Approved: 12-Jul-1994 Shutoffs: (ii) Notes: Testcocks: Female Three	Orientation: H 0.25% Pb: No	Meters: Spare Parts Only: No
Size: 1/4 Manual: 8 Approved: 12-Jul-1994 Shutoffs: (ii)	Orientation: H 0.25% Pb: No Renewed: 12-Jul-2024	Meters: Spare Parts Only: No
Size: 1/4 Manual: 8 Approved: 12-Jul-1994 Shutoffs: (ii) Notes: Testcocks: Female Three	Orientation: H 0.25% Pb: No Renewed: 12-Jul-2024 aded End or 45 degree male SAE flare	Meters: Spare Parts Only: No Bypass:

Bypass:

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Renewed: 12-Jul-2024

Approved: 12-Jul-1994

Shutoffs: (ii)

Type: RP	Manufacturer: Wilkins	Model: 975XL	
Size: 1/2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 12-Jul-1994	Renewed: 12-Jul-2024	Bypass:	
Shutoffs: (ii)			
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare		
Type: RP	Manufacturer: Wilkins	Model: 975XL	
Size: 3/4	Orientation: H	Meters:	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Approved: 02-Nov-1992	Renewed: 02-Nov-2022	Bypass:	
Shutoffs: (ii),000			
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare		
Type: RP	Manufacturer: Wilkins	Model: 975XL	
Size: 1	Orientation: H	Meters:	
		Charle Darte Only No	
Manual: 8	0.25% Pb: No	Spare Parts Only: No	
Manual: 8 Approved: 02-Nov-1992	0.25% Pb: No Renewed: 02-Nov-2022	Bypass:	
Approved: 02-Nov-1992 Shutoffs: (ii),000			
Approved: 02-Nov-1992 Shutoffs: (ii),000	Renewed: 02-Nov-2022		
Approved: 02-Nov-1992 Shutoffs: (ii),ooo Notes: Testcocks: Female Threa	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare	Bypass:	
Approved: 02-Nov-1992 Shutoffs: (ii),ooo Notes: Testcocks: Female Threa Type: RP	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Bypass: Model: 975XL	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Bypass: Model: 975XL Meters:	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Nov-1992	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Bypass: Model: 975XL Meters: Spare Parts Only: No	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000,ggg	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Bypass: Model: 975XL Meters: Spare Parts Only: No	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000,ggg	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022	Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass:	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000,ggg Type: RP Size: 1 1/2	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022 Manufacturer: Wilkins	Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 8	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022 Manufacturer: Wilkins Orientation: H	Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Meters:	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000,ggg Type: RP Size: 1 1/2 Manual: 8	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022 Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000,ggg Type: RP Size: 1 1/2 Manual: 8 Approved: 02-Nov-1992	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022 Manufacturer: Wilkins Orientation: H 0.25% Pb: No	Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000,ggg Type: RP Size: 1 1/2 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022	Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass:	
Approved: 02-Nov-1992 Shutoffs: (ii),000 Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000,ggg Type: RP Size: 1 1/2 Manual: 8 Approved: 02-Nov-1992 Shutoffs: (ii),000	Renewed: 02-Nov-2022 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022 Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 02-Nov-2022 Manufacturer: Wilkins	Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No Bypass: Model: 975XL Meters: Spare Parts Only: No	

Type: RP	Manufacturer: Wilkins	Model: 975XL2
Size: 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Oct-2009	Renewed: 01-Oct-2024	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2
Size: 3/8	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01-Oct-2009	Renewed: 01-Oct-2024	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 01 Oct 2000	Renewed: 01-Oct-2024	Bypass:
Approved. 01-001-2009		
Approved: 01-Oct-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Shutoffs: (iiii) Notes: Testcocks: Female Threa		Model: 975XL2
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP	aded End or 45 degree male SAE flare	
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XL2
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Model: 975XL2 Meters:
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL2 Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii)	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL2 Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024	Model: 975XL2 Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare	Model: 975XL2 Meters: Spare Parts Only: No Bypass:
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2 Meters:
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 29-Jul-2009	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2 Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii)	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2 Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024	Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2 Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024	Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2 Meters: Spare Parts Only: No Bypass:
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 3/4 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 Manual: 8 Approved: 29-Jul-2009 Shutoffs: (iiii)	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 29-Jul-2024 Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2 Meters: Spare Parts Only: No Bypass: Model: 975XL2 Meters: Model: 975XL2

Type: RP Size: 1 1/2 Manual: 8 Approved: 21-Aug-2009 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 8 Approved: 21-Aug-2009 Shutoffs: (iiii),pppppp

Type: RP Size: 3/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 1 1/2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 8 Approved: 09-Sep-2010 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2024

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 21-Aug-2024

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 09-Sep-2022 Model: 975XL2 Meters: Spare Parts Only: No Bypass:

Model: 975XL2 Meters: Spare Parts Only: No Bypass:

Model: 975XL2BMS Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XL2MS
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2MS
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2MS
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2MS
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2MS
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb : Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2SE
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:
Approved. 22-1 60-2011		-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Type: RP	Manufacturer: Wilkins	Model: 975XL2SE
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2SE
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2SE
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:
Approved: 22-Feb-2011 Shutoffs: (iiii)	Renewed: 22-Feb-2023	Bypass:
Shutoffs: (iiii)	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare	Bypass:
Shutoffs: (iiii) Notes: Testcocks: Female Threa		Bypass: Model: 975XL2SE
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP	aded End or 45 degree male SAE flare	
Shutoffs: (iiii)	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XL2SE
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD	Model: 975XL2SE Meters:
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Model: 975XL2SE Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes	Model: 975XL2SE Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Type: RP	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2023	Model: 975XL2SE Meters: Spare Parts Only: No Bypass:
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Type: RP Size: 1 1/4	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins	Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Model: 975XL2SE
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Type: RP Size: 1 1/4 Manual: 9	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: VUVU	Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Model: 975XL2SE Meters:
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes	Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Model: 975XL2SE Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes	Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Model: 975XL2SE Meters: Spare Parts Only: No
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Type: RP	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2023	Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Model: 975XL2SE Meters: Spare Parts Only: No Bypass:
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Type: RP Size: 1 1/4 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii) Type: RP Size: 1 1/2	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins	Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Model: 975XL2SE
Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: VUVD	Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Model: 975XL2SE Meters: Spare Parts Only: No Bypass: Model: 975XL2SE Meters: Model: 975XL2SE Meters:

Type: RP Size: 1 1/2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)

- Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)
- Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (iiii)
- Type: RP Size: 3/4 Manual: 9 Approved: 29-Mar-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RP Manufacturer: Wilkins Size: 3/4 **Orientation: VUVU** 0.25% Pb: Yes Manual: 9 Approved: 29-Mar-2011 Renewed: 29-Mar-2023 Shutoffs: (mmmmm) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturer: Wilkins

Renewed: 22-Feb-2023

Manufacturer: Wilkins

Renewed: 22-Feb-2023

Manufacturer: Wilkins

Renewed: 22-Feb-2023

Manufacturer: Wilkins

Renewed: 29-Mar-2023

Orientation: VUVD

0.25% Pb: Yes

Orientation: VUVU

0.25% Pb: Yes

Orientation: VUVD

0.25% Pb: Yes

Orientation: VUVU

0.25% Pb: Yes

Type: RP Manufacturer: Wilkins Size: 1 **Orientation: VUVD** Manual: 9 0.25% Pb: Yes Renewed: 29-Mar-2023 Approved: 29-Mar-2011 Shutoffs: (mmmmm)

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Model: 975XL2SE Meters: Spare Parts Only: No Bypass:

Model: 975XL2SE Meters: Spare Parts Only: No Bypass:

Model: 975XL2SE Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:

Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:

Type: RP Manufacturer: Wilkins Model: 975XL2SEU Size: 1 **Orientation: VUVU** Meters: Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 29-Mar-2011 Renewed: 29-Mar-2023 Bypass: Shutoffs: (mmmmm) Notes: Testcocks: Female Threaded End or 45 degree male SAE flare Type: RP Manufacturer: Wilkins Model: 975XL2SEU Size: 1 1/4 **Orientation: VUVD** Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 22-Feb-2023 Approved: 22-Feb-2011 Bypass: Shutoffs: (mmmmm) Type: RP Manufacturer: Wilkins Model: 975XL2SEU Size: 1 1/4 **Orientation: VUVU** Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 22-Feb-2011 Renewed: 22-Feb-2023 Bypass: Shutoffs: (mmmmm) Type: RP Manufacturer: Wilkins Model: 975XL2SEU Size: 1 1/2 **Orientation: VUVD** Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 22-Feb-2023 Approved: 22-Feb-2011 Bypass: Shutoffs: (mmmmm) Type: RP Manufacturer: Wilkins Model: 975XL2SEU Size: 1 1/2 **Orientation: VUVU** Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 22-Feb-2023 Approved: 22-Feb-2011 Bypass: Shutoffs: (mmmmm) Type: RP Manufacturer: Wilkins Model: 975XL2SEU Size: 2 **Orientation: VUVD** Meters: 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 22-Feb-2011 Renewed: 22-Feb-2023 Bypass: Shutoffs: (mmmmm)

Type: RP Size: 2 Manual: 9 Approved: 22-Feb-2011 Shutoffs: (mmmm)	Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 22-Feb-2023	Model: 975XL2SEU Meters: Spare Parts Only: No Bypass:
Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU
Size: 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		
Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:
Shutoffs: (iiii)		

Type: RP	Manufacturer: Wilkins	Model: 975XL2TCU	
Size: 2	Orientation: H	Meters:	
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 09-Sep-2010	Renewed: 09-Sep-2022	Bypass:	
Shutoffs: (iiii)			
Type: RP	Manufacturer: Wilkins	Model: 975XL2U	
Size: 3/4	Orientation: H	Meters:	
Manual: 8	0.25% Pb: Yes	Spare Parts Only: No	
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:	
Shutoffs: (mmmmm)			
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare		
Type: RP	Manufacturer: Wilkins	Model: 975XL2U	
Size: 1	Orientation: H	Meters:	
	0.25% Pb : Yes	Spare Parts Only: No	
Manual: 8			
	Renewed: 22-Feb-2023	Bypass:	
Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmmm)	Renewed: 22-Feb-2023	Bypass:	
Approved: 22-Feb-2011 Shutoffs: (mmmmm)	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare	Bypass:	
Approved: 22-Feb-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa		Bypass: Model: 975XL2U	
Approved: 22-Feb-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa Type: RP	aded End or 45 degree male SAE flare		
Approved: 22-Feb-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XL2U	
Approved: 22-Feb-2011 Shutoffs: (mmmmm)	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Model: 975XL2U Meters:	
Approved: 22-Feb-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL2U Meters: Spare Parts Only: No	
Approved: 22-Feb-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmmm)	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL2U Meters: Spare Parts Only: No	
Approved: 22-Feb-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm) Type: RP	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2023	Model: 975XL2U Meters: Spare Parts Only: No Bypass:	
Approved: 22-Feb-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmmm) Type: RP Size: 2	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins	Model: 975XL2U Meters: Spare Parts Only: No Bypass: Model: 975XL2U	
Approved: 22-Feb-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm) Type: RP Size: 2 Manual: 8	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: H	Model: 975XL2U Meters: Spare Parts Only: No Bypass: Model: 975XL2U Meters:	
Approved: 22-Feb-2011 Shutoffs: (mmmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2 Manual: 8	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL2U Meters: Spare Parts Only: No Bypass: Model: 975XL2U Meters: Spare Parts Only: No	
Approved: 22-Feb-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm) Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL2U Meters: Spare Parts Only: No Bypass: Model: 975XL2U Meters: Spare Parts Only: No	
Approved: 22-Feb-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmmm) Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmmm)	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2023	Model: 975XL2U Meters: Spare Parts Only: No Bypass: Model: 975XL2U Meters: Spare Parts Only: No Bypass:	
Approved: 22-Feb-2011 Shutoffs: (mmmm) Notes: Testcocks: Female Threa Type: RP Size: 1 1/2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm) Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (mmmm) Type: RP	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 22-Feb-2023 Manufacturer: Wilkins	Model: 975XL2U Meters: Spare Parts Only: No Bypass: Model: 975XL2U Meters: Spare Parts Only: No Bypass: Model: 975XL2V	

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Type: RP	Manufacturer: Wilkins	Model: 975XL2V
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2V
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XL2V
Size: 1	Orientation: VUVU	Meters:
	0.25% Pb: Yes	Spare Parts Only: No
Manual: 9		
Manual: 9 Approved: 22-Feb-2011	Renewed: 22-Feb-2023	Bypass:
		Bypass:
Approved: 22-Feb-2011 Shutoffs: (iiii)		Bypass:
Approved: 22-Feb-2011 Shutoffs: (iiii)	Renewed: 22-Feb-2023	Bypass: Model: 975XL3
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare	
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XL3
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Model: 975XL3 Meters:
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL3 Meters: Spare Parts Only: No
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL3 Meters: Spare Parts Only: No
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:	Model: 975XL3 Meters: Spare Parts Only: No Bypass:
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii) Type: RP Size: 3/4	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Wilkins	Model: 975XL3 Meters: Spare Parts Only: No Bypass: Model: 975XL3
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Wilkins Orientation: H	Model: 975XL3 Meters: Spare Parts Only: No Bypass: Model: 975XL3 Meters:
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii) Type: RP Size: 3/4 Manual: 10	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL3 Meters: Spare Parts Only: No Bypass: Model: 975XL3 Meters: Spare Parts Only: No
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii) Type: RP Size: 3/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes	Model: 975XL3 Meters: Spare Parts Only: No Bypass: Model: 975XL3 Meters: Spare Parts Only: No
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii) Type: RP Size: 3/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii) Type: RP	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:	Model: 975XL3 Meters: Spare Parts Only: No Bypass: Model: 975XL3 Meters: Spare Parts Only: No Bypass:
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii) Type: RP Size: 3/4 Manual: 10 Approved: 06-Sep-2022	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Wilkins	Model: 975XL3 Meters: Spare Parts Only: No Bypass: Model: 975XL3 Meters: Spare Parts Only: No Bypass: Model: 975XL3
Approved: 22-Feb-2011 Shutoffs: (iiii) Notes: Testcocks: Female Threa Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii) Type: RP Size: 3/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii) Type: RP Size: 1	Renewed: 22-Feb-2023 aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: Manufacturer: Wilkins Orientation: H	Model: 975XL3 Meters: Spare Parts Only: No Bypass: Model: 975XL3 Meters: Spare Parts Only: No Bypass: Model: 975XL3 Meters: Model: 975XL3 Meters:

Type: RP Size: 1 1/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)

Type: RP Size: 1 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)

Type: RP Size: 2 Manual: 10 Approved: 23-May-2023 Shutoffs: (pppppp)

Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)

Type: RP Size: 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii) Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed: Model: 975XL3 Meters: Spare Parts Only: No Bypass:

Model: 975XL3 Meters: Spare Parts Only: No Bypass:

Model: 975XL3 Meters: Spare Parts Only: No Bypass:

Model: 975XL3BFSS Meters: Spare Parts Only: No Bypass:

Model: 975XL3SE Meters: Spare Parts Only: No Bypass:

Model: 975XL3SE Meters: Spare Parts Only: No Bypass:

Model: 975XL3SE Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)

Type: RP Size: 1 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (iiii)

Type: RP Size: 3/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: RP Size: 3/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: RP Size: 1 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: RP Size: 1 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm) Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: Model: 975XL3SE Meters: Spare Parts Only: No Bypass:

Model: 975XL3SE Meters: Spare Parts Only: No Bypass:

Model: 975XL3SE Meters: Spare Parts Only: No Bypass:

Model: 975XL3SEU Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: RP Size: 1 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: RP Size: 1 1/4 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: RP Size: 1 1/2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: RP Size: 2 Manual: 10 Approved: 06-Sep-2022 Shutoffs: (mmmm)

Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (bbbbb),pppppp

Type: RP Size: 2 Manual: 8 Approved: 22-Feb-2011 Shutoffs: (ccccc),pppppp Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2023

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 22-Feb-2023 Model: 975XL3U Meters: Spare Parts Only: No Bypass:

Model: 975XLBF Meters: Spare Parts Only: No Bypass:

Model: 975XLBFSS Meters: Spare Parts Only: No Bypass: Type: RP Size: 3/4 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 1/4 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP Size: 1 1/2 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP **Size:** 2 Manual: 8 Approved: 09-May-1997 Shutoffs: (ii),000

Type: RP

Size: 3/4

Manual: 9

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Approved: 08-Oct-2002 Renewed: 08-Oct-2023

Shutoffs: (ii),000, iiii, mmmmm

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2024

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2024

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2024

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2024

Manufacturer: Wilkins Orientation: H 0.25% Pb: No Renewed: 09-May-2024 Model: 975XLBMS Meters: Spare Parts Only: No Bypass:

Model: 975XLD Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XLD
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 03-Jul-2013	Renewed: 03-Jul-2022	Bypass:
Shutoffs: (iiii), mmmmm		
Notes: Testcocks: Female Threa	ded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLDTCU
Size: 3/4	Orientation: H	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass:
Shutoffs: (iiii), mmmmm		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLMS
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1994	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLMS
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1994	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLMS
Size: 1 1/4	Orientation: H	Meters:
Manual: 0	0.25% Pb: No	Spare Parts Only: No
Manual: 8		
Manual: 8 Approved: 30-Aug-1994	Renewed: 30-Aug-2024	Bypass:
	Renewed: 30-Aug-2024	Bypass:
Approved: 30-Aug-1994	Renewed: 30-Aug-2024 Manufacturer: Wilkins	Bypass: Model: 975XLMS
Approved: 30-Aug-1994 Shutoffs: (ii),ooo Type: RP		
Approved: 30-Aug-1994 Shutoffs: (ii),ooo	Manufacturer: Wilkins	Model: 975XLMS

Type: RP	Manufacturer: Wilkins	Model: 975XLMS
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 30-Aug-1994	Renewed: 30-Aug-2024	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLSE
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLSE
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Three	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLSE
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Three	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLSE
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (ii),000		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLSE
Size: 1 1/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Nov-1999	Renewed: 04-Nov-2023	Bypass:

Shutoffs: (ii),000

Type: RP Size: 1 1/4 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

- Type: RP Size: 1 1/2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000
- Type: RP Size: 1 1/2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000
- Type: RP Size: 2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii),000

Type: RP Size: 2 Manual: 9 Approved: 04-Nov-1999 Shutoffs: (ii).000

Type: RPManufacturer: WilkinsSize: 3/4Orientation: VUVDManual: 90.25% Pb: NoApproved: 16-Oct-2000Renewed: 16-Oct-2024Shutoffs: (ggg),xxxNotes: Testcocks: Eemale Threaded End or 45 degree male SAR

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 04-Nov-2023

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 04-Nov-2023

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 04-Nov-2023

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 04-Nov-2023

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 04-Nov-2023 Model: 975XLSE Meters: Spare Parts Only: No Bypass:

Model: 975XLSEU Meters: Spare Parts Only: No Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XLSEU
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (ggg),xxx		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLSEU
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (ggg),xxx		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLSEU
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Oct-2000	Renewed: 16-Oct-2024	Bypass:
	Renewed: 16-Oct-2024	Bypass:
Shutoffs: (ggg),xxx	Renewed: 16-Oct-2024 aded End or 45 degree male SAE flare	Bypass:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa		Bypass: Model: 975XLSEU
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP	aded End or 45 degree male SAE flare	
Shutoffs: (ggg),xxx	aded End or 45 degree male SAE flare Manufacturer: Wilkins	Model: 975XLSEU
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD	Model: 975XLSEU Meters:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 975XLSEU Meters: Spare Parts Only: Yes
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No	Model: 975XLSEU Meters: Spare Parts Only: Yes
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2023	Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2023 Manufacturer: Wilkins	Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass: Model: 975XLSEU
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9	aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2023 Manufacturer: Wilkins Orientation: VUVU	Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass: Model: 975XLSEU Meters:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass: Model: 975XLSEU Meters: Spare Parts Only: Yes
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx	Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No	Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass: Model: 975XLSEU Meters: Spare Parts Only: Yes
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2023	Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass: Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass:
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/4 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx Type: RP Size: 1 1/2	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2023 Manufacturer: Wilkins	Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass: Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass: Model: 975XLSEU
Shutoffs: (ggg),xxx Notes: Testcocks: Female Threa Type: RP Size: 1 1/4 Manual: 9	Aded End or 45 degree male SAE flare Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2023 Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2023 Manufacturer: Wilkins Orientation: VUVD	Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass: Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass: Model: 975XLSEU Meters:

Type: RP Size: 1 1/2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 2 Manual: 9 Approved: 27-Mar-2000 Shutoffs: (ggg),xxx

Type: RP Size: 3/8 Manual: 9 Approved: 19-Nov-2002 Shutoffs: (ggggg)

Type: RP Size: 1/2 Manual: 9 Approved: 19-Nov-2002 Shutoffs: (ggggg)

Type: RP Size: 1/2 Manual: 8 Approved: 05-Apr-2007 Shutoffs: (ii),000

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2023

Manufacturer: Wilkins Orientation: VUVD 0.25% Pb: No Renewed: 27-Mar-2023

Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: No Renewed: 27-Mar-2023

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 19-Nov-2023

Manufacturer: Wilkins Orientation: H 0.25% Pb: Yes Renewed: 19-Nov-2023

Manufacturer: Wilkins

Renewed: 05-Apr-2022

Orientation: H

0.25% Pb: No

Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass:

Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass:

Model: 975XLSEU Meters: Spare Parts Only: Yes Bypass:

Model: 975XLST Meters: Spare Parts Only: No Bypass:

Model: 975XLST Meters: Spare Parts Only: No Bypass:

Model: 975XLTCU Meters: Spare Parts Only: No Bypass:

Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx Notes: Testcocks: Female Threaded En Type: RP Size: 1	Manufacturer: Wilkins Orientation: H	Meters: Spare Parts Only: No Bypass: Model: 975XLTCU
Approved: 27-Jun-2006 Shutoffs: (ii),000,xxx Notes: Testcocks: Female Threaded En Type: RP Size: 1	Renewed: 27-Jun-2024 ad or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Bypass: Model: 975XLTCU
Shutoffs: (ii),000,xxx Notes: Testcocks: Female Threaded En Type: RP Size: 1	d or 45 degree male SAE flare Manufacturer: Wilkins Orientation: H	Model: 975XLTCU
Notes: Testcocks: Female Threaded En Type: RP Size: 1	Manufacturer: Wilkins Orientation: H	
Type: RP Size: 1	Manufacturer: Wilkins Orientation: H	
Size: 1	Orientation: H	
Size: 1 Manual: 8		Motors:
Manual: 8		Meters:
	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-2006	Renewed: 27-Jun-2024	Bypass:
Shutoffs: (ii),000,xxx		
Notes: Testcocks: Female Threaded En	d or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLTCU
Size: 1 1/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-2006	Renewed: 27-Jun-2024	Bypass:
Shutoffs: (ii),000,xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLTCU
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-2006	Renewed: 27-Jun-2024	Bypass:
Shutoffs: (ii),000,xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLTCU
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Jun-2006	Renewed: 27-Jun-2024	Bypass:
Shutoffs: (ii),000,xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLU
Size: 3/4	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Sep-1993	Renewed: 02-Sep-2023	Bypass:
Shutoffs: (ggg),xxx		

Type: RP	Manufacturer: Wilkins	Model: 975XLU
Size: 1	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Sep-1993	Renewed: 02-Sep-2023	Bypass:
Shutoffs: (ggg),xxx		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: RP	Manufacturer: Wilkins	Model: 975XLU
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Sep-1993	Renewed: 02-Sep-2023	Bypass:
Shutoffs: (ggg),xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLU
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Sep-1993	Renewed: 02-Sep-2023	Bypass:
Shutoffs: (ggg),xxx		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2025	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2025	Bypass:
Shutoffs: (ii),000		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2025	Bypass:
Shutoffs: (ii),000		

Type: RP Manufacturer: Wilkins Model: 975XLV Size: 1 **Orientation: VUVU** Meters: 0.25% Pb: No Spare Parts Only: No Manual: 9 Approved: 07-Jan-2001 Renewed: 07-Jan-2025 Bypass: Shutoffs: (ii),000 Type: RP Manufacturer: Wilkins Model: MBC-10" Size: 10 **Orientation:** Meters:

0.25% Pb: No

Manufacturer: Ames

Renewed: 01-Jul-2022

Orientation: H

0.25% Pb: No

Approved:Renewed:Notes: 6"x6"x10" manifold, Model designation changed to 575M10

Manual:

Type: RPDA

Size: 8

Manual: 8

Approved: 01-Jul-1989

Type: RPManufacturer: WilkinsSize: 8Orientation:Manual:0.25% Pb: NoApproved:Renewed:Notes: 4"x4"x8" manifold,Model designation changed to 575M8

Type: RPDAManufacturer: AmesSize: 4Orientation: HManual: 80.25% Pb: NoApproved: 28-Dec-1989Renewed: 28-Dec-2022Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Type: RPDAManufacturer: AmesSize: 6Orientation: HManual: 80.25% Pb: NoApproved: 28-Dec-1989Renewed: 28-Dec-2022Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg

Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Conbraco 4020402 3/4 (H)

Spare Parts Only: No

Spare Parts Only: No

Bypass:

Meters:

Bypass:

Model: MBC-8"

Model: 5000 Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Conbraco 4020402 3/4 (H)

Model: 5000 Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Conbraco 4020402 3/4 (H) Type: RPDA

 Size: 10
 Orientation: H

 Manual: 8
 0.25% Pb: No

 Approved: 19-Mar-1990
 Renewed: 19-Mar-2023

 Shutoffs: uu,ee,ff,gg,hh,ll,mm,oo,pp,tt,cc,ddd,ffff,gggg

Type: RPDA **Size:** 2 1/2

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu Manufacturer: Ames

Manufacturer: Ames

Orientation: H 0.25% Pb: No Renewed: 07-Jul-2024

Manufacturer: Ames

Renewed: 07-Jul-2024

Manufacturer: Ames

Orientation: H

0.25% Pb: No

Orientation: H

0.25% Pb: No

Type: RPDA

Size: 3 Manual: 8 Approved: 07-Jul-2000

Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 4

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 6

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Type: RPDA

Size: 8

Manual: 8 Approved: 07-Jul-2000 Shutoffs: (pp),hh,mm,uu,eee

Renewed: 07-Jul-2024

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2024

Manufacturer: Ames

Orientation: H

0.25% Pb: No Renewed: 07-Jul-2024 Model: 5000 Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Conbraco 4020402 3/4 (H)

Model: 5000CIV Meters: (H),C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 909QT 3/4 (H)

Model: 5000CIV Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes Bypass: Watts 909QT 3/4 (H)

Type: RPDA	Manufacturer: Ames	Model: 5000CIV
Size: 10	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T Spare Parts Only: Yes
Approved: 07-Jul-2000	Renewed: 07-Jul-2024	Bypass: Watts 909QT 3/4 (H)
Shutoffs: (pp),hh,mm,uu,eee	Reliewed. 07-Jul-2024	
(PP),,,,,,		
Type: RPDA	Manufacturer: Ames	Model: Colt 500-GV
Size: 2 1/2	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500-GV
Size: 3	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500-GV
Size: 4	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500-GV
Size: 6	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500-GV
Size: 8	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)

Shutoffs: (zzz)

Type: RPDA	Manufacturer: Ames	Model: Colt 500-GV
Size: 10	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2010	Renewed: 27-Sep-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500NBF
Size: 2 1/2	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500NBF
Size: 3	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-May-2009	Renewed: 28-May-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500NBF
Size: 4	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-May-2009	Renewed: 28-May-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500NBF
Size: 8	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500NGV
Size: 2 1/2	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 28-May-2009	Renewed: 28-May-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		

Type: RPDA	Manufacturer: Ames	Model: Colt 500NGV
Size: 3	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500NGV
Size: 4	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500NGV
Size: 6	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500NGV
Size: 8	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500ZBF
Size: 2 1/2	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500ZBF
Size: 3	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		

Type: RPDA	Manufacturer: Ames	Model: Colt 500ZBF
Size: 4	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (ууу)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500ZBF
Size: 8	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (ууу)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500ZGV
Size: 2 1/2	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500ZGV
Size: 3	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Colt 500ZGV
Size: 4	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
	Manufacturer: Ames	Model: Colt 500ZGV
Type: RPDA	manalaotarer. / anos	
	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Type: RPDA Size: 8 Manual: 9		

Type: RPDA Manufacturer: Ames Model: LFColt 500GV Size: 2 1/2 Orientation: H Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500GV Size: 2 1/2 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500GV Size: 3 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500GV Orientation: H Size: 3 Meters: (O) 0.25% Pb: Yes Spare Parts Only: No Manual: 9 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500GV Size: 4 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2023

Notes: Lead free compliant version identified with NSF61 mark on meter

Model: LFColt 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Type: RPDA Manufacturer: Ames Model: LFColt 500GV Size: 6 Orientation: H Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500GV Size: 6 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500GV Size: 8 Orientation: H Meters: (M) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 13-Aug-2015 Renewed: 13-Aug-2024 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500GV Size: 10 Orientation: H Meters: (M) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 12-Oct-2024 Bypass: Watts LF919QT 3/4" (H) Approved: 12-Oct-2015 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Model: LFColt 500NBF Manufacturer: Ames Size: 2 1/2 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023

Notes: Lead free compliant version identified with NSF61 mark on meter

Model: LFColt 500NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Type: RPDA Size: 4 Orientation: VUVD Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500NGV Size: 2 1/2 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500NGV Size: 3 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500NGV Orientation: VUVD Size: 4 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Model: LFColt 500ZBF Manufacturer: Ames Size: 2 1/2 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Manufacturer: Ames

Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)

Manufacturer: Ames **Orientation: VUVD** 0.25% Pb: Yes Renewed: 08-Jan-2023

Notes: Lead free compliant version identified with NSF61 mark on meter

Model: LFColt 500ZBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LFColt 500NBF

Type: RPDA Manufacturer: Ames Model: LFColt 500ZBF Size: 4 Orientation: VUVD Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500ZGV Size: 2 1/2 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500ZGV Size: 3 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFColt 500ZGV Orientation: VUVD Size: 4 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFMaxim 500GV Size: 2 1/2 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 08-Jan-2023

Notes: Lead free compliant version identified with NSF61 mark on meter

Model: LFMaxim 500GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LFMaxim 500GV Type: RPDA Manufacturer: Ames Size: 4 Orientation: H Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFMaxim 500GV Size: 6 Orientation: H Meters: (M) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 13-Aug-2015 Renewed: 13-Aug-2024 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFMaxim 500GV Size: 8 Orientation: H Meters: (M) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 12-Oct-2024 Approved: 12-Oct-2015 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFMaxim 500GV Size: 10 Orientation: H Meters: (M) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 12-Oct-2015 Renewed: 12-Oct-2024 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Model: LFMaxim 500NBF Manufacturer: Ames Size: 2 1/2 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)

Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023

Manufacturer: Ames

Model: LFMaxim 500NBF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Manufacturer: Ames Model: LFMaxim 500NGV Size: 2 1/2 Orientation: VUVD Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFMaxim 500NGV Size: 3 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFMaxim 500ZBF Size: 2 1/2 **Orientation: VUVD** Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Ames Model: LFMaxim 500ZBF Orientation: VUVD Size: 3 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Model: LFMaxim 500ZGV Manufacturer: Ames Size: 2 1/2 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Manufacturer: Ames Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023 Model: LFMaxim 500ZGV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

Manufacturer: Ames	Model: Maxim 500-GV
Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Manufacturer: Ames	Model: Maxim 500-GV
Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Manufacturer: Ames	Model: Maxim 500-GV
Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Manufacturer: Ames	Model: Maxim 500-GV
Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Manufacturer: Ames	Model: Maxim 500-GV
Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 27-Sep-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Manufacturer: Ames	Model: Maxim 500-GV
Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
	Orientation: H0.25% Pb: NoRenewed: 20-Jun-2024Manufacturer: AmesOrientation: H0.25% Pb: NoRenewed: 15-Nov-2022Manufacturer: AmesOrientation: H0.25% Pb: NoRenewed: 27-Sep-2022Manufacturer: AmesOrientation: H0.25% Pb: NoRenewed: 27-Sep-2022

Type: RPDA	Manufacturer: Ames	Model: Maxim 500NBF
Size: 2 1/2	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500NBF
Size: 3	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500NBF
Size: 4	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500NBF
Size: 6	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500NGV
Size: 2 1/2	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500NGV
Size: 3	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		

Type: RPDA	Manufacturer: Ames	Model: Maxim 500NGV
Size: 4	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500NGV
Size: 6	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass : Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500ZBF
Size: 2 1/2	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500ZBF
Size: 3	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500ZBF
Size: 6	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500ZGV
Size: 2 1/2	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
	0.0E0/ Dhy No	Spare Parts Only: No
Manual: 9	0.25% Pb: No	Spare Faits Only. NO

Type: RPDA	Manufacturer: Ames	Model: Maxim 500ZGV
Size: 3	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Ames	Model: Maxim 500ZGV
Size: 6	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4A
Size: 2 1/2	Orientation: H	Meters: (P),O
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
	0.25% Pb: Yes Renewed: 10-Jun-2023	Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)
Manual: 10 Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr		Bypass: Apollo RPLF4A 1/2" (H)
Approved: 10-Jun-2014	Renewed: 10-Jun-2023	Bypass: Apollo RPLF4A 1/2" (H)
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	Bypass: Apollo RPLF4A 1/2" (H)
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco	Bypass: Apollo RPLF4A 1/2" (H) xxx Model: RPDALF4A
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H	Bypass: Apollo RPLF4A 1/2" (H) xxx Model: RPDALF4A Meters: (P),O
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10 Approved: 10-Jun-2014	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),O Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10 Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 10-Jun-2023	Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),O Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10 Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),O Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H) xxx
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10 Approved: 10-Jun-2014	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco	Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),O Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H) xxx Model: RPDALF4A
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10 Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 4 Manual: 10	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H	Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),O Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H) XXX Model: RPDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10 Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 4 Manual: 10 Approved: 24-Jun-2013	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes	Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),O Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q,T Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10 Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 4 Manual: 10 Approved: 24-Jun-2013	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 24-Jun-2022	Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),O Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q,T Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10 Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 4 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy), cccc, dddd, mmr	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 24-Jun-2022 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),O Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H) XXX Model: RPDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q,T Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H) XXX
Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 3 Manual: 10 Approved: 10-Jun-2014 Shutoffs: (yyy), cccc, dddd, mmr Type: RPDA Size: 4 Manual: 10 Approved: 24-Jun-2013 Shutoffs: (yyy), cccc, dddd, mmr	Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 10-Jun-2023 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: Yes Renewed: 24-Jun-2022 mm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),O Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q,T Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H) Model: RPDALF4A Meters: (P),G,H,I,J,K,L,M,N,O,Q,T

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa, xxxxxx

Type: RPDA Manufacturer: Apollo/Conbraco Model: RPDALF4A Size: 8 Orientation: H Meters: (M),G,H,I,J,K,L,N,O,P,Q,T 0.25% Pb: Yes Spare Parts Only: No **Manual:** 10 Approved: 22-Feb-2018 Renewed: 22-Feb-2024 Bypass: Apollo RPLF4A 1/2" (H) Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa, xxxxxx

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 2 1/2	Orientation: VUVD	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-May-2016	Renewed: 12-May-2022	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 2 1/2	Orientation: VUVU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-May-2016	Renewed: 12-May-2022	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 3	Orientation: VUVD	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-May-2016	Renewed: 12-May-2022	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmm	m, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxx	xxx

Type: RPDA Manufacturer: Apollo/Conbraco **Size:** 3 **Orientation: VUVU** 0.25% Pb: Yes **Manual:** 10 **Renewed:** 12-May-2022 Approved: 12-May-2016 Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa, xxxxxx

Model: RPDALF4AN Meters: (M),G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 4	Orientation: VUVD	Meters: (P),G,H,I,J,K,L,M,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 10-Jun-2014	Renewed: 10-Jun-2023	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nr	nnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx	

Type: RPDA Size: 4 **Manual:** 10 Approved: 11-Jun-2014

Manufacturer: Apollo/Conbraco **Orientation: VUVU** 0.25% Pb: Yes Renewed: 11-Jun-2023

Model: RPDALF4AN Meters: (P),G,H,I,J,K,L,M,N,O,Q,T Spare Parts Only: No Bypass: Apollo RPLF4A 1/2" (H)

Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx

Type: RPDAManufacturer: Apollo/ConbracoModel: RPDALF4ANSize: 6Orientation: VUVDMeters: (M),G,H,I,J,K,L,N,O,P,Q,TManual: 100.25% Pb: YesSpare Parts Only: NoApproved: 12-May-2015Renewed: 12-May-2024Bypass: Apollo RPLF4A 1/2" (H)Shutoffs: (yyy), cccc, dddd, mmmm, nnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 6	Orientation: VUVU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-May-2015	Renewed: 12-May-2024	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 8	Orientation: VUVD	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2018	Renewed: 22-Feb-2024	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AN
Size: 8	Orientation: VUVU	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 22-Feb-2018	Renewed: 22-Feb-2024	Bypass: Apollo RPLF4A 1/2" (H)
Shutoffs: (yyy), cccc, dddd, mmmm, nnnn, xxxxx, yyyyy, zzzzz, aaaaaa, xxxxxx		

Type: RPDAManufacturer: Apollo/ConbracoModel: RPDALF4ARSize: 2 1/2Orientation: HMeters: (M),G,H,I,J,K,L,N,O,Q,TManual: 100.25% Pb: YesSpare Parts Only: YesApproved: 21-Dec-2015Renewed: 21-Dec-2024Bypass: Apollo RPLF4A 1/2"Shutoffs: (cccc), dddd, mmm, nnnn, xxxx, yyyyy, zzzzz, aaaaaaStates: Integral Stainless Steel groover between the #2 ck and #2 SOV - sembly length: min. 34" and max. 471/8"

Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass: Apollo RPLF4A 1/2"
Chuteffer (2000) dddd mmmm n		

Shutoffs: (cccc), dddd, mmmm, nnnn, xxxxx, yyyyy, zzzz, aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 35" and max. 48 1/8"

	Manufacturer Apollo/Contraco	Model: RPDALF4AR
Type: RPDA Size: 4	Manufacturer: Apollo/Conbraco Orientation: H	Model: RFDALF4AK Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
	Renewed: 21-Dec-2024	
Approved: 21-Dec-2015		Bypass: Apollo RPLF4A 1/2"
· · ·	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa rooved spool between the #2 ck and #2 SO\	/ assembly length; min 37.3/8" and may
62 1/4"		
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 6	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 21-Dec-2015	Renewed: 21-Dec-2024	Bypass: Apollo RPLF4A 1/2"
Shutoffs: (cccc), dddd, mmmm,	nnnn, xxxxx, yyyyy, zzzzz, aaaaaa	
Notes: Integral Stainless Steel gr 1/4"	rooved spool between the #2 ck and #2 SO\	/ - assembly length: min. 46" and max. 71
Type: RPDA	Manufacturer: Apollo/Conbraco	Model: RPDALF4AR
Size: 8	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 22-Feb-2018	Renewed: 22-Feb-2024	Bypass: Apollo RPLF4A 1/2" (H)
Notes: Integral Stainless Steel gi 86"	rooved spool between the #2 ck and #2 SO	/ - assembly length: min. 55 3/4" and max.
Type: RPDA	Manufacturer: Cla-Val	Model: 18-4
Size : 10	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 23-Aug-1990	Renewed: 23-Aug-2023	Bypass: Cla-Val RP2 3/4 (H)
Shutoffs: hh,gg,qq,rr		
Type: RPDA	Manufacturer: Conbraco	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Apollo/Conbraco		
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 2 1/2	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	ed to 826YD	

Type: RPDA Size: 3 Manual: Approved: Notes: model designation change	Manufacturer: Febco Orientation: 0.25% Pb: No	Model: 826 Type YD Meters:
Manual: Approved:		
Approved:		Spare Parts Only: No
	Renewed:	Bypass:
Notes: model designation change		Dypace
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 4	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	d to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	d to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 8	Orientation:	Meters:
Manual:	0.25% Pb : No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	d to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826 Type YD
Size: 10	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation change	d to 826YD	
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 2 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes
Approved: 11-Nov-1988	Renewed: 11-Nov-2024	Bypass: Febco 825Y 3/4 (H)
		Bypass. Febcu 0231 3/4 (T)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ffff Notes: formerly 826 Type YD	,9999	

Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 3	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 11-Nov-1988	Renewed: 11-Nov-2024	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ff	fff,gggg	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 4	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 14-Oct-1988	Renewed: 14-Oct-2024	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ff	fff,gggg	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 6	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Mar-1990	Renewed: 01-Mar-2023	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ff	fff,gggg	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 8	Orientation: H	Meters:
0126.0		(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 22-Jun-1990	Renewed: 22-Jun-2023	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ff	fff,gggg	
Notes: formerly 826 Type YD		
Type: RPDA	Manufacturer: Febco	Model: 826YD
Size: 10	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Jun-1990	Renewed: 22-Jun-2023	Bypass: Febco 825Y 3/4 (H)
Shutoffs: (ff),mm,oo,pp,uu,zzz,ff	fff,gggg	
Notes: formerly 826 Type YD		

Type: RPDA	Manufacturer: Neptune	Model:
Size:	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: See Wilkins		
Type: RPDA	Manufacturer: Watts	Model: 909DDC
Size: 6	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909RPDA	
Type: RPDA	Manufacturer: Watts	Model: 909DDCM2
Size: 3	Orientation:	Meters:
Manual:	0.25% Pb: No	Spare Parts Only: No
Approved:	Renewed:	Bypass:
Notes: model designation chang	ged to 909RPDA	
Type: RPDA	Manufacturer: Watts	Model: 909RPDA
Size: 2 1/2	Orientation: H	Meters: (H),C,D,E,F,G,I,J,K,L,M,O,P,Q,T,U
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1999	Renewed: 16-Jun-2023	Bypass: Watts 909QT 3/4 (H)
Shutoffs: (pp),hh,mm,uu,zz,ffff,	gggg,aaaaaaa	
Type: RPDA	Manufacturer: Watts	Model: 909RPDA
Size: 3	Orientation: H	Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T,U
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 05-Oct-1988	Renewed: 05-Oct-2024	Bypass: Watts 909QT 3/4 (H)
Shutoffs: (pp),hh,mm,uu,zz,eee Notes: formerly 909DDCM2	e,ffff,gggg,aaaaaaa	
Type: RPDA	Manufacturer: Watts	Model: 909RPDA
Size: 4	Orientation: H	Meters: (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T,U
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Feb-1988	Renewed: 09-Feb-2024	Bypass: Watts 909QT 3/4 (H)
Shutoffs: (pp),hh,mm,uu,zz,eee	e,ffff,gggg,aaaaaaa	

Manufacturer: Watts Type: RPDA Model: 909RPDA Meters: **Size:** 6 Orientation: H (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T,U Manual: 8 0.25% Pb: No Spare Parts Only: No Approved: 05-Oct-1988 Renewed: 05-Oct-2024 Bypass: Watts 909QT 3/4 (H) Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg,aaaaaaa Notes: formerly 909DDC Manufacturer: Watts Type: RPDA Model: 909RPDA Meters: **Orientation:** H Size: 8 (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T,U 0.25% Pb: No Manual: 8 Spare Parts Only: No Renewed: 14-Feb-2024 Bypass: Watts 909QT 3/4 (H) Approved: 14-Feb-1988 Shutoffs: (pp),hh,mm,uu,zz,eee,ffff,gggg,aaaaaaa Manufacturer: Watts Model: 909RPDA Type: RPDA Meters: Size: 10 Orientation: H (N),B,C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T,U Manual: 8 0.25% Pb: No Spare Parts Only: No Renewed: 15-Feb-2024 Approved: 15-Feb-1988 Bypass: Watts 909QT 3/4 (H) **Shutoffs:** (pp),hh,mm,uu,zz,eee,ffff,gggg Manufacturer: Watts Model: 957NRPDA-BF Type: RPDA Size: 2 1/2 **Orientation: VUVD** Meters: (N),H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Watts 919QT 3/4" (H), Watts Renewed: 24-Jun-2022 Approved: 24-Jun-2013 LF919QT 3/4" (H) Shutoffs: (yyy) Type: RPDA Manufacturer: Watts Model: 957NRPDA-BF **Size:** 3 **Orientation: VUVD** Meters: (N),H,I,J,K,L,M,N,O,P,Q 0.25% Pb: No Manual: 9 Spare Parts Only: No Bypass: Watts 919QT 3/4" (H), Watts Approved: 07-Apr-2009 Renewed: 07-Apr-2024 LF919QT 3/4" (H) Shutoffs: (yyy) Type: RPDA Manufacturer: Watts Model: 957NRPDA-BF Size: 4 **Orientation: VUVD** Meters: (N),H,I,J,K,L,M,N,O,P,Q Manual: 9 0.25% Pb: No Spare Parts Only: No Bypass: Watts 919QT 3/4" (H), Watts Approved: 07-Apr-2009 Renewed: 07-Apr-2024 LF919QT 3/4" (H) Shutoffs: (yyy)

Type: RPDA	Manufacturer: Watts	Model: 957NRPDA-BF
Size: 8	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Watts	Model: 957NRPDA-GV
Size: 2 1/2	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957NRPDA-GV
Size: 3	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957NRPDA-GV
Size: 4	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957NRPDA-GV
Size: 6	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957NRPDA-GV
Size: 8	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
	0.25% Pb: No	Spare Parts Only: No
Manual: 9		

Type: RPDA	Manufacturer: Watts	Model: 957RPDA-GV
Size: 2 1/2	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957RPDA-GV
Size: 3	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, G
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957RPDA-GV
Size: 4	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957RPDA-GV
Size: 6	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957RPDA-GV
Size: 8	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957RPDA-GV
Size: 10	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, G
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2010	Renewed: 27-Sep-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		· · ·

Type: RPDA	Manufacturer: Watts	Model: 957ZRPDA-BF
Size: 2 1/2	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (ууу)		
Type: RPDA	Manufacturer: Watts	Model: 957ZRPDA-BF
Size: 3	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (ууу)		
Type: RPDA	Manufacturer: Watts	Model: 957ZRPDA-BF
Size: 4	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Watts	Model: 957ZRPDA-BF
Size: 8	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass : Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Watts	Model: 957ZRPDA-GV
Size: 2 1/2	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957ZRPDA-GV
	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Size: 3		
Size: 3 Manual: 9	0.25% Pb: No	Spare Parts Only: No

Type: RPDA	Manufacturer: Watts	Model: 957ZRPDA-GV
Size: 4	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 957ZRPDA-GV
Size: 8	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967NRPDA-BF
Size: 2 1/2	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Watts	Model: 967NRPDA-BF
Size: 3	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Watts	Model: 967NRPDA-BF
Size: 4	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Watts	Model: 967NRPDA-BF
Size: 6	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Menuel: 0	0.25% Pb: No	Spare Parts Only: No
Manual: 9		

Type: RPDA	Manufacturer: Watts	Model: 967NRPDA-GV
Size: 2 1/2	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967NRPDA-GV
Size: 3	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Apr-2009	Renewed: 07-Apr-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967NRPDA-GV
Size: 4	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watt LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967NRPDA-GV
Size: 6	Orientation: VUVD	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967RPDA-GV
Size: 2 1/2	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967RPDA-GV
Size: 3	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (777)		

Shutoffs: (zzz)

Type: RPDA	Manufacturer: Watts	Model: 967RPDA-GV
Size: 4	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jun-2006	Renewed: 20-Jun-2024	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967RPDA-GV
Size: 6	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Nov-2010	Renewed: 15-Nov-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967RPDA-GV
Size: 8	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2010	Renewed: 27-Sep-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967RPDA-GV
Size: 10	Orientation: H	Meters: (N), H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 27-Sep-2010	Renewed: 27-Sep-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Type: RPDA	Manufacturer: Watts	Model: 967ZRPDA-BF
Size: 2 1/2	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Type: RPDA	Manufacturer: Watts	Model: 967ZRPDA-BF
Size: 3	Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Jun-2013	Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Shutoffs: (yyy)		
Approved: 24-Jun-2013 Shutoffs: (yyy)		Bypass: Watts 919QT 3/4" (H

Orientation: VUVU 0.25% Pb: No	Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No
0.25% Pb: No	Spare Parts Only: No
	opulo i alto oliny. NO
Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Manufacturer: Watts	Model: 967ZRPDA-GV
Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Manufacturer: Watts	Model: 967ZRPDA-GV
Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 24-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Manufacturer: Watts	Model: 967ZRPDA-GV
Orientation: VUVU	Meters: (N),H,I,J,K,L,M,N,O,P,Q
0.25% Pb: No	Spare Parts Only: No
Renewed: 14-Jun-2022	Bypass: Watts 919QT 3/4" (H), Watts LF919QT 3/4" (H)
Manufacturer: Watts	Model: 990RPDA
Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q, ^T
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 01-Nov-2022	Bypass: Watts 009QT 3/4 (H)
Manufacturer: Watts	Model: 990RPDA
Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q,T
0.25% Pb: No	Spare Parts Only: Yes
Renewed: 13-Jan-2023	Bypass: Watts 009QT 3/4 (H)
	Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2022 Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 24-Jun-2022 Manufacturer: Watts Orientation: VUVU 0.25% Pb: No Renewed: 14-Jun-2022 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-Nov-2022 Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 01-Nov-2022

Type: RPDA	Manufacturer: Watts	Model: 992RPDA
Size: 4	Orientation: H	Meters:
		(H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q,
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1992	Renewed: 01-Nov-2022	Bypass: Watts 009QT 3/4 (H)
Shutoffs: 00		
Type: RPDA	Manufacturer: Watts	Model: 992RPDA
Size : 10	Orientation: H	Meters: (H),D,E,F,G,I,J,K,L,M,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 13-Jan-1993	Renewed: 13-Jan-2023	Bypass: Watts 009QT 3/4 (H)
Shutoffs: 00		
Type: RPDA	Manufacturer: Watts	Model: LF957NRPDA-BF
Size: 2 1/2	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Manual. 9		
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz)	Renewed: 08-Jan-2023 ion identified with NSF61 mark on meter	
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers		
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA	ion identified with NSF61 mark on meter	
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3	ion identified with NSF61 mark on meter Manufacturer: Watts	Model: LF957NRPDA-BF
Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD	Model: LF957NRPDA-BF Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023 ion identified with NSF61 mark on meter	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023 ion identified with NSF61 mark on meter Manufacturer: Watts	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF Meters: (O)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)
Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 3 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant vers Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)	ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023 ion identified with NSF61 mark on meter Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023 ion identified with NSF61 mark on meter	Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H) Model: LF957NRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Approved: 08-Jan-2014 Shutoffs: (zzz)

0.25% Pb: Yes **Renewed:** 08-Jan-2023

Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

0.25% Pb: Yes Manual: 9 Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Watts Model: LF957NRPDA-GV Size: 4 Orientation: VUVD Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 08-Jan-2014 Renewed: 08-Jan-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Type: RPDA Manufacturer: Watts Model: LF957RPDA-GV Size: 2 1/2 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 15-May-2014 Renewed: 15-May-2023 Bypass: Watts LF919QT 3/4" (H) Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark Type: RPDA Manufacturer: Watts Model: LF957RPDA-GV Orientation: H Size: 3 Meters: (O) 0.25% Pb: Yes Manual: 9 Spare Parts Only: No Renewed: 15-May-2023 Bypass: Watts LF919QT 3/4" (H) Approved: 15-May-2014 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark Type: RPDA Manufacturer: Watts Model: LF957RPDA-GV Size: 4 Orientation: H Meters: (O) Manual: 9 0.25% Pb: Yes Spare Parts Only: No Approved: 15-May-2014 Renewed: 15-May-2023 Bypass: Watts LF919QT 3/4" (H)

Manufacturer: Watts

Orientation: VUVD

Notes: Water meter identified with NSF61 mark

Type: RPDAManufaSize: 6OrientaManual: 90.25%Approved: 15-May-2014RenewShutoffs: (zzz)Notes: Water meter identified with NSE61 mark

Shutoffs: (zzz)

Type: RPDA

Size: 3

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 15-May-2023 Model: LF957RPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957NRPDA-GV

Meters: (O)

Type: RPDA Size: 8 Manual: 9 Approved: 13-Aug-2015 Shutoffs: (zzz) Notes: Water meter identified with NSF61 mark

Type: RPDA Manufacturer: Watts Size: 10 Orientation: H Manual: 9 0.25% Pb: Yes Approved: 21-Sep-2015 Renewed: 21-Sep-2024 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter Model: LF957RPDAGV Meters: (M) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957ZRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957ZRPDA-BF

Spare Parts Only: No

Meters: (O)

Type: RPDA Manufacturer: Watts Orientation: VUVD Size: 3 0.25% Pb: Yes Manual: 9 Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Shutoffs: (zzz) Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 4 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)

Manufacturer: Watts Orientation: VUVD 0.25% Pb: Yes Renewed: 08-Jan-2023

Bypass: Watts LF919QT 3/4" (H)

Model: LF957ZRPDA-BF Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957ZRPDA-GV Meters: (O) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Notes: Lead free compliant version identified with NSF61 mark on meter

Type: RPDA Size: 2 1/2 Manual: 9 Approved: 08-Jan-2014 Shutoffs: (zzz)

Manufacturer: Watts **Orientation: VUVD** 0.25% Pb: Yes Renewed: 08-Jan-2023

Notes: Lead free compliant version identified with NSF61 mark on meter

Manufacturer: Watts Orientation: H 0.25% Pb: Yes Renewed: 13-Aug-2024

Manufacturer: Watts

Type: RPDA Size: 2 1/2 Orientation: VUVD Manual: 9 0.25% Pb: Yes Renewed: 08-Jan-2023 Approved: 08-Jan-2014 Shutoffs: (zzz)

Notes: Lead free compliant version identified with NSF61 mark on meter

Meters: (M) Spare Parts Only: No Bypass: Watts LF919QT 3/4" (H)

Model: LF957RPDAGV

Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 3	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Watts	Model: LF957ZRPDA-GV
Size: 4	Orientation: VUVD	Meters: (O)
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 08-Jan-2014	Renewed: 08-Jan-2023	Bypass: Watts LF919QT 3/4" (H)
Shutoffs: (zzz)		
Notes: Lead free compliant vers	ion identified with NSF61 mark on meter	
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 2 1/2	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz	,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,lllll	ll,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiiii,jjjjjj,llllll,mr	nmmmm
Notes: Lead free compliant vers with NSF61 mark on meter	sion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Oct-2008	Renewed: 20-Oct-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz	,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,lllll	ll,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,uuu	u,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiiii,jjjjjj,llllll,mr	nmmmm
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size : 4	Orientation: H	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 02-Jun-2004	Renewed: 02-Jun-2022	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiiii,	jjjjjj,IIIIII,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxx>	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA

Size: 6 Manual: 9

Approved: 25-Nov-2003

Orientation: H

0.25% Pb: No

Renewed: 25-Nov-2024

Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx,yyy	y,kkkkk,lllll,lllll,mmmmmm	

Notes: Lead free compliant version: Starting Serial # Y09616; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2022	Bypass: Wilkins 975XLD 3/4" (H)

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx	x,yyyy,kkkkk,lllll,llllll,mmmmmm	
•	ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identifie
with NSF61 mark on meter		
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 10	Orientation: H	Meters: (N),H,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 11-Mar-2009	Renewed: 11-Mar-2024	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,j	jjjjj,IIIII,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 375ADA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
	Demoused 40 Eak 0000	Durages Willing OZEVID 2/4" (U)
	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4" (H)
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxx>		Bypass: Wilkins 975ALD 3/4 (H)
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxx>	x,yyyy,kkkkk,lllll,lllll,mmmmmm	ssembly Starting Serial # 3863325 and identifie
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers	x,yyyy,kkkkk,lllll,lllll,mmmmmm	
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxx> Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA	x,yyyy,kkkkk,IIIII,IIIII,mmmmmmm ion: Starting Serial # Y09616; By-pass A	ssembly Starting Serial # 3863325 and identifie
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxxx Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 2 1/2	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # Y09616; By-pass A Manufacturer: Wilkins	ssembly Starting Serial # 3863325 and identifie Model: 375ADAR
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxx Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 2 1/2 Manual: 9	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # Y09616; By-pass A Manufacturer: Wilkins Orientation: H	ssembly Starting Serial # 3863325 and identifie Model: 375ADAR Meters: (M),H,I,J,K,L,N,O,P,Q
Approved: 18-Feb-2014 Shutoffs: (qqq),ttt,www,yyy,xxx Notes: Lead free compliant vers with NSF61 mark on meter Type: RPDA Size: 2 1/2 Manual: 9 Approved: 16-Jun-2010	x,yyyy,kkkkk,IIIII,IIIII,mmmmmm ion: Starting Serial # Y09616; By-pass A Manufacturer: Wilkins Orientation: H 0.25% Pb: No	ssembly Starting Serial # 3863325 and identifie Model: 375ADAR Meters: (M),H,I,J,K,L,N,O,P,Q Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 34 1/4" and max. 47 1/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-2010	Renewed: 16-Jun-2022	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,u	uuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llll	ll,mmmmmm
Notes: Integral grooved spool bet	ween the #2 ck and #2 SOV - assembl	y length: min. 34 3/4" and max. 48 1/8"
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,uuuu,	,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mr	nmmmm
		y length: min. 34 3/4" and max. 48 1/8" and Lead ting Serial # 3863325 and identified with NSF61
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,e	eee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,	jjjjjj,IIIIII,mmmmmm
Notes: Integral grooved spool bet	ween the #2 ck and #2 SOV - assembl	y length: min. 35 3/4" and max. 62 1/4"
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,xxxx,	yyyy,kkkkk,lllll,lllll,mmmmmm	
		y length: min. 35 3/4" and max. 62 1/4" and Lead ting Serial # 3863325 and identified with NSF61
Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size : 6	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No

Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4"

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 42 1/2" and max. 71 1/4" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR	
Size : 8	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 975XLD 3/4 (H)	
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm			
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86"			

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 57 7/8" and max. 86" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR	
Size: 10	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T	
Manual: 9	0.25% Pb: No	Spare Parts Only: No	
Approved: 25-Mar-2010	Renewed: 25-Mar-2025	Bypass: Wilkins 975XLD 3/4 (H)	
Shutoffs: (qqq),ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmmmm			
Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8"			

Type: RPDA	Manufacturer: Wilkins	Model: 375ADAR
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (aga) ttt www.vvv.xxx	x yyyy kkkkk IIII IIIII mmmmmm	

Shutoffs: (qqq),ttt,www,yyy,xxxx,yyyy,kkkkk,lllll,lllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 61 3/8" and max. 100 5/8" and Lead free compliant version: Starting Serial # T00466; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 2 1/2	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmn	nm
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmn	nm
Notes: Lead free compliant vers	ion: By-pass Assembly Starting Serial # :	3863325 and identified with NSF61 mark on
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 3	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmn	nm
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 3	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmn	nm
Notes: Lead free compliant vers meter	ion: By-pass Assembly Starting Serial # :	3863325 and identified with NSF61 mark on
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 4	Orientation: H	Meters: (M),H,I,J,K,L,N,O,P,Q
Manual: 10	0.25% Pb: No	Spare Parts Only: No
Approved: 14-Jun-2013	Renewed: 14-Jun-2022	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmn	nm
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 4	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 20-Feb-2014	Renewed: 20-Feb-2023	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyy),qqq,ttt,uuuu,vvvv	v,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmn	nm
	ion: By-pass Assembly Starting Serial #	

Notes: Lead free compliant version: By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark meter

Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 6	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed: 18-Sep-2023	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	uu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	Imm
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
Size: 8	Orientation: H	Meters: (O), M
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Sep-2014	Renewed: 18-Sep-2023	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (yyyy),ttt,www,yyy,uuu	ıu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	Imm
Type: RPDA	Manufacturer: Wilkins	Model: 375ASTDA
	Manufacturer: Wilkins Orientation: H	Model: 375ASTDA Meters: (O)
Size: 10		
Size: 10 Manual: 10	Orientation: H	Meters: (O)
Size: 10 Manual: 10 Approved: 18-Sep-2014	Orientation: H 0.25% Pb: Yes	Meters: (O) Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Size: 10 Manual: 10 Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu	Orientation: H 0.25% Pb: Yes Renewed: 18-Sep-2023	Meters: (O) Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Size: 10 Manual: 10 Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Type: RPDA	Orientation: H 0.25% Pb: Yes Renewed: 18-Sep-2023 uu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm	Meters: (O) Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)
Size: 10 Manual: 10 Approved: 18-Sep-2014 Shutoffs: (yyyy),ttt,www,yyy,uuu Type: RPDA Size: 2 1/2	Orientation: H 0.25% Pb: Yes Renewed: 18-Sep-2023 uu,vvvv,xxxx,kkkkk,IIIII,iiiiii,jjjjjj,IIIIII,mmmm Manufacturer: Wilkins	Meters: (O) Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) mm Model: 375ASTDAR
Size: 10 Manual: 10 Approved: 18-Sep-2014	Orientation: H 0.25% Pb: Yes Renewed: 18-Sep-2023 au,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmm Manufacturer: Wilkins Orientation: H	Meters: (O) Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H) Imm Model: 375ASTDAR Meters: (O), M

Type: RPDAManufacturer: WilkinsModel: 375ASTDARSize: 3Orientation: HMeters: (O), MManual: 100.25% Pb: YesSpare Parts Only: NoApproved: 09-Oct-2014Renewed: 09-Oct-2023Bypass: Wilkins 975XLD 3/4" (H)Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmNotes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 31 1/2" and max. 48 1/8"

Type: RPDAManufacturer: WilkinsModel: 3Size: 4Orientation: HMeters:Manual: 100.25% Pb: YesSpare PApproved: 09-Oct-2014Renewed: 09-Oct-2023Bypass

Model: 375ASTDAR Meters: (O), M Spare Parts Only: No Bypass: Wilkins 975XLD 3/4" (H)

Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 32 5/8" and max. 62 1/4"

Type: RPDA Manufacturer: Wilkins Model: 375ASTDAR Size: 6 Orientation: H Meters: (O), M 0.25% Pb: Yes Spare Parts Only: No **Manual:** 10 Approved: 18-Sep-2014 Renewed: 18-Sep-2023 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiiii,jjjjjj,llllll,mmmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 39" and max. 71 1/4" Type: RPDA Manufacturer: Wilkins Model: 375ASTDAR Size: 8 Orientation: H Meters: (O), M **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 18-Sep-2014 Renewed: 18-Sep-2023 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiii,jjjjj,llllll,mmmmmm Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 48 3/4" and max. 86" Model: 375ASTDAR Type: RPDA Manufacturer: Wilkins Size: 10 Orientation: H Meters: (O) **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Renewed: 18-Sep-2023 Approved: 18-Sep-2014 Bypass: Wilkins 975XLD 3/4" (H) Shutoffs: (yyyy),ttt,www,yyy,uuuu,vvvv,xxxx,kkkkk,lllll,iiiiiii,jjjjjj,llllll,mmmmmm

Notes: Integral grooved spool between the #2 ck and #2 SOV - assembly length: min. 52 5/8" and max. 100 5/8"

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size : 2 1/2	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv,www	ww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	mmm,nnnnnn

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 2 1/2	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyyy,z	zzz,kkkkk,mmmmmm,nnnnnn	
Notes, Load free compliant variar	v Starting Sarial # MOS452, Dy page A	acomply Starting Social # 2062225 and identifie

Notes: Lead free compliant version: Starting Serial # M08452; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 3	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 08-Oct-2002	Renewed: 08-Oct-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,vvvv	wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmm	nmmm,nnnnnn
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 3	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 4	Orientation: H	Meters: (M),C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 13-Dec-2000	Renewed: 13-Dec-2024	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 4	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 6	Orientation: H	Meters: (N),C,D,E,F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 31-May-2001	Renewed: 31-May-2022	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (bb) ff mm uu zz aga y	· · · · · · · · · · · · · · · · · · ·	z kkkkk iiiiiii kkkkkk mmmmmm noonoo

Shutoffs: (hh),ff,mm,uu,zz,qqq,vvv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn

Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 6	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Jun-2004	Renewed: 15-Jun-2022	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 8	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4" (H)
with NSF61 mark on meter		
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 10	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Nov-2004	Renewed: 22-Nov-2022	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),ff,mm,uu,zz,qqq,v	vvv,www.zzz,eeee,vvvv,wwww,yyyy,zzzz	z,kkkkk,jjjjjj,kkkkkk,mmmmmm,nnnnnn
Type: RPDA	Manufacturer: Wilkins	Model: 375DA
Size: 10	Orientation: H	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4" (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzz,kkkk,mmmmmm,nnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # M08452; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 4	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
		• • •

Approved: 20-Mar-2001

Renewed: 20-Mar-2025

Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq), ttt, www, yyy, zzz, eeee, uuuu, vvvv, xxxx, yyyy, kkkkk, lllll, iiiiii, jjjjjj, llllll, mmmmmmmm, start start

Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 4	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 6	Orientation: VUVD	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 31-May-2001	Renewed: 31-May-2022	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),ttt,www,yyy,zzz,	eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,	jjjjjj,lllll,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 6	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 8	Orientation: VUVD	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T

 Manual: 9
 0.25% Pb: No
 Spare Parts Only: No

 Approved: 11-Aug-2004
 Renewed: 11-Aug-2022
 Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq), ttt, www, yyy, zzz, eeee, uuuu, vvvv, xxxx, yyyy, kkkkk, lllll, iiiiii, jjjjjj, llllll, mmmmmmmm, start start

Type: RPDA	Manufacturer: Wilkins	Model: 475DA
Size: 8	Orientation: VUVD	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz,mmmmmm,nnnnn

Notes: Lead free compliant version: Starting Serial # R04847; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 4	Orientation: VUVU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Mar-2001	Renewed: 20-Mar-2025	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (qqq),mm,ttt,www,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm

Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 4	Orientation: VUVU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 6	Orientation: VUVU	Meters: (N),F,G,H,I,J,K,L,M,O,P,Q,T
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 20-Jul-2004	Renewed: 20-Jul-2022	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),mm,ttt,www,yyy	,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll	l,iiiiii,jjjjjj,llllll,mmmmmm
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 6	Orientation: VUVU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (hh),qqq,vvv,www,yyy	y,zzzz,kkkkk,mmmmmm,nnnnnn	
Notes: Lead free compliant vers with NSF61 mark on meter	ion: Starting Serial # R04847; By-pass A	Assembly Starting Serial # 3863325 and identified
Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 8	Orientation: VUVU	Meters: (M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T

Size: 8	Orientation: VUVU	
5126.0	Chemation. VOVO	(M),B,C,D,E,F,G,H,I,J,K,L,N,O,P,C
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 24-Apr-2004	Renewed: 24-Apr-2022	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (qqq),mm,ttt,www,yyy,zzz,e	,yyy,zzz,eeee,uuuu,vvvv,xxxx,yyyy,kkkkk,lllll,iiiiii,jjjjjj,llllll,mmmmmm	

Type: RPDA	Manufacturer: Wilkins	Model: 475DAV
Size: 8	Orientation: VUVU	Meters: (O), M
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Feb-2014	Renewed: 18-Feb-2023	Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (hh),qqq,vvv,www,yyyy,zzzz,mmmmmm,nnnnnn

Notes: Lead free compliant version: Starting Serial # R04847; By-pass Assembly Starting Serial # 3863325 and identified with NSF61 mark on meter

Type: RPDAManufacturer: WilkinsModel: 475STDASize: 4Orientation: VUVDMeters: (O),G,H,I,J,K,L,M,N,Q,TManual: 100.25% Pb: YesSpare Parts Only: NoApproved: 18-Dec-2018Renewed: 18-Dec-2024Bypass: Wilkins 975XLDTCU 3/4 (H)

Shutoffs: (kkkkk),yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiiii,jjjjjj,llllll,mmmmmm,oooooo

Type: RPDA	Manufacturer: Wilkins	Model: 475STDA
Size: 4	Orientation: VUVU	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLDTCU 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	j,IIIII,mmmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDA
Size: 6	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLDTCU 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDA
Size: 6	Orientation: VUVU	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLDTCU 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDA
Size: 8	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLDTCU 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	j,IIIII,mmmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDA
Size: 8	Orientation: VUVU	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLDTCU 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjjj	j,IIIII,mmmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDA
Size: 10	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLDTCU 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiii,jjjj	j,IIIII,mmmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDA
Size: 10	Orientation: VUVU	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLDTCU 3/4 (H)

Shutoffs: (kkkkk),yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmm,oooooo

Type: RPDA	Manufacturer: Wilkins	Model: 475STDAR
Size: 4	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDAR
Size: 4	Orientation: VUVU	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDAR
Size: 6	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDAR
Size: 6	Orientation: VUVU	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDAR
Size: 8	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb : Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDAR
Size: 8	Orientation: VUVU	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLD 3/4 (H)
Shutoffs: (kkkkk),yyy,ssss,uuuu	,vvvv,xxxx,yyyy,aaaaa,lllll,gggggg,iiiiii,jjjjj	j,IIIII,mmmmm,oooooo
Type: RPDA	Manufacturer: Wilkins	Model: 475STDAR
Size: 10	Orientation: VUVD	Meters: (O),G,H,I,J,K,L,M,N,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 18-Dec-2018	Renewed: 18-Dec-2024	Bypass: Wilkins 975XLD 3/4 (H)
		()

Shutoffs: (kkkkk),yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmm,oooooo

Type: RPDA Size: 10 Manual: 10 Approved: 18-Dec-2018 Shutoffs: (kkkkk) yang ses Manufacturer: Wilkins Orientation: VUVU 0.25% Pb: Yes Renewed: 18-Dec-2024 Model: 475STDAR Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Wilkins 975XLD 3/4 (H)

Shutoffs: (kkkkk),yyy,ssss,uuuu,vvvv,xxxx,yyyy,aaaaa,IIIII,gggggg,iiiiiii,jjjjjj,IIIIII,mmmmm,oooooo

Type: RPDAManufacturer: WilkinsSize: 2 1/2Orientation: HManual: 80.25% Pb: NoApproved: 01-Feb-1994Renewed: 01-Feb-2024

Shutoffs: (hh),ff,uu,zz,vvvv,wwww,yyyy,zzzz

Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Wilkins 975 3/4 (H)

Type: RPDA	Manufacturer: Wilkins	Model: 975DA
Size: 3	Orientation: H	Meters:
0126. 0	Onentation. IT	(M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Feb-1994	Renewed: 01-Feb-2024	Bypass: Wilkins 975 3/4 (H)
Shutoffs: (hh),ff,uu,zz,vvvv,wwww,y	yyy,zzz	

Type: RPDA	Manufacturer: Wilkins	Model: 975DA
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T
Manual: 8	0.25% Pb: No	Spare Parts Only: Yes
Approved: 01-Nov-1993	Renewed: 01-Nov-2023	Bypass: Wilkins 975 3/4 (H)
Shutoffs: hh,ff,mm,uu,zz,vvvv,www	w,yyyy,zzzz	

Type: RPDA	Manufacturer: Wilkins	Mode
Size: 6	Orientation: H	Mete (M),A
Manual: 8	0.25% Pb: No	Spar
Approved: 14-Mar-1994	Renewed: 14-Mar-2024	Вура
Shutoffs: hh,ff,mm,uu,zz,vvvv,w	www,yyyy,zzzz	

Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Wilkins 975 3/4 (H)

Type: RPDAManufacturer: WilkinsSize: 8Orientation: HManual: 80.25% Pb: NoApproved: 05-Dec-1996Renewed: 05-Dec-2023Shutoffs: (hh),ff,uu,zz,vvvv,www,yyy.zzzz

Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Wilkins 975 3/4 (H) Type: RPDA

Size: 10

 Manual: 8
 0.25°

 Approved: 05-Dec-1996
 Rene

 Shutoffs: (hh),ff,uu,zz,vvvv,www,yyyy.zzzz

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: RPDA-II Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int)

Type: RPDA-II Size: 6 Manual: 10 Approved: 03-Aug-2022 Shutoffs: (int)

Type: RPDA-II Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (int) Renewed: 05-Dec-2023 zzzz Manufacturer: Ames Orientation: H 0.25% Pb: Yes

Manufacturer: Wilkins

Orientation: H

0.25% Pb: No

Manufacturer: Ames Orientation: H 0.25% Pb: Yes

Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: 975DA Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: Yes Bypass: Wilkins 975 3/4 (H)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

0.25% Pb: Yes Renewed: 26-Mar-2023

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: RPDA-II Size: 3 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: RPDA-II Size: 4 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: RPDA-II Size: 6 Manual: 10 Approved: 01-Oct-2024 Shutoffs: (ssssss), tttttt

Type: RPDA-II Size: 8 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt

Type: RPDA-II Size: 4 Manual: 10 Approved: 01-Oct-2024 Shutoffs: (ssssss), tttttt

Type: RPDA-II Size: 6 Manual: 10 Approved: 26-Mar-2020 Shutoffs: (ssssss), tttttt Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Ames Orientation: H 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: Deringer 50G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50G Meters: Spare Parts Only: No Bypass:

Model: Deringer 50G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50GX Meters: Spare Parts Only: No Bypass:

Model: Deringer 50GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD) Type: RPDA-II Size: 4 **Manual:** 10 Approved: 03-Aug-2022 Shutoffs: (int)

Manufacturer: Ames Orientation: H 0.25% Pb: Yes **Renewed:**

Model: Deringer 50X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Type: RPDA-II Size: 6 **Manual:** 10 Approved: 26-Mar-2020 Shutoffs: (int)

Approved: 31-Oct-2016

Approved: 31-Oct-2016

Shutoffs: (dddddd)

Type: RPDA-II Size: 1 1/2

Manual: 10

Shutoffs: (dddddd)

Type: RPDA-II

Size: 2

Manual: 10

Size: 1 1/2

Manual: 10

Type: RPDA-II

Manufacturer: Apollo/Conbraco Orientation: H

Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No

Manufacturer: Apollo/Conbraco

Renewed: 31-Oct-2022

Orientation: H

0.25% Pb: No

Renewed: 31-Oct-2022

Meters: (M),G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Apollo 1/2" Model CVA4A (HVD)

Model: RPDA24A

Model: RPDA2LF4A Meters: (M),G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Apollo 1/2" Model CVALF4A (HVD)

Shutoffs: (eeeee)

Approved: 31-Oct-2016

Type: RPDA-II Size: 2 Manual: 10

Approved: 31-Oct-2016

Shutoffs: (eeeee)

Manufacturer: Apollo/Conbraco Orientation: H 0.25% Pb: No Renewed: 31-Oct-2022

Model: RPDA2LF4A Meters: (M),G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Apollo 1/2" Model CVALF4A (HVD)

0.25% Pb: No Renewed: 31-Oct-2022

Manufacturer: Ames Orientation: H 0.25% Pb: Yes

Renewed: 26-Mar-2023

Model: Deringer 50X Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: RPDA24A Meters: (M),G,H,I,J,K,L,N,O,P,Q,T Spare Parts Only: No Bypass: Apollo 1/2" Model CVA4A (HVD)

Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4A
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass : Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzzz	zz,aaaaaa,xxxxxx	
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4A
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzzz	zz,aaaaaa,xxxxxx	
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4A
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzzz	zz,aaaaaa,xxxxxx	
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4A
Size: 6	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzzz	zz,aaaaaa,xxxxxx	
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4A
Size: 8	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 15-Dec-2017	Renewed: 15-Dec-2023	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),yyy,yyyyy,zzzz	zz,aaaaaa,xxxxxx	
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4A
Size: 10	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass: Apollo 1/2" Model CVALF4A

Shutoffs: (zzzzz), zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,xxxxx, yyyyy,aaaaaaa

Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4A
Size: 12	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (bbbbbb), ll,mm,ccccc	c	
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4AN
Size: 10	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2022	Renewed:	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (zzzzz), yyy,zzz,cccc,	dddd,kkkk,llll,mmmm,nnnn,xxxxx, yyyyy,aaaa	aaa
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4AN
Size: 12	Orientation: VUVD	Meters:
Manual: 10	0.25% Pb: Yes	Spare Parts Only: No
Approved: 12-Apr-2022	Renewed:	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (bbbbbb), II,mm,ccccc	с	
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4AR
Size: 2 1/2	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)
	,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaa	
Notes: Integral Stainless Steel g 1/8"	rooved spool between the #2 ck and #2 SO∖	/ - assembly length: min. 34" and max. 47
Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4AR
Size: 3	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)
Shutoffs: (xxxxx),zzz,cccc,dddd	,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaa	

Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4AR	
Size: 4	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T	
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes	
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)	

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 37 3/8" and max. 62 1/4"

Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4AR
Size: 6	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 46" and max. 71 1/4"

Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4AR
Size: 8	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 27-Mar-2018	Renewed: 27-Mar-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)

Shutoffs: (xxxxx),zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,yyyyy,zzzz,aaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 55 3/4" and max. 86"

Type: RPDA-II	Manufacturer: Apollo/Conbraco	Model: RPDA2LF4AR
Size: 10	Orientation: H	Meters: (M),G,H,I,J,K,L,N,O,P,Q,T
Manual: 10	0.25% Pb: Yes	Spare Parts Only: Yes
Approved: 05-Nov-2021	Renewed: 05-Nov-2024	Bypass: Apollo 1/2" Model CVALF4A (HVD)

Shutoffs: (zzzzz), zzz,cccc,dddd,kkkk,llll,mmmm,nnnn,xxxxx, yyyyy,aaaaaaa

Notes: Integral Stainless Steel grooved spool between the #2 ck and #2 SOV - assembly length: min. 65 3/4" and max. 100 5/8"

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 20-Jan-2017 Shutoffs: (int)

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 20-Jan-2023 Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD) Type: RPDA-II Size: 3 Manual: 10 Approved: 20-Jan-2017 Shutoffs: (int)

Type: RPDA-II Size: 4 Manual: 10 Approved: 20-Jan-2017 Shutoffs: (int)

Type: RPDA-II Size: 6 Manual: 10 Approved: 03-Aug-2022 Shutoffs: (int)

Type: RPDA-II Size: 8 Manual: 10 Approved: 27-Jun-2017 Shutoffs: (int)

Type: RPDA-II Size: 2 1/2 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ssssss), tttttt

Type: RPDA-II Size: 3 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ssssss), tttttt

Type: RPDA-II Size: 4 Manual: 10 Approved: 24-Oct-2018 Shutoffs: (ssssss), tttttt Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 20-Jan-2023

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 20-Jan-2023

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed:

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 27-Jun-2023

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 24-Oct-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 24-Oct-2024

Manufacturer: Backflow Direct Orientation: H 0.25% Pb: Yes Renewed: 24-Oct-2024 Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50 Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD)

Model: Deringer 50G Meters: (O),G,H,I,J,K,L,M,N,Q,T Spare Parts Only: No Bypass: Backflow Direct 1/2" CV(HVD) Type: RPDA-II Manufacturer: Backflow Direct Model: Deringer 50G Size: 6 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 01-Oct-2024 **Renewed:** Bypass: Shutoffs: (ssssss), tttttt Type: RPDA-II Manufacturer: Backflow Direct Model: Deringer 50G Size: 8 Orientation: H Meters: (O),G,H,I,J,K,L,M,N,Q,T 0.25% Pb: Yes Manual: 10 Spare Parts Only: No Renewed: 12-Mar-2025 Approved: 12-Mar-2019 Bypass: Backflow Direct 1/2" CV(HVD) Shutoffs: (ssssss), tttttt Type: RPDA-II Manufacturer: Backflow Direct Model: Deringer 50GX Size: 4 Orientation: H Meters: 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 01-Oct-2024 **Renewed:** Bypass: Shutoffs: (ssssss), tttttt Type: RPDA-II Manufacturer: Backflow Direct Model: Deringer 50GX Meters: (O),G,H,I,J,K,L,M,N,Q,T Size: 6 Orientation: H **Manual:** 10 0.25% Pb: Yes Spare Parts Only: No Approved: 12-Mar-2019 Renewed: 12-Mar-2025 Bypass: Backflow Direct 1/2" CV(HVD) Shutoffs: (ssssss), tttttt Type: RPDA-II Manufacturer: Backflow Direct Model: Deringer 50X Size: 4 Orientation: H Meters: (O),G,H,I,J,K,L,M,N,Q,T 0.25% Pb: Yes Spare Parts Only: No Manual: 10 Approved: 03-Aug-2022 Renewed: Bypass: Backflow Direct 1/2" CV(HVD) Shutoffs: (int) Manufacturer: Backflow Direct Type: RPDA-II Model: Deringer 50X Size: 6 Orientation: H Meters: (O),G,H,I,J,K,L,M,N,Q,T 0.25% Pb: Yes Manual: 10 Spare Parts Only: No Approved: 27-Jun-2017 Renewed: 27-Jun-2023 Bypass: Backflow Direct 1/2" CV(HVD) Shutoffs: (int) Manufacturer: Febco Model: LF866 Type: RPDA-II Size: 2 1/2 Orientation: H Meters: (O),G,H,I,J,K,L,M,N,P,Q,T 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Approved: 20-Mar-2015 Renewed: 20-Mar-2024 Bypass: Watts 3/4" LF619 (H)

Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Size: 3 Orientation: H 0.25% Pb: Yes **Manual:** 10 Renewed: 20-Mar-2024 Approved: 20-Mar-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Type: RPDA-II Manufacturer: Febco Model: LF866 Size: 4 Orientation: H Meters: (O),G,H,I,J,K,L,M,N,P,Q,T 0.25% Pb: Yes **Manual:** 10 Spare Parts Only: No Renewed: 26-Jan-2024 Approved: 26-Jan-2015 Bypass: Watts 3/4" LF619 (H) Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Size: 6 Orientation: H **Manual:** 10 0.25% Pb: Yes Approved: 13-Mar-2015 Renewed: 13-Mar-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Size: 8 Orientation: H **Manual:** 10 0.25% Pb: Yes Approved: 07-Jul-2015 Renewed: 07-Jul-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Size: 10 Orientation: H 0.25% Pb: Yes Manual: 10 Renewed: 07-Jul-2024 Approved: 07-Jul-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RPDA-II Manufacturer: Febco Orientation: VUVD Size: 2 1/2 **Manual:** 10 0.25% Pb: Yes Approved: 20-Mar-2015 Renewed: 20-Mar-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Size: 2 1/2 **Manual:** 10 Approved: 20-Mar-2015

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: 20-Mar-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF866 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (H)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: RPDA-II Manufacturer: Febco Size: 3 Orientation: VUVD 0.25% Pb: Yes **Manual:** 10 Renewed: 20-Mar-2024 Approved: 20-Mar-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Type: RPDA-II Manufacturer: Febco Model: LF886V Size: 3 **Orientation: VUVU** 0.25% Pb: Yes Manual: 10 Spare Parts Only: No Renewed: 20-Mar-2024 Approved: 20-Mar-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Size: 4 Orientation: VUVD **Manual:** 10 0.25% Pb: Yes Approved: 26-Jan-2015 Renewed: 26-Jan-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Size: 4 Orientation: VUVU **Manual:** 10 0.25% Pb: Yes Approved: 26-Jan-2015 Renewed: 26-Jan-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Manufacturer: Febco Type: RPDA-II Size: 6 Orientation: VUVD 0.25% Pb: Yes Manual: 10 Renewed: 26-Jan-2024 Approved: 26-Jan-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Orientation: VUVU Size: 6 0.25% Pb: Yes **Manual:** 10 Approved: 26-Jan-2015 Renewed: 26-Jan-2024 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Size: 8 **Manual:** 10 Approved: 07-Jul-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 07-Jul-2024 Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O), J, K, L, M, N, P, Q Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O) Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU) Type: RPDA-II Manufacturer: Febco Size: 8 Orientation: VUVU 0.25% Pb: Yes **Manual:** 10 Renewed: 07-Jul-2024 Approved: 07-Jul-2015 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Size: 10 Orientation: VUVD 0.25% Pb: Yes Manual: 10 Renewed: 29-May-2024 Approved: 29-May-2018 Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RPDA-II Manufacturer: Febco Size: 10 Orientation: VUVU **Manual:** 10 0.25% Pb: Yes Renewed: 29-May-2024 Approved: 29-May-2018 Shutoffs: (mm), II, oo, pp, zzz, cccc, dddd, eeee, ffff, gggg, nnnnn

Type: RPDA-II Manufacturer: Febco Size: 4 Orientation: VUVD **Manual:** 10 0.25% Pb: Yes Approved: 26-Mar-2020 Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Size: 4 Orientation: VUVU 0.25% Pb: Yes **Manual:** 10 Renewed: 26-Mar-2023 Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Orientation: VUVD Size: 6 0.25% Pb: Yes **Manual:** 10 Approved: 26-Mar-2020 Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Size: 6 **Manual:** 10 Approved: 26-Mar-2020

Manufacturer: Febco Orientation: VUVU 0.25% Pb: Yes Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa Model: LF886V Meters: (O) Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886V Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: RPDA-II Manufacturer: Febco Size: 8 Orientation: VUVD 0.25% Pb: Yes **Manual:** 10 Renewed: 15-May-2023 Approved: 15-May-2020 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa Model: LF886W Meters: (O) Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Type: RPDA-II Manufacturer: Febco Model: LF886W Size: 8 **Orientation: VUVU** Meters: (O) 0.25% Pb: Yes Manual: 10 Spare Parts Only: No Renewed: 15-May-2023 Approved: 15-May-2020 Bypass: Watts 3/4" LF619 (HVD) Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Size: 10 Orientation: VUVD **Manual:** 10 0.25% Pb: Yes Renewed: 15-May-2023 Approved: 15-May-2020 Shutoffs: (mm), II, oo, pp, zzz, cccc, dddd, eeee, ffff, gggg, nnnnn

Type: RPDA-II Manufacturer: Febco Size: 10 Orientation: VUVU **Manual:** 10 0.25% Pb: Yes Approved: 15-May-2020 Renewed: 15-May-2023 Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: RPDA-II Manufacturer: Febco Size: 4 Orientation: VUVD 0.25% Pb: Yes Manual: 10 Renewed: 26-Mar-2023 Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Manufacturer: Febco Orientation: VUVU Size: 4 0.25% Pb: Yes Manual: 10 Approved: 26-Mar-2020 Renewed: 26-Mar-2023 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Type: RPDA-II Size: 6 **Manual:** 10 Approved: 26-Mar-2020 Shutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaa

Manufacturer: Febco Orientation: VUVD 0.25% Pb: Yes Renewed: 26-Mar-2023 Model: LF886W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No

Bypass: Watts 3/4" LF619 (HVU)

Model: LF886W Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Type: RPDA-IIManufacturer: FebcoSize: 6Orientation: VUVUManual: 100.25% Pb: YesApproved: 26-Mar-2020Renewed: 26-Mar-2023Shutoffs: (mm), II,oo,pp,zzz,ccc,dddd, eeee,ffff,gggg,nnnnn,aaaaaaa

Model: LF886WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Type: RPDA-IIManufacturer: FebcoModel: LF886WZSize: 8Orientation: VUVDMeters: (O)Manual: 100.25% Pb: YesSpare Parts Only: NoApproved: 15-May-2020Renewed: 15-May-2023Bypass: Watts 3/4" LF619 (HVU)Shutoffs: (mm), II,oo,pp,zzz,ccc,ddd,eeee,fff,gggg,nnnn,aaaaaaState State State

Type: RPDA-IIManufacturer: FebcoModel: LF83Size: 8Orientation: VUVUMeters: (O)Manual: 100.25% Pb: YesSpare PartsApproved: 15-May-2020Renewed: 15-May-2023Bypass: WaShutoffs: (mm), II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn,aaaaaaaState State Sta

 Type: RPDA-II
 Manufacturer: Febco

 Size: 10
 Orientation: VUVD

 Manual: 10
 0.25% Pb: Yes

 Approved: 15-May-2020
 Renewed: 15-May-2023

 Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

 Type: RPDA-II
 Manufacturer: Febco

 Size: 10
 Orientation: VUVU

 Manual: 10
 0.25% Pb: Yes

 Approved: 15-May-2020
 Renewed: 15-May-2023

 Shutoffs: (mm),II,oo,pp,zzz,cccc,dddd,eeee,ffff,gggg,nnnnn

Type: SVB Size: 3/8 Manual: 9 Approved: 18-Nov-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp

Type: SVB Size: 1/2 Manual: 9 Approved: 18-Nov-1998 Shutoffs: (vv),xx,ooo,hhhh,pppp,rrrrr Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 18-Nov-2022

Manufacturer: Watts

Renewed: 18-Nov-2022

Orientation: VUH

0.25% Pb: No

Model: LF886WZ Meters: (O) Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: LF886WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVU)

Model: LF886WZ Meters: (O),G,H,I,J,K,L,M,N,P,Q,T Spare Parts Only: No Bypass: Watts 3/4" LF619 (HVD)

Model: 008PCQT Meters: Spare Parts Only: Yes Bypass:

Model: 008PCQT Meters: Spare Parts Only: Yes Bypass:

Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Jun-2000	Renewed: 19-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrr	
Type: SVB	Manufacturer: Watts	Model: 008PCQT
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 19-Jun-2000	Renewed: 19-Jun-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: SVB	Manufacturer: Watts	Model: LF008PCQT
Size: 3/8	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed: 13-Mar-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp		
Type: SVB	Manufacturer: Watts	Model: LF008PCQT
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed: 13-Mar-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: SVB	Manufacturer: Watts	Model: LF008PCQT
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed: 13-Mar-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: SVB	Manufacturer: Watts	Model: LF008PCQT
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 13-Mar-2015	Renewed: 13-Mar-2024	Bypass:
Shutoffs: (vv),xx,ooo,hhhh,pppp,r	rrrr	
Type: SVB	Manufacturer: Wilkins	Model: 460
Size: 3/8	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Mar-2007	Renewed: 09-Mar-2025	Bypass:
Obustaffas (asa) "		

Shutoffs: (000),ii

Type: SVB	Manufacturer: Wilkins	Model: 460
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 09-Mar-2007	Renewed: 09-Mar-2025	Bypass:
Shutoffs: (000),ii		
Type: SVB	Manufacturer: Wilkins	Model: 460
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-2008	Renewed: 08-May-2023	Bypass:
Shutoffs: (000),ii		
Type: SVB	Manufacturer: Wilkins	Model: 460
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: Yes
Approved: 08-May-2008	Renewed: 08-May-2023	Bypass:
Shutoffs: (000),ii		
Type: SVB	Manufacturer: Wilkins	Model: 460XL
Size: 3/8	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: SVB	Manufacturer: Wilkins	Model: 460XL
Size: 1/2	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Bypass:
Shutoffs: (iiii)		
Notes: Testcocks: Female Threa	aded End or 45 degree male SAE flare	
Type: SVB	Manufacturer: Wilkins	Model: 460XL
Size: 3/4	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Bypass:

Type: SVB	Manufacturer: Wilkins	Model: 460XL
Size: 1	Orientation: VUH	Meters:
Manual: 9	0.25% Pb: Yes	Spare Parts Only: No
Approved: 21-Mar-2011	Renewed: 21-Mar-2023	Bypass:
Shutoffs: (iiiii)		

Notes: Testcocks: Female Threaded End or 45 degree male SAE flare

Manufacturers of Approved Backflow Prevention Assemblies

Ames Fire & Waterworks - A Watts Water Technologies Company http://www.amesfirewater.com/ 815 Chestnut Street North Andover, MA 01845 (978) 688-1811

Apollo/Conbraco Industries, Inc. http://www.apollovalves.com/ P. O. Box 247 Matthews, NC 28105 (704) 847-9191

AQUESTIA (A.R.I) DIRECTING THE FLOW http://www.arivalves.com Kibbutz Kfar Charuv M.P. South Golan ISRAEL, 12932 972-4-6761800 or 972-4-6761988

Backflow Direct - A Watts Water Technologies Company www.backflowdirect.com 815 Chestnut Street North Andover, MA 01845 (978) 688-1811

BEECO - Distributed by Mifab www.beecobackflow.com 1321 West 119th St Chicago, IL 60643-5109 (800) 465-2736

Cla-Val Company http://www.cla-val.com/ P. O. Box 1325 Newport Beach, CA 92659-0325 (949) 722-4800

FEBCO - A Watts Water Technologies Company http://www.febcoonline.com 815 Chestnut Street North Andover, MA 01845 (978) 688-1811

Watts - A Watts Water Technologies Company http://www.wattsreg.com/ 815 Chestnut Street North Andover, MA 01845 (978) 688-1811

Wilkins Regulator Company http://www.zurn.com/products/water-safety/backflow-prevention 1747 Commerce Way Paso Robles, CA 93446 (800) 817-8177